

---

## SCENARIO ONE

### JUDGES' INFORMATION

While watching a friend practicing for an upcoming bonspiel, the first aid team witness an accident. In one lane, one of the players is preparing for his turn when he trips over a broom, losing control of the rock and falling on his outstretched arm. The rock strikes a teammate who is throwing his rock causing him to strike his head on his rock.

## SCENARIO ONE

### SIMULATOR'S INFORMATION

#### Casualty 1

closed fracture to left clavicle - small swelling (3 cm diameter) midpoint on clavicle with bruising

casualty complains of chest pain, is anxious and very pale with sweating

S - swelling /discolouration on clavicle, chest pain, very pale and sweating

A - none

M - nitroglycerin 0.3 ug with spouse (judge)

P - angina x 3yrs

L - breakfast - bacon and eggs toast and coffee

E - tripped on broom, fell to ice on outstretched arm

#### Positioning

sitting on ice, holding bent left arm at elbow, head inclined to the left side : one leg is extended over the other which is bent and under the other thigh

→

#### Casualty 2

closed fracture right patella - significant bruising present at site

5 cm laceration to left temple

S - bruising at right knee, bleeding freely from forehead, casualty complains of pain at knee, no loss of

sensation below injury

A - penicillin (with medic alert bracelet)

M - none

P - none

L - breakfast - coffee and doughnuts

E - hit by rock and fell forward hitting head on handle of his own rock

#### Positioning

lying on left side with his hands in front of his face; his right leg is extended with a slight bend at the knee, the left leg is flexed under his body

#### Equipment needed

4 rocks

2 brooms

masking tape to mark "lane"

**SEA CADETS FIRST AID COMPETITION**

**EVALUATION FORM**

Team Name:	Team #	Scenario # 1	Casualty # 1
<p><b>Prior to scenario:</b> Please check casualty's simulation. Please ensure that the team has read the Team Scenario prior to the commencement of the problem.</p>			
<p><b>During scenario:</b> Please assist the team by providing corrected vitals and prompting as necessary. Casualty age - 52</p>			
<b>EMERGENCY SCENE MANAGEMENT (these actions do not have to be in sequence)</b>			
Did someone take charge?	5	3	0
Did team enquire about hazards before further action?	5	3	0
Were hazards removed? (stones, broom)	5	3	0
Did the first aiders identify themselves?	5	3	0
Did the first aiders obtain the consent of the casualties?	5	3	0
Did the first aiders ensure adequate airway and breathing?	5	3	0
Did the first aiders assess skin temperature and condition?	5	3	0
Did the first aiders assess for severe external bleeding?	5	3	0
Was ambulance called?	5	3	0
Was casualty asked his/her name?	5	3	0
Was casualty asked his/her address?	5	3	0
<b>SECONDARY EXAMINATION</b>			
Was the casualty asked where he/she hurt? (chest pain and tightness)	5	3	0
Was the casualty asked if he/she has any allergies? (none)	5	3	0
Was the casualty asked if he/she were taking any medication? (nitroglycerin 0.3 ug - judge has it)	5	3	0
Was the casualty asked if he/she had any previous medical history or conditions? (angina x 3 years)	5	3	0
Was the casualty asked when he/she last ate? (breakfast - eggs, bacon, toast and coffee)	5	3	0
Was the casualty asked about the events preceding the incident? (tripped on broom and fell on outstretched arm)	5	3	0
Was pulse correctly checked?	5	3	0
Were the respirations checked properly?	5	3	0
Was the temperature and condition of the skin assessed? (pale, cool, sweating)	5	3	0

Was the skull examined for injuries/bleeding? (none found)	5	3	0
Were both ears examined? (no bleeding or fluids present)	5	3	0
Were both eyes examined? (pupils equal and reactive to light)	5	3	0
Was the nose examined? (no blood, fluid evident)	5	3	0
Was the mouth examined? (no dentures, foreign objects, bleeding, odour)	5	3	0
Was the jaw examined? (no difficulty moving, no pain)	5	3	0
Was face examined? (no deformities, bleeding present)	5	3	0
Was the neck examined? (no deformities, bleeding present)	5	3	0
Was the right shoulder, clavicle and scapula examined? (no bleeding, deformities)	5	3	0
Was the left shoulder, clavicle and scapula examined? (swelling, bruising on left clavicle)	5	3	0
Was right arm and hand examined? (no bleeding, deformities, C/S/M present)	5	3	0
Was left arm and hand examined? (no bleeding, deformities, C & S present, Mobility impaired)	5	3	0
Was chest examined? (casualty reports pain, not aggravated by examination, bilateral equal air entry)	5	3	0
Was abdomen examined? (no pain)	5	3	0
Was pelvis examined? (no pain)	5	3	0
Was right leg, ankle and foot examined? (no pain, C/S/M normal)	5	3	0
Was left leg, ankle and foot examined? (no pain, C/S/M normal)	5	3	0
Was back and spine examined? (no pain, deformity)	5	3	0
Was shock suspected?	5	3	0
Was casualty covered over?	5	3	0
Was casualty covered under?	5	3	0
Was casualty reassured?	5	3	0
<b>TREATMENT</b>			
Was casualty offered nitroglycerin? (if taken, chest pain subsides in 2 minutes)	10	5	0
Was casualty helped to semi sitting position?	5	3	0
Were five rights of medication checked?	5	3	0
Was left clavicle fracture treated appropriately? (immobilized and arm supported)	10	5	0
Was distal pulse checked prior to immobilization?	5	3	0
Was distal pulse checked after immobilization?	5	3	0

<b>ONGOING CARE</b>				
Was pulse rechecked?		5	3	0
Were respirations rechecked?		5	3	0
Was skin condition and temperature rechecked?		5	3	0
Was oral report provided to ambulance (judge) complete? (casualty name, age, angina, nitroglycerin given, effect, suspected fracture and treatment)		10	5	0
Debriefing notes:				
<b>Name</b>	<b>Signature</b>	<b>Total marks received</b>		