### **TEAM BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario P**

St. John Ambulance is the designated First Response provider for the International Games. The organization has setup a logistics and supply base at a depot adjacent to the main stadium and athletes' village.

Your team is on patrol around the grounds when you are called over the radio and ordered to proceed to the International Games logistics depot immediately. No additional details at this time.

### JUDGE BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario P

Scenario has 2 casualties.

Casualty 1 has a closed-fracture right femur, and a closed fractured radius and ulna. Casualty's injuries present as diffuse bruising in the aforementioned areas. Casualty 1 is conscious and oriented to person and place.

Casualty 2 has a left temporal skull fracture, is unconscious, displaying signs of shock (pale skin) and has multiple scalp lacerations and facial bruising. Casualty 2 is unconscious, but breathing.

Teams will be staged outside the entrance to building P and will be lead in to the scenario area by their judges.

### **INJURIES**

#### Casualty #1

- Is verbally expressing discomfort, primarily in response to pain in the right femoral region
- Right Femur injury presents as deep purple 10cm diameter bruise with redness
- Redness and deformity of the mid-forearm (closed fracture of radius and ulna)
- Casualty 1 is conscious and oriented to person and place.

#### Casualty # 2

- Is unresponsive
- · Temporal fracture presents as bruising, redness, and swelling
- Scalp lacerations present as 3 1cm wounds across the forehead and hairline
- Patient is pale, eyes are closed

### **CASUALTY PROMPTS**

Casualty #1

Casualty is on the right side (if facing the scenario, casualty's feet facing the responder) and legs are under the scaffolding.

Casualty did not hit their head.

If Asked	Casualty Responds
Name	Real Name
Date of Birth	Real Date of Birth, change year to 1980
Symptoms	Casualty is experiencing pain in the right arm and
	right femur, 7/10, stabbing pain.
Allergies	None
Meds	None
Past Med History	Appendectomy, 1991
Last Meal	Protein Bar 1/2 hour ago
What Happened	Partner (Real name) were sent to grab tank;
	partner went to grab O2 tank off a shelf; shelf fell
	over
Level of Awareness	Oriented to person, place, knows rough hour
Level of Consciousness	Alert
Pain Assessment	OPQRST – started when scaffolding fell on

### **JUDGE BRIEFING NOTES**

### 2014 Ontario Medical First Response Competition – Scenario P

	casualty; 7/10 for femur, 5/10 out for radial/ulna,
	pain is centralized for both injuries, and not
	radiating
If asked about Casualty # 1	Only knows first name, just assigned to work with
	him a few hours before

### Casualty # 2

Casualty is on the left side (if facing the scenario, casualty's feet facing the responder) with legs under the scaffolding. Casualty is unresponsive

If Asked	Casualty Responds
Name	Casualty does not Respond
Date of Birth	Casualty does not Respond
Symptoms	Casualty does not Respond
Allergies	Casualty does not Respond
Meds	Casualty does not Respond
Last Meal	Casualty does not Respond
What Happened	Casualty does not Respond
Level of consciousness	Unresponsive to any stimuli
Level of awareness	Casualty does not Respond
Past Medical History	Casualty does not Respond
Address	Casualty does not Respond

### **JUDGES PROMPTS**

- If asked, Judge informs that hazards are as found
- At the 30 minute point of the scenario, competitors will be told to stop.
- Once the scenario has finished, they will be provided 15 minutes to complete documentation.
- At the end of the documentation period, documentation will be scored and marking sheets finalized

#### **CASUALTY VITAL SIGNS**

Casualty 1 Vital Signs	Judge will report as found or correct to
1 <sup>st</sup> set	Oriented to person, place, unsure of time; resps 18, shallow, regular, pulse 60 weak and regular, pale, cold sweaty skin, 100/70
	BP*
2 <sup>nd</sup> set and subsequent sets	Oriented to person, place, unsure of time; resps 8, shallow, regular, pulse 60 weak and regular, pale, cold sweaty skin, 100/70 BP*
Casualty 2 Vital Signs	
1 <sup>st</sup> set	Unresponsive, pulse 60 weak and regular, pale, cool sweaty skin, 100/70 BP*
2 <sup>nd</sup> set and subsequent sets	Unresponsive, pulse 60 weak and regular, pale, cool sweaty skin, 100/60 BP*

<sup>\*</sup>BP for AMFR & PRO teams only.

### JUDGE BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario P

### **PROPS**

Environment – P Building, housing woodworking materials and a house

- 2 St. John Ambulance Golf Shirts of patients
- Kits and supplies to stock shelves
- O2 tanks to fill shelves; tanks will be scattered around as they fell

### SIMULATOR BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario P

Scenario has 2 casualties.

Casualty 1 has a closed-fracture right femur, and a closed fractured radius and ulna. Casualty's injuries present as diffuse bruising in the aforementioned areas. Casualty 1 is conscious and oriented to person and place.

Casualty 2 has a left temporal skull fracture, is unconscious, displaying signs of shock (pale skin) and has multiple scalp lacerations and facial bruising. Casualty 2 is unconscious, but breathing.

Teams will be staged outside the entrance to building P and will be lead in, eyes to the floor, by their judges.

### **INJURIES**

### Casualty #1

- Is verbally expressing discomfort, primarily in response to pain in the right femoral region
- Right Femur injury presents as deep purple 10cm diameter bruise with redness
- Redness and deformity of the mid-forearm (closed fracture of radius and ulna)
- Casualty 1 is conscious and oriented to person and place.

### Casualty # 2

- Is unresponsive
- · Temporal fracture presents as bruising, redness, and swelling
- Scalp lacerations present as 3 1cm wounds across the forehead and hairline
- Patient is pale, eyes are closed

### **CASUALTY PROMPTS**

### Casualty # 1

Casualty is on the right side (if facing the scenario, casualty's feet facing the responder) and legs are under the scaffolding.

Casualty did not hit their head.

If Asked	Casualty Responds
Name	Real Name
Date of Birth	Real Date of Birth, change year to 1980
Symptoms	Casualty is experiencing pain in the right arm and
	right femur, 7/10, stabbing pain.
Allergies	None
Meds	None
Past Med History	Appendectomy, 1991
Last Meal	Protein Bar 1/2 hour ago
What Happened	Partner (Real name) were sent to grab tank;
	partner went to grab O2 tank off a shelf; shelf fell
	over
Level of Awareness	Oriented to person, place, knows rough hour
Level of Consciousness	Alert

### SIMULATOR BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario P

Pain Assessment	OPQRST – started when scaffolding fell on
	casualty; 7/10 for femur, 5/10 out for radial/ulna,
	pain is centralized for both injuries, and not
	radiating
If asked about Casualty # 1	Only knows first name, just assigned to work with
	him a few hours before

### Casualty # 2

Casualty is on the left side (if facing the scenario, casualty's feet facing the responder) with legs under the scaffolding. Casualty is unresponsive

If Asked	Casualty Responds
Name	Casualty does not Respond
Date of Birth	Casualty does not Respond
Symptoms	Casualty does not Respond
Allergies	Casualty does not Respond
Meds	Casualty does not Respond
Last Meal	Casualty does not Respond
What Happened	Casualty does not Respond
Level of consciousness	Unresponsive to any stimuli
Level of awareness	Casualty does not Respond
Past Medical History	Casualty does not Respond
Address	Casualty does not Respond

### **JUDGES PROMPTS**

- If asked, Judge informs that hazards are as found
- At the 20 minute point of the scenario, competitors will be told to stop.
- Once the scenario has finished, they will be provided 15 minutes to complete documentation.
- At the end of the documentation period, documentation will be scored and marking sheets finalized

### **CASUALTY VITAL SIGNS**

Casualty 1 Vital Signs	Judge will report as found or correct to
1 <sup>st</sup> set	Oriented to person, place, unsure of time; resps 18, shallow, regular, pulse 60 weak and regular, pale, cold sweaty skin, 100/70 BP
2 <sup>nd</sup> set and subsequent sets	Oriented to person, place, unsure of time; resps 8, shallow, regular, pulse 60 weak and regular, pale, cold sweaty skin, 100/70 BP
Casualty 2 Vital Signs	
1 <sup>st</sup> set	Unresponsive, pulse 60 weak and regular, pale, cool sweaty skin, 100/70 BP
2 <sup>nd</sup> set and subsequent sets	Unresponsive, pulse 60 weak and regular, pale, cool sweaty skin, 100/60 BP

### SIMULATOR BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario P

### **PROPS**

Environment – P Building, housing woodworking materials and a house

- 2 St. John Ambulance Golf Shirts of patients
- Kits and supplies to stock shelves
- O2 tanks to fill shelves; tanks will be scattered around as they fell

### CASUALTY BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario P

Scenario has 2 casualties.

Casualty 1 has a closed-fracture right femur, and a closed fractured radius and ulna. Casualty's injuries present as diffuse bruising in the aforementioned areas. Casualty 1 is conscious and oriented to person and place.

Casualty 2 has a left temporal skull fracture, is unconscious, displaying signs of shock (pale skin) and has multiple scalp lacerations and facial bruising. Casualty 2 is unconscious, but breathing.

Teams will be staged outside the entrance to building P and will be lead in, eyes to the floor, by their judges.

### **INJURIES**

### Casualty #1

- Is verbally expressing discomfort, primarily in response to pain in the right femoral region
- Right Femur injury presents as deep purple 10cm diameter bruise with redness
- Redness and deformity of the mid-forearm (closed fracture of radius and ulna)
- Casualty 1 is conscious and oriented to person and place.

### Casualty # 2

- Is unresponsive
- Temporal fracture presents as bruising, redness, and swelling
- Scalp lacerations present as 3 1cm wounds across the forehead and hairline
- Patient is pale, eyes are closed

### **CASUALTY PROMPTS**

### Casualty # 1

Casualty is on the right side (if facing the scenario, casualty's feet facing the responder) and legs are under the scaffolding.

Casualty did not hit their head.

If Asked	Casualty Responds
Name	Real Name
Date of Birth	Real Date of Birth, change year to 1980
Symptoms	Casualty is experiencing pain in the right arm and
	right femur, 7/10, stabbing pain.
Allergies	None
Meds	None
Past Med History	Appendectomy, 1991
Last Meal	Protein Bar 1/2 hour ago
What Happened	Partner (Real name) were sent to grab tank;
	partner went to grab O2 tank off a shelf; shelf fell
	over
Level of Awareness	Oriented to person, place, knows rough hour
Level of Consciousness	Alert
Pain Assessment	OPQRST – started when scaffolding fell on

### **CASUALTY BRIEFING NOTES**

### 2014 Ontario Medical First Response Competition – Scenario P

	casualty; 7/10 for femur, 5/10 out for radial/ulna, pain is centralized for both injuries, and not
	radiating
If asked about Casualty # 1	Only knows first name, just assigned to work with
	him a few hours before

### Casualty # 2

Casualty is on the left side (if facing the scenario, casualty's feet facing the responder) with legs under the scaffolding. Casualty is unresponsive

If Asked	Casualty Responds
Name	Casualty does not Respond
Date of Birth	Casualty does not Respond
Symptoms	Casualty does not Respond
Allergies	Casualty does not Respond
Meds	Casualty does not Respond
Last Meal	Casualty does not Respond
What Happened	Casualty does not Respond
Level of consciousness	Unresponsive to any stimuli
Level of awareness	Casualty does not Respond
Past Medical History	Casualty does not Respond
Address	Casualty does not Respond

### **JUDGES PROMPTS**

- If asked, Judge informs that hazards are as found
- At the 20 minute point of the scenario, competitors will be told to stop.
- Once the scenario has finished, they will be provided **15 minutes to complete documentation**.
- At the end of the documentation period, documentation will be scored and marking sheets finalized

#### **CASUALTY VITAL SIGNS**

Casualty 1 Vital Signs	Judge will report as found or correct to
1 <sup>st</sup> set	Oriented to person, place, unsure of time; resps 18, shallow, regular, pulse 60 weak and regular, pale, cold sweaty skin, 100/70 BP
2 <sup>nd</sup> set and subsequent sets	Oriented to person, place, unsure of time; resps 8, shallow, regular, pulse 60 weak and regular, pale, cold sweaty skin, 100/70 BP
Casualty 2 Vital Signs	
1 <sup>st</sup> set	Unresponsive, pulse 60 weak and regular, pale, cool sweaty skin, 100/70 BP
2 <sup>nd</sup> set and subsequent sets	Unresponsive, pulse 60 weak and regular, pale, cool sweaty skin, 100/60 BP

### CASUALTY BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario P

- 2 St. John Ambulance Golf Shirts for patients
- Kits and supplies to stock shelves
- O2 tanks to fill shelves; tanks will be scattered around as they fell

# 2014 Ontario Medical First Response Competition

## Site "P" PRO

Team:		 	
Judge:			
<u> </u>			_
Total Score:			
-	 	 	_

PRO P GENERAL

Scene may c may r	ng Note e survey and primary survey points only be awarded within the first 3 minutes. no longer be awarded if the team has scored points in a subsequent section judge at a site will have a copy of this sheet and any judge may award the s for these items - items do not need to be done in order.	A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
<b>₹</b>	Assess hazards Safely remove and secure scaffolding	A/S	2	0
Survey om 1	Call 911 for EMS	S	2	0
Scene Su Room	Identify to casualties as a first aid team and offer to help  Consent given	Α	2	0
й	Determine the number of casualties	A/S	2	0
Other	Gloves are worn by all team members each time physical contact is made with the casualty	Α	2	0
ð	Gloves changed before physical contact with different casualty	Α	2	0
	SUBTOTAL			

- ' ' '	01	1007	<u> </u>	
may on may no	Note survey and primary survey points ly be awarded within the first 3 minutes. longer be awarded if the team has scored points in a subsequent section dge at a site will have a copy of this sheet and any judge may award the points	. Action . Statement	Performed/ Stated	Not Performed/ Not Stated
	e items - items do not need to be done in order.	A O	Pe St	2 2
vey	Assess responsiveness oriented to person and place; unsure of time	A/S		
y Sur	Assess airway Clear	A/S		
Primary Survey	Assess breathing Shallow and regular	A/S		
Ā	Assess skin condition pale, cool, wet	A/S		
	Determine mechanism of injury  SJA volunteer was under shelving unit when it collapsed	S	10	0
	Perform rapid body survey closed fracture R femur; closed fracture R radius and ulna; contact with radius causes patient to wince; contact with femur causes patient to complain and vocalize pain	А	2	0
	Applies oxygen 10-15 lpm via partial non-rebreather mask	Α	2	0
	Correctly sizes and inserts oro-pharyngeal Airway	Α	2	0
History	Ask casualty to describe how they are feeling casualty in pain; complains of feeling cold with throbbing pain in right upper thigh	S		
Hist	Ask casualty if they have any allergies	S		
	Ask casualty if they take any medications	S		
	Ask casualty about their past medical history	S		
	Ask casualty about the time of their last oral intake	S	10	0
	Ask casualty what happened patient was reaching for top shelf, and shelf started to fall over	S	2	0
1s 1	Assess level of awareness oriented to person and place; unsure of time	A/S		
Vital Signs	Assess respirations 24 shallow, regular	A/S		
Vita	Assess pulse 120 weak and regular	A/S		
	Assess circulation/skin condition Pale, cool, sweaty	A/S		
	Assess blood pressure	A/S	10	0
toe	Palpate and inspect head	Α		
Head-to-toe Assessment	Inspect eyes	Α		
Heg Ass	Inspect nose	Α	14	0
			_	

PRO P

	NO I		<b>'-</b> '	•
	Open and inspect mouth	А		
	Palpate and inspect jaw	А		
	Inspect ears	А	1	
	Palpate and inspect neck	А		
	Palpate and inspect collarbones	А		
	Palpate and inspect shoulders	А	1	
	Palpate chest and rib cage	А		
	Palpate and inspect abdomen	А		
	Palpate back	А		
	Assess pelvic stability	А	12	0
	Palpate and inspect left arm	А		
	Palpate and inspect right arm mid-forearm deformity and instability	А	1	
	Palpate and inspect left hand	А	1	
	Palpate and inspect right hand	А	1	
	Check left hand circulation, sensation, motor function	А		
	Check right hand circulation, sensation, motor function Circulation present; movement is extremely painful, sensation present	А	12	0
	Palpate and inspect left leg	А		
	Palpate and inspect right leg Bruising on R thigh; patient reports throbbing pain; verbally expresses intense pain when palpated	А		
	Palpate and inspect left foot	А	1	
	Palpate and inspect right foot	А	1	
	Check left foot circulation, sensation, motor function	А	1	
	Check right foot circulation, sensation, motor function Circulation present; unable to move limb, no sensation distal to injury	А	12	0
IS 2	Assess level of awareness unresponsive	A/S		
Vital Signs 2	Assess respirations 28 shallow and regular	A/S	1	
Vita	Assess pulse 124 weak and regular	A/S	1	
	Assess skin condition Pale, cool, sweaty	A/S	10	0
		ı	1	

PRO P

	Assess blood pressure	A/S		
nent	Arm immobilized effectively using a splint	Α	2	0
Treatment	Arm secured with arm sling effectively	Α	2	0
-	Femur immobilized effectively with traction splint	Α	2	0
	Manual immobilization of head maintained until fully immobilized	Α	2	0
	Cervical collar sized and applied correctly	Α	2	0
	Log rolled onto board maintaining effective in-line stabilization	Α	2	0
	Secured with straps	Α	2	0
	Head secured effectively	Α	2	0
	SUBTOTAL			

Scories Notes Scores survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.  Assess responsiveness Assess airway Clear Assess sinvay  Assess sincondition Determine mechanism of injury Subvouriser vas under selvening unit when it collapsed  Perform rapid body survey Identifications and facial brusings contact with the temporal are of head causes causalty to wince  Perform rapid body survey Identifications and facial brusings contact with the temporal are of head causes causalty to wince  Applies coxygen  Applies coxygen  Applies coxygen  Applies coxygen  Applies coxygen  Applies coxygen  Assess School and inserts oro-pharyngeal Airway  Attempts to gather SAMPLE information from bystander or other casualty Noticely sizes and inserts oro-pharyngeal Airway  Assess level of awareness  Assess respirations  Assess Pollus  Assess Pollus and inserts oro-pharyngeal Airway  Assess blood free portion  Assess Pollus  Assess Pollus  Assess Pollus  Assess Pollus  Assess Pollus  Assess Pollus  Applies and inserts condition  Assess Pollus  Applies and inserts oro-pharyngeal Airway  Assess plocal of awareness  Assess plus  Assess Pollus				<u> </u>	
Assess responsiveness thromatous, responsive to palgation of left temporal area of head  Assess ariway Clear  Assess breathing Assess breathing Shallow and regular  Assess skin condition pale, cold, set Determine mechanism of injury SJA volunteer was under shallowing unit when it collapsed  Perform rapid body survey iscertations and fedal bruising; contact with left temporal are of head causes casualty to wince  Applies oxygen 10 15 ipm via parcial non-rebreather mask Correctly sizes and inserts oro-pharyngeal Airway  Attempts to gather SAMPLE information from bystander or other casualty Nobody knows details about this person  Assess level of awareness unresponsive  Assess respirations 2 0  A/S Assess place Assess respirations 2 10 0  Assess place Assess circulation/skin condition Pale, cold, weetily Assess circulation/skin condition Pale, cold, weetily Assess place Inspect eyes Pales undequalt Limm unreadive, R Imm reactive Inspect nose  Open and inspect mouth Palpate and inspect mouth Palpate and inspect mouth Palpate and inspect nock Palpate and inspect collarbones  A 14 0  Palpate and inspect collarbones	Scene s may only may no	survey and primary survey points by be awarded within the first 3 minutes.  Illustrational longer be awarded if the team has scored points in a subsequent section  and the points of the longer be awarded as a site will have a copy of this sheet and any judge may award the points	1 1	erformed/ itated	lot Performed/ lot Stated
Unconscious, responsive to palpetion of left temporal area of head  Assess airway  Assess breathing Shallow and regular  Assess skin condition pale, could, wet  Determine mechanism of injury Suh valunteer was under steeleding unit when it collapsed  Perform rapid body survey Inconstitute the body survey I				ш 0)	
Assess SKIN CONDITION pale, cool, wet  Determine mechanism of injury SJA volunteer was under shelving unit when it collapsed  Perform rapid body survey lacorations and facial bruising; contact with left temporal are of head causes casualty to wince  Applies oxygen 10-15 igm via partial non-rebreather mask Correctly sizes and inserts oro-pharyngeal Airway  Attempts to gather SAMPLE information from bystander or other casualty Nichody transvia details about this person  Assess level of awareness unresponsive  Assess respirations 28 inegate and altallow Assess pulse 60 weak and regular Assess circulation/skin condition Palo, cool, sweaty Assess blood pressure 180/110  Palpate and inspect head Scalp bacerations, facial bruising Inspect eyes Pupils unequal; L 5mm unreactive, R 2mm reactive Inspect and inspect mouth  Palpate and inspect mouth  Palpate and inspect neck  A 14 0  Palpate and inspect neck  Palpate and inspect collarbones	vey		A/S		
Assess SKIN CONDITION pale, cool, wet  Determine mechanism of injury SJA volunteer was under shelving unit when it collapsed  Perform rapid body survey lacorations and facial bruising; contact with left temporal are of head causes casualty to wince  Applies oxygen 10-15 igm via partial non-rebreather mask Correctly sizes and inserts oro-pharyngeal Airway  Attempts to gather SAMPLE information from bystander or other casualty Nichody transvia details about this person  Assess level of awareness unresponsive  Assess respirations 28 inegate and altallow Assess pulse 60 weak and regular Assess circulation/skin condition Palo, cool, sweaty Assess blood pressure 180/110  Palpate and inspect head Scalp bacerations, facial bruising Inspect eyes Pupils unequal; L 5mm unreactive, R 2mm reactive Inspect and inspect mouth  Palpate and inspect mouth  Palpate and inspect neck  A 14 0  Palpate and inspect neck  Palpate and inspect collarbones	y Sur		A/S		
Assess SKIN CONDITION pale, cool, wet  Determine mechanism of injury SJA volunteer was under shelving unit when it collapsed  Perform rapid body survey lacorations and facial bruising; contact with left temporal are of head causes casualty to wince  Applies oxygen 10-15 igm via partial non-rebreather mask Correctly sizes and inserts oro-pharyngeal Airway  Attempts to gather SAMPLE information from bystander or other casualty Nichody transvia details about this person  Assess level of awareness unresponsive  Assess respirations 28 inegate and altallow Assess pulse 60 weak and regular Assess circulation/skin condition Palo, cool, sweaty Assess blood pressure 180/110  Palpate and inspect head Scalp bacerations, facial bruising Inspect eyes Pupils unequal; L 5mm unreactive, R 2mm reactive Inspect and inspect mouth  Palpate and inspect mouth  Palpate and inspect neck  A 14 0  Palpate and inspect neck  Palpate and inspect collarbones	rimar		A/S		
SJA volunteer was under shelving unit when it collapsed  Perform rapid body survey locerations and facial bruising; contact with left temporal are of head causes casualty to wince  Applies oxygen 10-15 igm via partial non-rebreather mask Correctly sizes and inserts oro-pharyngeal Airway  Attempts to gather SAMPLE information from bystander or other casualty Nobody knows details about this person  Assess level of awareness unresponsive  Assess respirations Assess respirations 28 irregular and shallow  Assess pulse 60 week and regular  Assess circulation/skin condition Pale, cool, sweaty  Assess blood pressure 180/110  Palpate and inspect head Scalp lacerations, facial bruising Inspect eyes Pulpis unequal; L 5mm unreactive, R 2mm reactive Inspect nose  A 14 0  Palpate and inspect neck A 14 0  Palpate and inspect collarbones	<u> </u>		A/S		
Locerations and facial bruising; contact with left temporal are of head causes casually to wince   Applies oxygen   In-15 lpm via partial non-rebreather mask   A			S	10	0
Total pm via partial non-rebreather mask   Correctly sizes and inserts oro-pharyngeal Airway   A   2   0		Perform rapid body survey lacerations and facial bruising; contact with left temporal are of head causes casualty to wince	Α	2	0
History Attempts to gather SAMPLE information from bystander or other casualty Nobody knows details about this person  Assess level of awareness unresponsive  Assess respirations 28 irregular and shallow  Assess pulse 60 weak and regular  Assess circulation/skin condition Pale, cool, sweaty  Assess blood pressure 180/110  Palpate and inspect head Scalp lacerations, facial bruising  Inspect eyes Pupils unequal; L 5mm unreactive, R 2mm reactive  Inspect onse  Open and inspect mouth Palpate and inspect neck Palpate and inspect neck Palpate and inspect neck A 14 0  Palpate and inspect collarbones			Α	2	0
Nobody knows details about this person		Correctly sizes and inserts oro-pharyngeal Airway	Α	2	0
Second   S	History		S	2	0
Assess circulation/skin condition Pale, cool, sweaty Assess blood pressure 180/110  Palpate and inspect head Scalp lacerations, facial bruising Inspect eyes Pupils unequal; L 5mm unreactive, R 2mm reactive Inspect nose  Open and inspect mouth Palpate and inspect jaw  Inspect ears Palpate and inspect neck Palpate and inspect neck Palpate and inspect collarbones  A  10  0			A/S		
Assess circulation/skin condition Pale, cool, sweaty Assess blood pressure 180/110  Palpate and inspect head Scalp lacerations, facial bruising Inspect eyes Pupils unequal; L 5mm unreactive, R 2mm reactive Inspect nose  Open and inspect mouth Palpate and inspect jaw  Inspect ears Palpate and inspect neck Palpate and inspect neck Palpate and inspect collarbones  A  10  0	I Sign		A/S		
Pale, cool, sweaty	Vita	Assess pulse 60 weak and regular	A/S		
Palpate and inspect head Scalp lacerations, facial bruising Inspect eyes Pupils unequal; L 5mm unreactive, R 2mm reactive Inspect nose Open and inspect mouth Palpate and inspect jaw Inspect ears Palpate and inspect neck A Palpate and inspect neck A Palpate and inspect collarbones A Delivation of the			A/S		
Scalp lacerations, facial bruising Inspect eyes Pupils unequal; L 5mm unreactive Inspect nose Open and inspect mouth Palpate and inspect jaw Inspect ears Palpate and inspect neck Palpate and inspect collarbones A  A  A  A  A  A  A  A  A  A  A  A  A			A/S	10	0
Palpate and inspect neck  Palpate and inspect collarbones  A  A  14  0	nent	Palpate and inspect head Scalp lacerations, facial bruising	Α		
Palpate and inspect neck  Palpate and inspect collarbones  A  A  14  0	sessn	Inspect eyes Pupils unequal; L 5mm unreactive, R 2mm reactive	Α		
Palpate and inspect neck  Palpate and inspect collarbones  A  A  14  0	e As	Inspect nose	Α		
Palpate and inspect neck  Palpate and inspect collarbones  A  A  14  0	-to-to	Open and inspect mouth	Α		
Palpate and inspect neck  Palpate and inspect collarbones  A  A  14  0	Head	Palpate and inspect jaw	А		
Palpate and inspect collarbones A		Inspect ears	А		
		Palpate and inspect neck	А	14	0
Palpate and inspect shoulders  A 12 0		Palpate and inspect collarbones	А		
		Palpate and inspect shoulders	А	12	0

	• .	•			
	Palpate chest and rib cage		Α		
	Palpate and inspect abdomen		Α		
	Palpate back		Α		
	Assess pelvic stability		Α		
	Palpate and inspect left arm		Α		
	Palpate and inspect right arm		Α		
	Palpate and inspect left hand		Α		
	Palpate and inspect right hand		Α		
	Check left hand circulation, sensation, motor function Circulation present; no reporting sensation or motor (unresponsive)		Α		
	Check right hand circulation, sensation, motor function Circulation present; no reporting sensation or motor (unresponsive)		Α	12	0
	Palpate and inspect left leg		Α		
	Palpate and inspect right leg		Α		
	Palpate and inspect left foot		Α		
	Palpate and inspect right foot		Α		
	Check left foot circulation, sensation, motor function Circulation present; no reporting sensation or motor (unresponsive)		Α		
	Check right foot circulation, sensation, motor function Circulation present; no reporting sensation or motor (unresponsive)		Α	12	0
ls 2	Assess level of awareness unresponsive		A/S		0
l Signs	Assess respirations 28 shallow and irregular		A/S		0
Vital	Assess pulse 126 weak and regular		A/S		0
	Assess skin condition Pale, cool, sweaty		A/S		0
	Assess blood pressure		A/S	10	0
lent	Manual immobilization of head maintained until fully immobilized		Α	2	0
Treatment	Cervical collar sized and applied correctly		Α	2	0
F	Log rolled onto board maintaining effective in-line stabilization		Α	2	0
	Secured with straps		Α	2	0
	Head secured effectively		Α	2	0

SUBTOTAL

P

**DOCUMENTATION** 

lty 1	Incident date and time are filled out	А	2	0
Casualty	Casualty's first and last name and date of birth	Α	2	0
O	At least 1 team members' name and signature	Α	2	0
	Incident history	А	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	Α	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	А	2	0
	Allergies & Medications recorded None	Α	2	0
	Description of injuries deep purple 10cm diameter bruise with redness	А	2	0
	Last meal protein bar	Α	2	0
lty 2	Incident date and time are filled out	Α	2	0
Casualty 2	Casualty's first and last name and date of birth	Α	2	0
O	At least 1 team members' name and signature	Α	2	0
	Incident history	А	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	Α	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	Α	2	0
	Level of consciousness unresponsive	А	2	0
	Description of injuries Temporal bruising, redness, and swelling; scalp lacerations	А	2	0
	CLIDTOTAL	•		

SUBTOTAL