

TEAM BRIEFING NOTES

2014 Ontario Medical First Response Competition – Scenario R

SCENARIO SUMMARY

St. John Ambulance volunteers are providing first aid at the athletes' residence during the 2014 International Games. Your team is stationed in a first aid post in the athletes' residence. There has been a power outage, and you have been told over the radio that it should be restored soon, and that you should stay where you are until the lights come back on.

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

SCENARIO SUMMARY

St. John Ambulance volunteers are providing first aid at the athletes' residence during the 2014 International Games. A team is stationed in a first aid post. The scenario begins with the team in the first aid room and the lights off. The team is told that there has been a power outage, and that it should be restored soon. After 30 seconds, the lights in the first aid room come back on. 15 seconds later, a security guard knocks on the door and informs the first aid team that somebody has called for help in room [x] and details are otherwise unknown.

In room [x], where two athletes are living during the International Games, R1 was cooking pasta for him/herself and R2. When the lights went out, R1 dropped the pot of boiling water and pasta on him/herself and the water flowed across the floor, also burning R2. R2 is a diabetic, and has already taken insulin in preparation for the meal.

At 0:10, the security guard notifies the team in room [x] that somebody has called for help in room [y], and details are unknown. Upon entering room [y], the team finds R3. R3 has been the victim of a sexual assault while the lights were off. The assailant is unknown to R3. What will not be immediately obvious to the team is that, while being assaulted, R3 broke free from the assailant in the bedroom, ran to the kitchen, and removed a chef's knife from the drawer. The assailant followed her to the kitchen, where he was stabbed twice by R3. The assailant (R4) stumbled his way into the bedroom, leaving a trail of blood. An effective scene survey will lead to the team finding the unconscious R4 in the bedroom.

At 0:20, a paramedic arrives to take one casualty to hospital. The paramedic asks which casualty should go first. This casualty then immediately leaves the scene.

At 0:25, the team will be informed that a police officer has arrived on scene to take the victim (R3) and the first competitor to make contact with the victim into the hallway. Once in the hallway, the victim will escort the competitor away from the room, and the competitor will be asked to write an account of the details of the crime scene. The competitor will be told that when the written statement is finished, he/she may return to their team.

At 0:29 a paramedic arrives to take 2 casualties to the hospital. This will close rooms 1 & 2.

At 0:30, the security guard notifies the team in room 2 that somebody has called for help in room [z], and details are unknown. At this point, rooms [x] and [y] will have no casualties and will close. Upon entering room [z], the team finds 3 people, all suffering from a similar febrile respiratory illness. PPE is required to be worn, and one of the casualties is suffering from shortness of breath requiring the assisted use of a ventolin metered dose inhaler.

INJURIES

R1

- Male or female
- partial thickness burns hands, arms up to elbows, and tops of feet (barefoot)
- patient is sitting in the kitchen area, in a dry place away from spilled water

R2

- Male or female
- partial thickness burns bottom of both feet (barefoot)
- diabetic; has taken a fast acting insulin in preparation for a meal
- patient is sitting in the kitchen area, in a dry place away from spilled water

R3

- Female; sexual assault victim
- left face bruising

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

- reddened throat from being strangled
- both hands and arms covered in assailant's blood
- pale face
- remains calm and composed, with little outward display of emotion

R4

- Male; assailant
- left chest penetrating knife wound
 - 5th intercostal space, mid-clavicular line
 - 8cm length
 - Frothy blood around incision
 - Making gurgling/sucking sound
 - Minor bleeding
 - left chest penetrating knife wound
 - 8cm length
 - Left upper quadrant
- unconscious
- shock

R5

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- vomiting in toilet

R6

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face

R7

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- wheezing, mild shortness of breath

CASUALTY PROMPTS

R1

- sitting in the kitchen area, in a dry place away from spilled water Initially unresponsive and not breathing.
- Experiencing severe pain
- Breathing is fast and patient is grimacing

If asked:

Casualty states:

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

Name: Use casualty's real name
Date of birth: Use casualty's real date of birth
Symptoms: severe pain Allergies: codeine
Meds: None Past Med History: None
Last Meal: Muffin 1 hour ago
What happened: casualty was cooking pasta for meal before sporting event. As he/she was removing the pot from the stove, the lights went out and the casualty dropped the pot.
Level of consciousness: alert Level of awareness: oriented to person, place, time

R2

- sitting in the kitchen area, in a dry place away from spilled water Initially unresponsive and not breathing.
- Experiencing severe pain
- Breathing is fast and patient is grimacing

If asked: Casualty states:

Name: Use casualty's real name
Date of birth: Use casualty's real date of birth
Symptoms: severe pain, lightheaded due to hypoglycemia
Allergies: None
Meds: Novorapid 10 units with meals, Lantus 15 units at bedtime
Past Med History: Type 1 diabetes Last Meal: Dinner last night
What happened: Roommate was cooking pasta for meal before sporting event. As he/she was removing the pot from the stove, the lights went out and the casualty dropped the pot.
Level of consciousness: alert Level of awareness: oriented to person, place, time

R3

- sitting in the bathroom on the floor
- remains calm and composed, with little outward display of emotion

If asked: Casualty states:

Name: Use casualty's real name Date of birth: Use casualty's real date of birth
Symptoms: casualty remains calm, quiet, and composed, but states she is scared, angry, and anxious
Allergies: cat dander Meds: birth control pill (Yasmin) daily
Past Med History: concussion May 2012 (car accident); knee injury - MCL tear 2013
Last Meal: can't remember

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

- At the 0:45, competitors will be told to stop.
- Once the scenario has finished, they will be provided time to complete documentation.
- At the end of the documentation period, documentation will be scored and marking sheets finalized

0:00	Security Person Enters first aid room, tells responders of situation in Room 1
0:10	Security Person Enters first aid room. Tells responders of situation in Room 2
0:20	EMS Arrives - 1 Person, can take 1 PT, knocks on room 1, asks "who's in charge?"
0:25	Police Officer Shows up to take sexual assault Victim and Primary Responder
0:29	2nd EMS Arrives
0:30	Security Guard Comes to Responder in 2nd Room
0:45	END - Team Starts Paperwork

Casualty 1 Vital Signs

1st set

Assess level of awareness oriented to person, place, time
Assess respirations 20 regular and shallow
Assess pulse 98 strong and regular
Assess circulation/skin condition Natural tone, warm, dry
Assess blood pressure 110/70

2nd set and subsequent sets

Assess level of awareness oriented to person, place, time
Assess respirations 18 shallow and regular
Assess pulse 90 strong and regular
Assess skin condition Pale, warm, sweaty
Assess blood pressure 108/64

R2 Vital Signs

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

1st set

Assess level of awareness oriented to person, place, time
Assess respirations 24 regular and shallow
Assess pulse 110 strong and regular
Assess circulation/skin condition Natural tone, warm, dry
Assess blood pressure 126/84

2nd set and subsequent sets

Assess level of awareness oriented to person, place, time
Assess respirations 18 shallow and regular
Assess pulse 90 strong and regular
Assess skin condition Pale, warm, sweaty
Assess blood pressure 108/64

R3 Vital Signs

1st set

Assess level of awareness oriented to person, place, time
Assess respirations 30 regular, rapid and shallow
Assess pulse 104 strong and regular
Assess circulation/skin condition pale, warm, dry
Assess blood pressure 114/68

2nd set and subsequent sets

Assess level of awareness oriented to person, place, time
Assess respirations 18 shallow and regular
Assess pulse 90 strong and regular

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

Assess skin condition Pale, warm, dry
--

Assess blood pressure 118/66

R4 Vital Signs

1st set

Assess level of awareness unresponsive

Assess respirations 40 irregular and shallow, gasping
--

Assess pulse 134 weak and regular

Assess circulation/skin condition pale, cool, moist
--

Assess blood pressure 90/62

2nd set and subsequent sets

Assess level of awareness unresponsive

Assess respirations 38 shallow and irregular, gasping
--

Assess pulse 152 weak and regular

Assess skin condition Pale, cool, moist
--

Assess blood pressure 84/54

R5 Vital Signs

1st set

Assess level of awareness oriented to person, place, time
--

Assess respirations 20 regular and shallow

Assess pulse 90 strong and regular

Assess circulation/skin condition pale, very warm, dry

Assess blood pressure 122/72

2nd set and subsequent sets

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

Assess level of awareness oriented to person, place, time
Assess respirations 22 regular and shallow
Assess pulse 94 strong and regular
Assess circulation/skin condition pale, very warm, dry
Assess blood pressure 124/78

R6 Vital Signs

1st set

Assess level of awareness oriented to person, place, time
Assess respirations 18 regular and shallow
Assess pulse 80 strong and regular
Assess circulation/skin condition pale, very warm, dry
Assess blood pressure 108/66

2nd set and subsequent sets

Assess level of awareness oriented to person, place, time
Assess respirations 20 regular and shallow
Assess pulse 90 strong and regular
Assess circulation/skin condition pale, very warm, dry
Assess blood pressure 104/60

R7 Vital Signs

1st set (*and subsequent sets if not assisted with medication)

Assess level of awareness oriented to person, place, time
Assess respirations 28 regular and shallow, wheezing
Assess pulse 100 strong and regular

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

Assess circulation/skin condition pale, very warm, dry

Assess blood pressure 134/90

2nd set and subsequent sets (*if assisted with medication)

Assess level of awareness oriented to person, place, time
--

Assess respirations 16 regular and shallow

Assess pulse 80 strong and regular

Assess circulation/skin condition pale, very warm, dry

Assess blood pressure 130/90

PROPS

- Room [x]
 - Environment
 - Athletes' residence room
 - Props
 - Water on floor
 - Radio on music station; medium volume
 - Pasta on floor, scattered around wet area
 - Large pot on floor in wet area
 - Small pot on stove with pasta sauce in it, stove on medium-low setting
 - Orange juice in refrigerator
 - Colander in sink
 - Wooden spoon on top of pasta sauce
 - Table place setting with bowls and forks
 - Glasses or cups in cupboard; door closed
- Room [y]
 - Environment
 - Athletes' residence room
 - Radio on music station; loud
 - Props
 - kitchen knife with blade >7" on floor in kitchen; blood on the point half
 - shower with running hot water, creating a steam filled bathroom
 - R3 wearing bathrobe over shorts/shirt
 - toothbrush, toothpaste, soap, etc. in bathroom/sink area
 - bath towels placed somewhere in bathroom
 - pocket knife in bedroom beside R4
 - Radio on music station; loud

JUDGE BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

- R4 laying on large carpet segment (at least 6 feet by 6 feet) in a similar colour to humber residence carpet colour; pre-stained with blood to simulate severe bleeding without risk of damaging Humber residence carpet
- Room [z]
 - Environment
 - Athletes' residence room
 - Props
 - artificial vomit substitute in toilet bowl, on side of toilet bowl, and on floor in front of toilet
 - small garbage can in a conspicuous place in kitchen overflowing with used facial tissues
 - several dirty dishes, pots, etc. scattered on table/counter so as to create a lived-in esthetic
 - Ventolin MDI in R7's pocket

SIMULATOR BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

SCENARIO SUMMARY

St. John Ambulance volunteers are providing first aid at the athletes' residence during the 2014 International Games. A team is stationed in a first aid post. The scenario begins with the team in the first aid room and the lights off. The team is told that there has been a power outage, and that it should be restored soon. After 30 seconds, the lights in the first aid room come back on. 15 seconds later, a security guard knocks on the door and informs the first aid team that somebody has called for help in room [x] and details are otherwise unknown.

In room [x], where two athletes are living during the International Games, R1 was cooking pasta for him/herself and R2. When the lights went out, R1 dropped the pot of boiling water and pasta on him/herself and the water flowed across the floor, also burning R2. R2 is a diabetic, and has already taken insulin in preparation for the meal.

At 0:10, the security guard notifies the team in room [x] that somebody has called for help in room [y], and details are unknown. Upon entering room [y], the team finds R3 and R3's friend/teammate (bystander). The bystander called for help. R3 has been the victim of a sexual assault while the lights were off. The assailant is unknown to R3, and the bystander was not a witness. What will not be immediately obvious to the team is that, while being assaulted, R3 broke free from the assailant in the bedroom, ran to the kitchen, and removed a chef's knife from the drawer. The assailant followed her to the kitchen, where he was stabbed twice by R3. The assailant (R4) stumbled his way into the bedroom, leaving a trail of blood. An effective scene survey will lead to the team finding the unconscious R4 in the bedroom.

At 0:20, a paramedic arrives to take one casualty to hospital.

At 0:25, a police officer will arrive on scene and take the victim (R3) and the first competitor to make contact with the victim into the hallway. The victim will be escorted away from the scenario site, and the competitor will be questioned by the police officer. The officer will question the competitor about the scene, and then the officer will ask the competitor to write an account of the details of the crime scene. The competitor will be told that when the statement is finished, he/she may return to their team.

At 0:29 a paramedic arrives to take 2 casualties to the hospital. At 0:30, the security guard notifies the team in room 2 that somebody has called for help in room [z], and details are unknown. At this point, rooms [x] and [y] will have no casualties and will close. Upon entering room [z], the team finds 3 people, all suffering from a similar febrile respiratory illness. PPE is required to be worn, and one of the casualties is suffering from shortness of breath requiring the assisted use of a ventolin metered dose inhaler.

INJURIES

R1

- Male or female
- partial thickness burns hands, arms up to elbows, and tops of feet (barefoot)
- patient is sitting in the kitchen area, in a dry place away from spilled water

R2

- Male or female
- partial thickness burns bottom of both feet (barefoot)
- diabetic; has taken a fast acting insulin in preparation for a meal
- patient is sitting in the kitchen area, in a dry place away from spilled water

R3

- Female; sexual assault victim
- left face bruising

SIMULATOR BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

- reddened throat from being strangled
- both hands and arms covered in assailant's blood
- pale face
- remains calm and composed, with little outward display of emotion

R4

- Male; assailant
- left chest penetrating knife wound
 - 5th intercostal space, mid-clavicular line
 - 8cm length
 - Frothy blood around incision
 - Making gurgling/sucking sound
 - Minor bleeding
- Abdominal knife wound with severe bleeding
 - 8cm length
 - Left upper quadrant
- unconscious
- shock

R5

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- vomiting in toilet

R6

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face

R7

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- wheezing, mild shortness of breath

PROPS

- Room [x]
 - Environment
 - Athletes' residence room
 - Props
 - Water on floor
 - Radio on music station; medium volume
 - Pasta on floor, scattered around wet area

SIMULATOR BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

- Large pot on floor in wet area
- Small pot on stove with pasta sauce in it, stove on medium-low setting
- Orange juice in refrigerator
- Colander in sink
- Wooden spoon on top of pasta sauce
- Table place setting with bowls and forks
- Glasses or cups in cupboard; door closed
- Room [y]
 - Environment
 - Athletes' residence room
 - Radio on music station; loud
 - Props
 - kitchen knife with blade >7" on floor in kitchen; blood on the point half
 - shower with running hot water, creating a steam filled bathroom
 - R3 wearing bathrobe over shorts/shirt
 - toothbrush, toothpaste, soap, etc. in bathroom/sink area
 - bath towels placed somewhere in bathroom
 - pocket knife in bedroom beside R4
 - Radio on music station; loud
 - R4 laying on large carpet segment (at least 6 feet by 6 feet) in a similar colour to humber residence carpet colour; pre-stained with blood to simulate severe bleeding without risk of damaging Humber residence carpet
- Room [z]
 - Environment
 - Athletes' residence room
 - Props
 - artificial vomit substitute in toilet bowl, on side of toilet bowl, and on floor in front of toilet
 - small garbage can in a conspicuous place in kitchen overflowing with used facial tissues
 - several dirty dishes, pots, etc. scattered on table/counter so as to create a lived-in esthetic
 - Ventolin MDI in R7's pocket

CASUALTY BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

SCENARIO SUMMARY

St. John Ambulance volunteers are providing first aid at the athletes' residence during the 2014 International Games. A team is stationed in a first aid post. The scenario begins with the team in the first aid room and the lights off. The team is told that there has been a power outage, and that it should be restored soon. After 30 seconds, the lights in the first aid room come back on. 15 seconds later, a security guard knocks on the door and informs the first aid team that somebody has called for help in room [x] and details are otherwise unknown.

In room [x], where two athletes are living during the International Games, R1 was cooking pasta for him/herself and R2. When the lights went out, R1 dropped the pot of boiling water and pasta on him/herself and the water flowed across the floor, also burning R2. R2 is a diabetic, and has already taken insulin in preparation for the meal.

At 0:10, the security guard notifies the team in room [x] that somebody has called for help in room [y], and details are unknown. Upon entering room [y], the team finds R3 and R3's friend/teammate (bystander). The bystander called for help. R3 has been the victim of a sexual assault while the lights were off. The assailant is unknown to R3, and the bystander was not a witness. What will not be immediately obvious to the team is that, while being assaulted, R3 broke free from the assailant in the bedroom, ran to the kitchen, and removed a chef's knife from the drawer. The assailant followed her to the kitchen, where he was stabbed twice by R3. The assailant (R4) stumbled his way into the bedroom, leaving a trail of blood. An effective scene survey will lead to the team finding the unconscious R4 in the bedroom.

At 0:20, a paramedic arrives to take one casualty to hospital.

At 0:25, a police officer will arrive on scene and take the victim (R3) and the first competitor to make contact with the victim into the hallway. The victim will be escorted away from the scenario site, and the competitor will be questioned by the police officer. The officer will question the competitor about the scene, and then the officer will ask the competitor to write an account of the details of the crime scene. The competitor will be told that when the statement is finished, he/she may return to their team.

At 0:29 a paramedic arrives to take 2 casualties to the hospital. At 0:30, the security guard notifies the team in room 2 that somebody has called for help in room [z], and details are unknown. At this point, rooms [x] and [y] will have no casualties and will close. Upon entering room [z], the team finds 3 people, all suffering from a similar febrile respiratory illness. PPE is required to be worn, and one of the casualties is suffering from shortness of breath requiring the assisted use of a ventolin metered dose inhaler.

INJURIES

- R1**
- Male or female
 - partial thickness burns hands, arms up to elbows, and tops of feet (barefoot)
 - patient is sitting in the kitchen area, in a dry place away from spilled water
- R2**
- Male or female
 - partial thickness burns bottom of both feet (barefoot)
 - diabetic; has taken a fast acting insulin in preparation for a meal
 - patient is sitting in the kitchen area, in a dry place away from spilled water
- R3**
- Female; sexual assault victim
 - left face bruising

CASUALTY BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

- reddened throat from being strangled
- both hands and arms covered in assailant's blood
- pale face
- remains calm and composed, with little outward display of emotion

R4

- Male; assailant
- left chest penetrating knife wound
 - 5th intercostal space, mid-clavicular line
 - 8cm length
 - Frothy blood around incision
 - Making gurgling/sucking sound
 - Minor bleeding
- Abdominal knife wound with severe bleeding
 - 8cm length
 - Left upper quadrant
- unconscious
- shock

R5

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- vomiting in toilet

R6

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face

R7

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- wheezing, mild shortness of breath

CASUALTY PROMPTS

R1

- sitting in the kitchen area, in a dry place away from spilled water Initially unresponsive and not breathing.
- Experiencing severe pain
- Breathing is fast and patient is grimacing

If asked:

Casualty states:

CASUALTY BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

Name: Use casualty's real name

Date of birth: Use casualty's real date of birth

Symptoms: severe pain Allergies: codeine

Meds: None Past Med History: None

Last Meal: Muffin 1 hour ago

What happened: casualty was cooking pasta for meal before sporting event. As he/she was removing the pot from the stove, the lights went out and the casualty dropped the pot.

Level of consciousness: alert

Level of awareness: oriented to person, place, time

R2

- sitting in the kitchen area, in a dry place away from spilled water Initially unresponsive and not breathing.
- Experiencing severe pain
- Breathing is fast and patient is grimacing

If asked: Casualty states:

Name: Use casualty's real name

Date of birth: Use casualty's real date of birth

Symptoms: severe pain, lightheaded due to hypoglycemia

Allergies: None Meds: Novorapid 10 units with meals, Lantus 15 units at bedtime

Past Med History: Type 1 diabetes Last Meal: Dinner last night

What happened: Roommate was cooking pasta for meal before sporting event. As he/she was removing the pot from the stove, the lights went out and the casualty dropped the pot.

Level of consciousness: alert

Level of awareness: oriented to person, place, time

R3

- sitting in the bathroom on the floor
- remains calm and composed, with little outward display of emotion

If asked: Casualty states:

Name: Use casualty's real name

Date of birth: Use casualty's real date of birth

CASUALTY BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

- came over to see if friends were sick, too
- Coughing occasionally, especially when speaking/answering questions

If asked: Casualty states:
Name: Use casualty's real name
Date of birth: Use casualty's real date of birth
Symptoms: fever, chills, malaise, dry cough, loss of appetite, body aches, nausea
Allergies: none Meds: Effexor 75mg daily
Past Med History: depression Last Meal: steak last night
What happened: started feeling unwell this morning; progressively worsening symptoms; came over to see if friends were sick too
Level of consciousness: alert Level of awareness: oriented to person, place, time

R7

- sitting in the bedroom on the bed with feet on the floor
- casualty has asthma, and is experiencing mild shortness of breath and wheezing
- Coughing occasionally, especially when speaking/answering questions

If asked: Casualty states:
Name: Use casualty's real name
Date of birth: Use casualty's real date of birth
Symptoms: fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, shortness of breath, wheezing
Allergies: none
Meds: salbutamol – requires assistance to take medication if asked or suggested.
Past Med History: depression Last Meal: steak last night
What happened: started feeling unwell this morning; progressively worsening symptoms
Level of consciousness: alert Level of awareness: oriented to person, place, time

PROPS

- Room [x]
 - Environment
 - Athletes' residence room
 - Props
 - Water on floor
 - Radio on music station; medium volume

CASUALTY BRIEFING NOTES

2014 Ontario Medical First Response Competition – AMFR/PRO Scenario R

- Pasta on floor, scattered around wet area
- Large pot on floor in wet area
- Small pot on stove with pasta sauce in it, stove on medium-low setting
- Orange juice in refrigerator
- Colander in sink
- Wooden spoon on top of pasta sauce
- Table place setting with bowls and forks
- Glasses or cups in cupboard; door closed
- Room [y]
 - Environment
 - Athletes' residence room
 - Radio on music station; loud
 - Props
 - kitchen knife with blade >7" on floor in kitchen; blood on the point half
 - shower with running hot water, creating a steam filled bathroom
 - R3 wearing bathrobe over shorts/shirt
 - toothbrush, toothpaste, soap, etc. in bathroom/sink area
 - bath towels placed somewhere in bathroom
 - pocket knife in bedroom beside R4
 - Radio on music station; loud
 - R4 laying on large carpet segment (at least 6 feet by 6 feet) in a similar colour to humber residence carpet colour; pre-stained with blood to simulate severe bleeding without risk of damaging Humber residence carpet
- Room [z]
 - Environment
 - Athletes' residence room
 - Props
 - artificial vomit substitute in toilet bowl, on side of toilet bowl, and on floor in front of toilet
 - small garbage can in a conspicuous place in kitchen overflowing with used facial tissues
 - several dirty dishes, pots, etc. scattered on table/counter so as to create a lived-in esthetic
 - Ventolin MDI in R7's pocket

2014
Ontario Medical First Response
Competition

Site “R”
AMFR

Team: _____

Judge: _____

Total Score: _____

AMFR R

GENERAL

Scoring Note Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Scene Survey Room 1	Assess hazards <small>Moves casualties away from water or eliminates slipping hazard</small>	A/S	2	0
	Call 911 for EMS	A	2	0
	Identify to casualties as a first aid team and offer to help <small>Consent given</small>	A	2	0
	Determine the number of casualties <small>Two</small>	A/S	2	0
Scene Survey Room 2	Assess hazards <small>Secures knife appropriately. Asks about assailant and/or locates assailant (R3).</small>	A/S	2	0
	Call 911 for Police	A	2	0
	Call 911 for EMS	A	2	0
	Identify to casualties as a first aid team and offer to help <small>Consent given</small>	A	2	0
	Determine the number of casualties <small>Two</small>	A/S	2	0
Scene Survey Room 3	Assess hazards <small>Identifies need for droplet precautions.</small>	A/S	2	0
	Identifies need for additional PPE (gown and mask) <small>Within 60 seconds of entering room.</small>	S	2	0
	Dons gown and mask prior to physical contact or intervention after the need is established	A	2	0
	Gown and mask worn for all subsequent contact with casualties	A	2	0
	Identify to casualties as a first aid team and offer to help <small>Consent given</small>	A	2	0
	Determine the number of casualties <small>Three</small>	S	2	0
Other	Gloves are worn by all team members each time physical contact is made with the casualty	A	2	0
	Gloves changed before physical contact with different casualty	A	2	0
SUBTOTAL				

AMFR R

CASUALTY 1

Scoring Note Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Primary Survey	Assess responsiveness <small>Alert</small>	A/S	2	0
	Assess airway <small>Clear, casualty is speaking</small>	A/S	2	0
	Assess breathing <small>Shallow and regular, no distress</small>	A/S	2	0
	Assess skin condition <small>Natural tone, warm, dry</small>	A/S	2	0
	Determine mechanism of injury <small>Moving pot of boiling water and pasta, lights went out, poured on self</small>	S	2	0
	Perform rapid body survey <small>Partial thickness burn hands, arms to elbow, tops of feet</small>	A	2	0
History	Ask casualty to describe how they are feeling <small>Pain (10/10 if asked)</small>	S	2	0
	Ask casualty if they have any allergies <small>Codeine</small>	S	2	0
	Ask casualty if they take any medications <small>No</small>	S	2	0
	Ask casualty about their past medical history <small>None</small>	S	2	0
	Ask casualty about the time of their last oral intake <small>Muffin 1 hour ago</small>	S	2	0
	Ask casualty what happened <small>The lights went out and the pot fell</small>	S	2	0
Vital Signs 1	Assess level of awareness <small>oriented to person, place, time</small>	A/S	2	0
	Assess respirations <small>20 regular and shallow</small>	A/S	2	0
	Assess pulse <small>98 strong and regular</small>	A/S	2	0
	Assess circulation/skin condition <small>Natural tone, warm, dry</small>	A/S	2	0
	Assess blood pressure <small>110/70</small>	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes <small>Pupils equal and reactive</small>	A	1	0
	Inspect nose	A	1	0
	Open and inspect mouth	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0

AMFR R

CASUALTY 1

	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0
	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm Partial thickness burns to elbow	A	1	0
	Palpate and inspect right arm Partial thickness burns to elbow	A	1	0
	Palpate and inspect left hand Partial thickness burns	A	1	0
	Palpate and inspect right hand Partial thickness burns	A	1	0
	Check left hand circulation, sensation, motor function Motor function reduced due to pain	A	1	0
	Check right hand circulation, sensation, motor function Motor function reduced due to pain	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot Partial thickness burns	A	1	0
	Palpate and inspect right foot Partial thickness burns	A	1	0
	Check left foot circulation, sensation, motor function Motor function reduced due to pain	A	1	0
	Check right foot circulation, sensation, motor function Motor function reduced due to pain	A	1	0
Vital Signs 2	Assess level of awareness oriented to person, place, time	A/S	2	0
	Assess respirations 18 shallow and regular	A/S	2	0
	Assess pulse 90 strong and regular	A/S	2	0
	Assess skin condition Pale, warm, sweaty	A/S	2	0
	Assess blood pressure 108/64	A/S	2	0
Treatment	Cool burns with running water Both arms and both feet	A	2	0
	Initiates cooling of burn within the first 10 minutes and maintains cooling procedure for at least 10 minutes	A	2	0

AMFR R

CASUALTY 1

SUBTOTAL	
----------	--

AMFR R

CASUALTY 2

Scoring Note		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section				
Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.				
Primary Survey	Assess responsiveness Alert	A/S	2	0
	Assess airway Clear, casualty is speaking	A/S	2	0
	Assess breathing Shallow and regular, no distress	A/S	2	0
	Assess skin condition Natural tone, warm, dry	A/S	2	0
	Determine mechanism of injury Roommate moving pot of boiling water and pasta, lights went out, poured on floor	S	2	0
	Perform rapid body survey Partial thickness burn volar surface of feet	A	2	0
History	Ask casualty to describe how they are feeling Pain, lightheaded	S	2	0
	Ask casualty if they have any allergies None	S	2	0
	Ask casualty if they take any medications Novorapid 10 units with meals, Lantus 15 units at bedtime	S	2	0
	Ask casualty about their past medical history Type 1 diabetes	S	2	0
	Ask casualty about the time of their last oral intake Dinner last night	S	2	0
	Ask casualty what happened The lights went out, pot fell, and hot water surrounded feet	S	2	0
Vital Signs 1	Assess level of awareness oriented to person, place, time	A/S	2	0
	Assess respirations 24 regular and shallow	A/S	2	0
	Assess pulse 110 strong and regular	A/S	2	0
	Assess circulation/skin condition Natural tone, warm, dry	A/S	2	0
	Assess blood pressure 126/84	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes Pupils equal and reactive	A	1	0
	Inspect nose	A	1	0
	Open and inspect mouth	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0

AMFR R

CASUALTY 2

	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0
	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm	A	1	0
	Palpate and inspect left hand	A	1	0
	Palpate and inspect right hand	A	1	0
	Check left hand circulation, sensation, motor function	A	1	0
	Check right hand circulation, sensation, motor function	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot <small>Partial thickness burns</small>	A	1	0
	Palpate and inspect right foot <small>Partial thickness burns</small>	A	1	0
	Check left foot circulation, sensation, motor function <small>Motor function reduced due to pain</small>	A	1	0
Check right foot circulation, sensation, motor function <small>Motor function reduced due to pain</small>	A	1	0	
Vital Signs 2	Assess level of awareness <small>oriented to person, place, time</small>	A/S	2	0
	Assess respirations <small>18 shallow and regular</small>	A/S	2	0
	Assess pulse <small>90 strong and regular</small>	A/S	2	0
	Assess skin condition <small>Pale, warm, sweaty</small>	A/S	2	0
	Assess blood pressure <small>108/64</small>	A/S	2	0
Treatment	Cool burns with running water <small>Both arms and both feet</small>	A	2	0
	Maintains cooling procedure for 20 minutes.	A	2	0

AMFR R

CASUALTY 2

SUBTOTAL		
----------	--	--

AMFR R

CASUALTY 3

Scoring Note		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.				
Primary Survey	Assess responsiveness <small>Alert</small>	A/S	2	0
	Assess airway <small>Clear, casualty is speaking</small>	A/S	2	0
	Assess breathing <small>Shallow and rapid, no distress</small>	A/S	2	0
	Assess skin condition <small>pale, warm, dry</small>	A/S	2	0
	Determine mechanism of injury <small>violent sexual assault; left face bruising from punch; reddened throat from being strangled</small>	S	2	0
	Perform rapid body survey <small>No other injuries found</small>	A	2	0
History	Ask casualty to describe how they are feeling <small>casualty remains calm, quiet, and composed, but states she is scared, angry, and anxious</small>	S	2	0
	Ask casualty if they have any allergies <small>cat dander</small>	S	2	0
	Ask casualty if they take any medications <small>birth control pill - yasmin</small>	S	2	0
	Ask casualty about their past medical history <small>concussion May 2012 (car accident); knee injury - MCL tear 2013</small>	S	2	0
	Ask casualty about the time of their last oral intake <small>can't remember</small>	S	2	0
	Ask casualty what happened <small>The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat, and sexually assaulted her. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant twice.</small>	S	2	0
Vital Signs 1	Assess level of awareness <small>oriented to person, place, time</small>	A/S	2	0
	Assess respirations <small>30 regular, rapid and shallow</small>	A/S	2	0
	Assess pulse <small>104 strong and regular</small>	A/S	2	0
	Assess circulation/skin condition <small>pale, warm, dry</small>	A/S	2	0
	Assess blood pressure <small>114/68</small>	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head <small>Left face bruising</small>	A	1	0
	Inspect eyes <small>Pupils equal and reactive</small>	A	1	0
	Inspect nose	A	1	0
	Open and inspect mouth	A	1	0
	Palpate and inspect jaw	A	1	0

AMFR R

CASUALTY 3

	Inspect ears	A	1	0
	Palpate and inspect neck Manual strangulation marks; structurally intact	A	1	0
	Palpate and inspect collarbones	A	1	0
	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm blood transfer from assailant's knife wounds	A	1	0
	Palpate and inspect right arm blood transfer from assailant's knife wounds	A	1	0
	Palpate and inspect left hand blood transfer from assailant's knife wounds	A	1	0
	Palpate and inspect right hand blood transfer from assailant's knife wounds	A	1	0
	Check left hand circulation, sensation, motor function	A	1	0
	Check right hand circulation, sensation, motor function	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
	Check left foot circulation, sensation, motor function	A	1	0
	Check right foot circulation, sensation, motor function	A	1	0
Vital Signs 2	Assess level of awareness oriented to person, place, time	A/S	2	0
	Assess respirations 18 shallow and regular	A/S	2	0
	Assess pulse 90 strong and regular	A/S	2	0
	Assess skin condition Pale, warm, dry	A/S	2	0
	Assess blood pressure 118/66	A/S	2	0
Treatment	Explain what a secondary survey is and why it is necessary Both arms and both feet	A	2	0

AMFR R

CASUALTY 3

SUBTOTAL		
----------	--	--

AMFR R

CASUALTY 4

Scoring Note Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Primary Survey	Assess responsiveness <small>Unresponsive</small>	A/S	2	0
	Assess airway <small>Clear</small>	A/S	2	0
	Assess breathing <small>Rapid, shallow and irregular, gasping</small>	A/S	2	0
	Assess skin condition <small>pale, cool, moist</small>	A/S	2	0
	Determine mechanism of injury <small>stabbed twice with a knife during sexual assault sequence</small>	S	2	0
	Perform rapid body survey <small>Left pneumothorax due to knife wound; severe bleeding abdomen LUQ due to knife wound</small>	A	2	0
Vital Signs 1	Assess level of awareness <small>unresponsive</small>	A/S	2	0
	Assess respirations <small>40 irregular and shallow, gasping</small>	A/S	2	0
	Assess pulse <small>134 weak and regular</small>	A/S	2	0
	Assess circulation/skin condition <small>pale, cool, moist</small>	A/S	2	0
	Assess blood pressure <small>90/62</small>	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes <small>Pupils equal and reactive</small>	A	1	0
	Inspect nose	A	1	0
	Open and inspect mouth	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0
	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0
	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm	A	1	0
	Palpate and inspect left hand	A	1	0

AMFR R

CASUALTY 4

	Palpate and inspect right hand	A	1	0
	Check left hand circulation	A	1	0
	Check right hand circulation	A	1	0
	Palpate chest and rib cage <small>Knife wound, sucking sound, frothy blood bubbling from site; lung sounds present right side only</small>	A	1	0
	Palpate and inspect abdomen <small>Knife wound LUQ, severe bleeding</small>	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
	Check left foot circulation	A	1	0
	Check right foot circulation	A	1	0
	Vital Signs 2	Assess level of awareness <small>unresponsive</small>	A/S	2
Assess respirations <small>38 shallow and irregular, gasping</small>		A/S	2	0
Assess pulse <small>152 weak and regular</small>		A/S	2	0
Assess skin condition <small>Pale, cool, moist</small>		A/S	2	0
Assess blood pressure <small>84/54</small>		A/S	2	0
Treatment	Insert oropharyngeal airway <small>Both arms and both feet</small>	A	2	0
	Administer oxygen <small>via partial non-rebreather mask @ 15lpm</small>	A	2	0
	Immediately apply bulky dressing and pressure to LUQ wound	A	2	0
	Apply three sided dressing to open pneumothorax	A	2	0
SUBTOTAL				

AMFR R

CASUALTY 5

Scoring Note		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section				
Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.				
Primary Survey	Assess responsiveness Alert	A/S	2	0
	Assess airway Clear, casualty is speaking	A/S	2	0
	Assess breathing regular, no distress	A/S	2	0
	Assess skin condition pale, very warm, dry	A/S	2	0
	Determine mechanism of injury febrile respiratory illness	S	2	0
	Perform rapid body survey no injuries found	A	2	0
History	Ask casualty to describe how they are feeling fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, vomiting in toilet	S	2	0
	Ask casualty if they have any allergies none	S	2	0
	Ask casualty if they take any medications daily multivitamin; advil for headaches	S	2	0
	Ask casualty about their past medical history sports hernia 2010	S	2	0
	Ask casualty about the time of their last oral intake lunch yesterday	S	2	0
	Ask casualty what happened started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today	S	2	0
Vital Signs 1	Assess level of awareness oriented to person, place, time	A/S	2	0
	Assess respirations 20 regular and shallow	A/S	2	0
	Assess pulse 90 strong and regular	A/S	2	0
	Assess circulation/skin condition pale, very warm, dry	A/S	2	0
	Assess blood pressure 122/72	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes Pupils equal and reactive;	A	1	0
	Inspect nose redness around nares	A	1	0
	Open and inspect mouth Coughing	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0

AMFR R

CASUALTY 5

	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0
	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm	A	1	0
	Palpate and inspect left hand	A	1	0
	Palpate and inspect right hand	A	1	0
	Check left hand circulation, sensation, motor function	A	1	0
	Check right hand circulation, sensation, motor function	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
	Check left foot circulation, sensation, motor function	A	1	0
	Check right foot circulation, sensation, motor function	A	1	0
Vital Signs 2	Assess level of awareness <small>oriented to person, place, time</small>	A/S	2	0
	Assess respirations <small>22 regular and shallow</small>	A/S	2	0
	Assess pulse <small>94 strong and regular</small>	A/S	2	0
	Assess circulation/skin condition <small>pale, very warm, dry</small>	A/S	2	0
	Assess blood pressure <small>124/78</small>	A/S	2	0
SUBTOTAL				

AMFR R

CASUALTY 6

Scoring Note Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Primary Survey	Assess responsiveness Alert	A/S	2	0
	Assess airway Clear, casualty is speaking	A/S	2	0
	Assess breathing regular, no distress	A/S	2	0
	Assess skin condition pale, very warm, dry	A/S	2	0
	Determine mechanism of injury febrile respiratory illness	S	2	0
	Perform rapid body survey no injuries found	A	2	0
History	Ask casualty to describe how they are feeling body aches, nausea, chills	S	2	0
	Ask casualty if they have any allergies none	S	2	0
	Ask casualty if they take any medications Effexor 75mg daily	S	2	0
	Ask casualty about their past medical history depression	S	2	0
	Ask casualty about the time of their last oral intake steak last night	S	2	0
	Ask casualty what happened started feeling unwell this morning; progressively worsening symptoms; came over to see if friends were sick too	S	2	0
Vital Signs 1	Assess level of awareness oriented to person, place, time	A/S	2	0
	Assess respirations 18 regular and shallow	A/S	2	0
	Assess pulse 80 strong and regular	A/S	2	0
	Assess circulation/skin condition pale, very warm, dry	A/S	2	0
	Assess blood pressure 108/66	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes Pupils equal and reactive;	A	1	0
	Inspect nose redness around nares	A	1	0
	Open and inspect mouth Coughing	A	1	0
	Palpate and inspect jaw	A	1	0

AMFR R

CASUALTY 6

	Inspect ears	A	1	0
	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0
	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm	A	1	0
	Palpate and inspect left hand	A	1	0
	Palpate and inspect right hand	A	1	0
	Check left hand circulation, sensation, motor function	A	1	0
	Check right hand circulation, sensation, motor function	A	1	0
	Palpate chest and rib cage	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
	Check left foot circulation, sensation, motor function	A	1	0
	Check right foot circulation, sensation, motor function	A	1	0
Vital Signs 2	Assess level of awareness <small>oriented to person, place, time</small>	A/S	2	0
	Assess respirations <small>20 regular and shallow</small>	A/S	2	0
	Assess pulse <small>90 strong and regular</small>	A/S	2	0
	Assess circulation/skin condition <small>pale, very warm, dry</small>	A/S	2	0
	Assess blood pressure <small>104/60</small>	A/S	2	0
SUBTOTAL				

AMFR R

CASUALTY 7

Scoring Note Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order.		A - Action S - Statement	Performed/ Stated	Not Performed/ Not Stated
Primary Survey	Assess responsiveness <small>Alert</small>	A/S	2	0
	Assess airway <small>Clear, casualty is speaking</small>	A/S	2	0
	Assess breathing <small>regular, no distress</small>	A/S	2	0
	Assess skin condition <small>pale, very warm, dry</small>	A/S	2	0
	Determine mechanism of injury <small>febrile respiratory illness</small>	S	2	0
	Perform rapid body survey <small>no injuries found</small>	A	2	0
History	Ask casualty to describe how they are feeling <small>short of breath, body aches, nausea, chills</small>	S	2	0
	Ask casualty if they have any allergies <small>none</small>	S	2	0
	Ask casualty if they take any medications <small>salbutamol</small>	S	2	0
	Ask casualty about their past medical history <small>depression</small>	S	2	0
	Ask casualty about the time of their last oral intake <small>steak last night</small>	S	2	0
	Ask casualty what happened <small>started feeling unwell this morning; progressively worsening symptoms</small>	S	2	0
Vital Signs 1	Assess level of awareness <small>oriented to person, place, time</small>	A/S	2	0
	Assess respirations <small>28 regular and shallow, wheezing</small>	A/S	2	0
	Assess pulse <small>100 strong and regular</small>	A/S	2	0
	Assess circulation/skin condition <small>pale, very warm, dry</small>	A/S	2	0
	Assess blood pressure <small>134/90</small>	A/S	2	0
Head-to-toe Assessment	Palpate and inspect head	A	1	0
	Inspect eyes <small>Pupils equal and reactive;</small>	A	1	0
	Inspect nose <small>redness around nares</small>	A	1	0
	Open and inspect mouth <small>Coughing</small>	A	1	0
	Palpate and inspect jaw	A	1	0
	Inspect ears	A	1	0

AMFR R

CASUALTY 7

	Palpate and inspect neck	A	1	0
	Palpate and inspect collarbones	A	1	0
	Palpate and inspect shoulders	A	1	0
	Palpate and inspect left arm	A	1	0
	Palpate and inspect right arm	A	1	0
	Palpate and inspect left hand	A	1	0
	Palpate and inspect right hand	A	1	0
	Check left hand circulation, sensation, motor function	A	1	0
	Check right hand circulation, sensation, motor function	A	1	0
	Palpate chest and rib cage bilateral wheezing (mild)	A	1	0
	Palpate and inspect abdomen	A	1	0
	Palpate back	A	1	0
	Assess pelvic stability	A	1	0
	Palpate and inspect left leg	A	1	0
	Palpate and inspect right leg	A	1	0
	Palpate and inspect left foot	A	1	0
	Palpate and inspect right foot	A	1	0
	Check left foot circulation, sensation, motor function	A	1	0
Check right foot circulation, sensation, motor function	A	1	0	
Vital Signs 2 * If assisted with meds	Assess level of awareness oriented to person, place, time	A/S	2	0
	Assess respirations 16 regular and shallow	A/S	2	0
	Assess pulse 80 strong and regular	A/S	2	0
	Assess circulation/skin condition pale, very warm, dry	A/S	2	0
	Assess blood pressure 130/90	A/S	2	0
Treatm ent	Assists with the administration of salbutamol	A	2	0
	Confirms right person	A	2	0

AMFR R

CASUALTY 7

	Confirms right medication	A	2	0
	Confirms right time	A	2	0
	Confirms right amount	A	2	0
	Confirms right route	A	2	0
SUBTOTAL				

R

DOCUMENTATION

Casualty 1	Incident date and time are filled out	A	2	0
	Casualty's first and last name and date of birth	A	2	0
	At least 1 team members' name and signature	A	2	0
	Incident history	A	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	Description of wounds	A	2	0
	Allergies Codeine	A	2	0
	Last meal Muffin	A	2	0
Casualty 2	Incident date and time are filled out	A	2	0
	Casualty's first and last name and date of birth	A	2	0
	At least 1 team members' name and signature	A	2	0
	Incident history	A	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	Description of wounds	A	2	0
	Medications Novorapid 10 units with meals, Lantus 15 units at bedtime	A	2	0
	Past medical history Type 1 diabetes	A	2	0
Symptoms severe pain, lightheaded	A	2	0	
Casualty 3	Incident date and time are filled out	A	2	0
	Casualty's first and last name and date of birth	A	2	0
	At least 1 team members' name and signature	A	2	0
	Incident history	A	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	Allergies Cat dander	A	2	0
	Medications Tim birth control pill (Yasmin) daily	A	2	0

R

DOCUMENTATION

	Description of injuries left face bruising; reddened throat from being strangled	A	2	0
Casualty 4	Incident date and time are filled out	A	2	0
	Casualty's first and last name and date of birth	A	2	0
	At least 1 team members' name and signature	A	2	0
	Incident history	A	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	Level of consciousness unresponsive	A	2	0
	Description of injuries left chest penetrating knife wound; left chest penetrating knife wound	A	2	0
Casualty 5	Incident date and time are filled out	A	2	0
	Casualty's first and last name and date of birth	A	2	0
	At least 1 team members' name and signature	A	2	0
	Incident history	A	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	Symptoms - at least three of the following Chills, malaise, dry cough, loss of appetite, body aches, nausea	A	2	0
Casualty 6	Incident date and time are filled out	A	2	0
	Casualty's first and last name and date of birth	A	2	0
	At least 1 team members' name and signature	A	2	0
	Incident history	A	2	0
	1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
	Symptoms - at least three of the following Chills, malaise, dry cough, loss of appetite, body aches, nausea	A	2	0
Casualty 7	Incident date and time are filled out	A	2	0
	Casualty's first and last name and date of birth	A	2	0
	At least 1 team members' name and signature	A	2	0
	Incident history	A	2	0

R

DOCUMENTATION

1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure	A	2	0
Symptoms - at least three of the following Chills, malaise, dry cough, loss of appetite, body aches, nausea	A	2	0
Medication administration Records name of medication, amount given, and time of administration	A	2	0
SUBTOTAL			