TEAM BRIEFING NOTES 2014 Ontario Medical First Response Competition – Scenario R

SCENARIO SUMMARY

St. John Ambulance volunteers are providing first aid at the athletes' residence during the 2014 International Games. Your team is stationed in a first aid post in the athletes' residence. There has been a power outage, and you have been told over the radio that it should be restored soon, and that you should stay where you are until the lights come back on.

2014 Ontario Medical First Response Competition – SFA Scenario R

SCENARIO SUMMARY

St. John Ambulance volunteers are providing first aid at the athletes' residence during the 2014 International Games. A team is stationed in a first aid post. The scenario begins with the team in the first aid room and the lights off. The team is told that there has been a power outage, and that it should be restored soon. After 30 seconds, the lights in the first aid room come back on. 15 seconds later, a security guard knocks on the door and informs the first aid team that somebody has called for help in room [x] and details are otherwise unknown.

In room [x], where two athletes are living during the International Games, R1 was cooking pasta for him/herself and R2. When the lights went out, R1 dropped the pot of boiling water and pasta on him/herself and the water flowed across the floor, also burning R2. R2 is a diabetic, and has already taken insulin in preparation for the meal.

At 0:10, the security guard notifies the team in room [x] that somebody has called for help in room [y], and details are unknown. Upon entering room [y], the team finds R3. R3 has been the victim of aphysical assault while the lights were off. The assailant is unknown to R3. What will not be immediately obvious to the team is that, while being assaulted, R3 broke free from the assailant in the bedroom, ran to the kitchen, and removed a chef's knife from the drawer. The assailant followed her to the kitchen, where he was stabbed twice by R3. The assailant (R4) stumbled his way into the bedroom, leaving a trail of blood. An effective scene survey will lead to the team finding the unconscious R4 in the bedroom.

At 0:20, a paramedic arrives to take one casualty to hospital. The paramedic asks which casualty should go first. This casualty then immediately leaves the scene.

At 0:25, the team will be informed that a police officer has arrived on scene to take the victim (R3) and the first competitor to make contact with the victim into the hallway. Once in the hallway, the victim will escort the competitor away from the room, and the competitor will be asked to write an account of the details of the crime scene. The competitor will be told that when the written statement is finished, he/she may return to their team.

At 0:29 a paramedic arrives to take 2 casualties to the hospital. This will close rooms 1 & 2.

At 0:30, the security guard notifies the team in room 2 that somebody has called for help in room [z], and details are unknown. At this point, rooms [x] and [y] will have no casualties and will close. Upon entering room [z], the team finds 3 people, all suffering from a similar febrile respiratory illness. PPE is required to be worn, and one of the casualties is suffering from shortness of breath requiring the assisted use of a Ventolin metered dose inhaler.

INJURIES

R1

- Male or female
- partial thickness burns hands, arms up to elbows, and tops of feet (barefoot)
- patient is sitting in the kitchen area, in a dry place away from spilled water

R2

- Male or female
- partial thickness burns bottom of both feet (barefoot)
- diabetic; has taken a fast acting insulin in preparation for a meal
- patient is sitting in the kitchen area, in a dry place away from spilled water

R3

- Female; physical assault victim
- left face bruising

2014 Ontario Medical First Response Competition – SFA Scenario R

- reddened throat from being strangled
- both hands and arms covered in assailant's blood
- pale face
- remains calm and composed, with little outward display of emotion

R4

- Male; assailant
- left chest penetrating knife wound
 - o 5th intercostal space, mid-clavicular line
 - o 8cm length
 - o Frothy blood around incision
 - o Making gurgling/sucking sound
 - o Minor bleeding
- Abdominal knife wound with severe bleeding
 - o 8cm length
 - o Left upper quadrant
- unconscious
- shock

R5

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- vomiting in toilet

R6

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face

R7

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- mild shortness of breath

CASUALTY PROMPTS

R1

- sitting in the kitchen area, in a dry place away from spilled water Initially unresponsive and not breathing.
- Experiencing severe pain
- Breathing is fast and patient is grimacing

If asked: Casualty states:

2014 Ontario Medical First Response Competition – SFA Scenario R

Name: Use casualty's real name

Date of birth: Use casualty's real date of birth

Symptoms: severe pain

Allergies: codeine

Meds: None

Past Med History: None

Last Meal: Muffin 1 hour ago

What happened: casualty was cooking pasta for meal before sporting event. As he/she was removing the pot

from the stove, the lights went out and the casualty dropped the pot.

Level of consciousness: alert

Level of awareness: oriented to person, place, time

R2

sitting in the kitchen area, in a dry place away from spilled water Initially unresponsive and not breathing.

Experiencing severe pain

Breathing is fast and patient is grimacing

If asked: Casualty states:

Name: Use casualty's real name Date of birth: Use casualty's real date of birth

Symptoms: severe pain, lightheaded due to hypoglycemia

Allergies: None Meds: Novorapid 10 units with meals, Lantus 15 units at bedtime

Past Med History: Type 1 diabetes Last Meal: Dinner last night

What happened: Roommate was cooking pasta for meal before sporting event. As he/she was removing the pot

from the stove, the lights went out and the casualty dropped the pot.

Level of consciousness: alert Level of awareness: oriented to person, place, time

R3

sitting in the bathroom on the floor

• remains calm and composed, with little outward display of emotion

<u>If asked:</u> <u>Casualty states:</u>

Name: Use casualty's real name Date of birth: Use casualty's real date of birth

Symptoms: casualty remains calm, quiet, and composed, but states she is scared, angry, and anxious

Allergies: cat dander Meds: birth control pill (Yasmin) daily

2014 Ontario Medical First Response Competition – SFA Scenario R

Past Med History: concussion May 2012 (car accident); knee injury - MCL tear 2013

Last Meal: can't remember

What happened: The lights went out, somebody entered the bedroom and grabbed casualty, punched her in face,

held her down by throat, and assaulted her. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant twice. Answer "I don't know" to any other questions about the assault and when asked to be more specific. Answer "I don't know" to questions regarding

the whereabouts or description of the assailant.

Level of consciousness: alert Level of awareness: oriented to person, place, time

R4

supine in bedroom floor, out of sight when competitors enter kitchen area

• unresponsive for the entire scenario

<u>If asked:</u> <u>Casualty states:</u>

Name: unresponsive Date of birth: unresponsive

Symptoms: unresponsive Allergies: unresponsive

Meds: unresponsive Past Med History: unresponsive

Last Meal: unresponsive What happened: unresponsive

Level of consciousness: unresponsive Level of awareness: unresponsive

R5

• sitting in the bathroom on the floor in front of toilet

not actively vomiting, but there is vomit in the toilet bowl.

• Coughing occasionally, especially when speaking/answering questions

<u>If asked:</u> <u>Casualty states:</u>

Name: Use casualty's real name Date of birth: Use casualty's real date of birth

Symptoms: fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, vomiting in toilet

Allergies: none Meds: daily multivitamin; advil for headaches as needed

Past Med History: sports hernia 2010 Last Meal: lunch yesterday

What happened: started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting

today

Level of consciousness: alert Level of awareness: oriented to person, place, time

R6

sitting in the kitchen on a chair

came over to see if friends were sick, too

Coughing occasionally, especially when speaking/answering questions

<u>If asked:</u> <u>Casualty states:</u>

2014 Ontario Medical First Response Competition – SFA Scenario R

Name: Use casualty's real name Date of birth: Use casualty's real date of birth

Symptoms: fever, chills, malaise, dry cough, loss of appetite, body aches, nausea

Allergies: none Meds: Effexor 75mg daily

Past Med History: depression Last Meal: steak last night

What happened: started feeling unwell this morning; progressively worsening symptoms; came over to see if

friends were sick too

Level of consciousness: alert Level of awareness: oriented to person, place, time

R7

• sitting in the bedroom on the bed with feet on the floor

casualty has asthma, and is experiencing mild shortness of breath and wheezing

• Coughing occasionally, especially when speaking/answering questions

<u>If asked:</u> <u>Casualty states:</u>

Name: Use casualty's real name Date of birth: Use casualty's real date of birth

Symptoms: fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, shortness of breath,

wheezing

Allergies: none

Meds: salbutamol – requires assistance to take medication if asked or suggested.

Past Med History: depression Last Meal: steak last night

What happened: started feeling unwell this morning; progressively worsening symptoms

Level of consciousness: alert Level of awareness: oriented to person, place, time

JUDGES' PROMPTS

If asked, judge informs team that hazards are as found

- If responder states they are calling 911 judge will ask them what they wish to say and acknowledge that 911 has been called. Team may call for multiple patients at once (in which case marks should awarded on both sheets) or separately. If they do not specify specify the patients they are calling for, and do not place a second call they will only receive marks on one score sheet.
- After three minutes at each scene, points for Scene Survey & Primary Survey may not be earned.
- At **0:10 and 0:20**, a paramedic arrives and will ask for a report from the person in charge. Competitors may continue to provide treatment and earn points until the scenario ends.
- At the 0:45, competitors will be told to stop.
- Once the scenario has finished, they will be provided time to complete documentation.

2014 Ontario Medical First Response Competition – SFA Scenario R

• At the end of the documentation period, documentation will be scored and marking sheets finalized

| 0:00 | Security Person Enters first aid room, tells responders of situation in Room 1 |
|------|--|
| 0:10 | Security Person Enters first aid room. Tells responders of situation in Room 2 |
| 0:20 | EMS Arrives - 1 Person, can take 1 PT, knocks on room 1, asks "who's in charge?" |
| 0:25 | Police Officer Shows up to take sexual assault Victim and Primary Responder |
| 0:29 | 2nd EMS Arrives |
| 0:30 | Security Guard Comes to Responder in 2nd Room |
| 0:45 | END - Team Starts Paperwork |

Casualty 1 Vital Signs

1st set

| Assess level of awareness oriented to person, place, time | |
|---|--|
| Assess respirations 20 regular and shallow | |
| Assess pulse 98 strong and regular | |
| Assess circulation/skin condition Natural tone, warm, dry | |
| Assess blood pressure | |

2nd set and subsequent sets

| Assess level of awareness oriented to person, place, time | |
|---|--|
| Assess respirations 18 shallow and regular | |
| Assess pulse 90 strong and regular | |
| Assess skin condition Pale, warm, sweaty | |
| Assess blood pressure | |

R2 Vital Signs

1st set

2014 Ontario Medical First Response Competition – SFA Scenario R

Assess level of awareness oriented to person, place, time

Assess respirations

24 regular and shallow

Assess pulse

110 strong and regular

Assess circulation/skin condition

Natural tone, warm, dry

Assess blood pressure

126/84

2nd set and subsequent sets

Assess level of awareness oriented to person, place, time

Assess respirations 18 shallow and regular

Assess pulse

90 strong and regular

Assess skin condition

Pale, warm, sweaty

Assess blood pressure

R3 Vital Signs

1st set

Assess level of awareness

oriented to person, place, time

Assess respirations

30 regular, rapid and shallow

Assess pulse 104 strong and regular

Assess circulation/skin condition

pale, warm, dry

Assess blood pressure

114/68

2nd set and subsequent sets

Assess level of awareness oriented to person, place, time

Assess respirations

18 shallow and regular

Assess pulse
90 strong and regular

Assess skin condition

Pale, warm, dry

2014 Ontario Medical First Response Competition – SFA Scenario R

Assess blood pressure

R4 Vital Signs

1st set

Assess level of awareness

Assess respirations
40 irregular and shallow, gasping

Assess pulse

134 weak and regular

Assess circulation/skin condition

pale, cool, moist

Assess blood pressure

2nd set and subsequent sets

Assess level of awareness

unresponsive

Assess respirations

38 shallow and irregular, gasping

Assess pulse
152weak and regular

Assess skin condition

Pale, cool, moist

Assess blood pressure

R5 Vital Signs

1st set

Assess level of awareness

oriented to person, place, time

Assess respirations

20 regular and shallow

Assess pulse 90 strong and regular

Assess circulation/skin condition

pale, very warm, dry

Assess blood pressure

122/72

^{2&}lt;sup>nd</sup> set and subsequent sets

2014 Ontario Medical First Response Competition – SFA Scenario R

Assess level of awareness

oriented to person, place, time

Assess respirations

22 regular and shallow

Assess pulse
94 strong and regular

Assess circulation/skin condition

pale, very warm, dry

Assess blood pressure

R6 Vital Signs

1st set

Assess level of awareness

oriented to person, place, time

Assess respirations

18 regular and shallow

Assess pulse
80 strong and regular

Assess circulation/skin condition

pale, very warm, dry

Assess blood pressure

2nd set and subsequent sets

Assess level of awareness

oriented to person, place, time

Assess respirations

20 regular and shallow

Assess pulse
90 strong and regular

Assess circulation/skin condition

pale, very warm, dry

Assess blood pressure

104/60

R7 Vital Signs

1st set (*and subsequent sets if not assisted with medication)

Assess level of awareness

oriented to person, place, time

Assess respirations

28 regular and shallow, wheezing

Assess pulse

100 strong and regular

2014 Ontario Medical First Response Competition – SFA Scenario R

Assess circulation/skin condition

pale, very warm, dry

Assess blood pressure

134/90

2nd set and subsequent sets (*if assisted with medication)

Assess level of awareness

oriented to person, place, time

Assess respirations

16 regular and shallow

Assess pulse

80 strong and regular

Assess circulation/skin condition

pale, very warm, dry

Assess blood pressure

130/90

PROPS

- Room [x]
 - Environment
 - Athletes' residence room
 - o Props
 - Water on floor
 - Radio on music station; medium volume
 - Pasta on floor, scattered around wet area
 - Large pot on floor in wet area
 - Small pot on stove with pasta sauce in it, stove on medium-low setting
 - Orange juice in refrigerator
 - Colander in sink
 - Wooden spoon on top of pasta sauce
 - Table place setting with bowls and forks
 - Glasses or cups in cupboard; door closed
- Room [y]
 - Environment
 - Athletes' residence room
 - Radio on music station; loud
 - o Props
 - kitchen knife with blade >7" on floor in kitchen; blood on the point half
 - shower with running hot water, creating a steam filled bathroom
 - R3 wearing bathrobe over shorts/shirt
 - toothbrush, toothpaste, soap, etc. in bathroom/sink area
 - bath towels placed somewhere in bathroom
 - pocket knife in bedroom beside R4
 - Radio on music station; loud

2014 Ontario Medical First Response Competition – SFA Scenario R

- R4 laying on large carpet segment (at least 6 feet by 6 feet) in a similar colour to humber residence carpet colour; pre-stained with blood to simulate severe bleeding without risk of damaging Humber residence carpet
- Room [z]
 - o Environment
 - Athletes' residence room
 - o Props
 - artificial vomit substitute in toilet bowl, on side of toilet bowl, and on floor in front of toilet
 - small garbage can in a conspicuous place in kitchen overflowing with used facial tissues
 - several dirty dishes, pots, etc. scattered on table/counter so as to create a lived-in esthetic
 - Ventolin MDI in R7's pocket

SIMULATOR BRIEFING NOTES 2014 Ontario Medical First Response Competition – SFA Scenario R

SCENARIO SUMMARY

St. John Ambulance volunteers are providing first aid at the athletes' residence during the 2014 International Games. A team is stationed in a first aid post. The scenario begins with the team in the first aid room and the lights off. The team is told that there has been a power outage, and that it should be restored soon. After 30 seconds, the lights in the first aid room come back on. 15 seconds later, a security guard knocks on the door and informs the first aid team that somebody has called for help in room [x] and details are otherwise unknown.

In room [x], where two athletes are living during the International Games, R1 was cooking pasta for him/herself and R2. When the lights went out, R1 dropped the pot of boiling water and pasta on him/herself and the water flowed across the floor, also burning R2. R2 is a diabetic, and has already taken insulin in preparation for the meal.

At 0:10, the security guard notifies the team in room [x] that somebody has called for help in room [y], and details are unknown. Upon entering room [y], the team finds R3. R3 has been the victim of a physical assault while the lights were off. The assailant is unknown to R3. What will not be immediately obvious to the team is that, while being assaulted, R3 broke free from the assailant in the bedroom, ran to the kitchen, and removed a chef's knife from the drawer. The assailant followed her to the kitchen, where he was stabbed twice by R3. The assailant (R4) stumbled his way into the bedroom, leaving a trail of blood. An effective scene survey will lead to the team finding the unconscious R4 in the bedroom.

At 0:20, a paramedic arrives to take one casualty to hospital. The paramedic asks which casualty should go first. This casualty then immediately leaves the scene.

At 0:25, the team will be informed that a police officer has arrived on scene to take the victim (R3) and the first competitor to make contact with the victim into the hallway. Once in the hallway, the victim will escort the competitor away from the room, and the competitor will be asked to write an account of the details of the crime scene. The competitor will be told that when the written statement is finished, he/she may return to their team.

At 0:29 a paramedic arrives to take 2 casualties to the hospital. This will close rooms 1 & 2.

At 0:30, the security guard notifies the team in room 2 that somebody has called for help in room [z], and details are unknown. At this point, rooms [x] and [y] will have no casualties and will close. Upon entering room [z], the team finds 3 people, all suffering from a similar febrile respiratory illness. PPE is required to be worn, and one of the casualties is suffering from shortness of breath requiring the assisted use of a Ventolin metered dose inhaler.

INJURIES

R1

- Male or female
- partial thickness burns hands, arms up to elbows, and tops of feet (barefoot)
- patient is sitting in the kitchen area, in a dry place away from spilled water

R2

- Male or female
- partial thickness burns bottom of both feet (barefoot)
- diabetic; has taken a fast acting insulin in preparation for a meal
- patient is sitting in the kitchen area, in a dry place away from spilled water

R3

Female; physical assault victim

SIMULATOR BRIEFING NOTES

2014 Ontario Medical First Response Competition – SFA Scenario R

- left face bruising
- · reddened throat from being strangled
- both hands and arms covered in assailant's blood
- pale face
- remains calm and composed, with little outward display of emotion

R4

- Male; assailant
- left chest penetrating knife wound
 - o 5th intercostal space, mid-clavicular line
 - o 8cm length
 - o Frothy blood around incision
 - o Making gurgling/sucking sound
 - o Minor bleeding
- Abdominal knife wound with severe bleeding
 - o 8cm length
 - o Left upper quadrant
- unconscious
- shock

R5

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- vomiting in toilet

R6

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face

R7

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- mild shortness of breath

PROPS

- Room [x]
 - o **Environment**
 - Athletes' residence room
 - o Props
 - Water on floor
 - Radio on music station; medium volume
 - Pasta on floor, scattered around wet area

SIMULATOR BRIEFING NOTES

2014 Ontario Medical First Response Competition – SFA Scenario R

- Large pot on floor in wet area
- Small pot on stove with pasta sauce in it, stove on medium-low setting
- Orange juice in refrigerator
- Colander in sink
- Wooden spoon on top of pasta sauce
- Table place setting with bowls and forks
- Glasses or cups in cupboard; door closed
- Room [y]
 - o **Environment**
 - Athletes' residence room
 - Radio on music station; loud
 - o Props
 - kitchen knife with blade >7" on floor in kitchen; blood on the point half
 - shower with running hot water, creating a steam filled bathroom
 - R3 wearing bathrobe over shorts/shirt
 - toothbrush, toothpaste, soap, etc. in bathroom/sink area
 - bath towels placed somewhere in bathroom
 - pocket knife in bedroom beside R4
 - Radio on music station; loud
 - R4 laying on large carpet segment (at least 6 feet by 6 feet) in a similar colour to humber residence carpet colour; pre-stained with blood to simulate severe bleeding without risk of damaging Humber residence carpet
- Room [z]
 - o **Environment**
 - Athletes' residence room
 - o Props
 - artificial vomit substitute in toilet bowl, on side of toilet bowl, and on floor in front of toilet
 - small garbage can in a conspicuous place in kitchen overflowing with used facial tissues
 - several dirty dishes, pots, etc. scattered on table/counter so as to create a lived-in esthetic
 - Ventolin MDI in R7's pocket

2014 Ontario Medical First Response Competition – SFA Scenario R

SCENARIO SUMMARY

St. John Ambulance volunteers are providing first aid at the athletes' residence during the 2014 International Games. A team is stationed in a first aid post. The scenario begins with the team in the first aid room and the lights off. The team is told that there has been a power outage, and that it should be restored soon. After 30 seconds, the lights in the first aid room come back on. 15 seconds later, a security guard knocks on the door and informs the first aid team that somebody has called for help in room [x] and details are otherwise unknown.

In room [x], where two athletes are living during the International Games, R1 was cooking pasta for him/herself and R2. When the lights went out, R1 dropped the pot of boiling water and pasta on him/herself and the water flowed across the floor, also burning R2. R2 is a diabetic, and has already taken insulin in preparation for the meal.

At 0:10, the security guard notifies the team in room [x] that somebody has called for help in room [y], and details are unknown. Upon entering room [y], the team finds R3. R3 has been the victim of aphysical assault while the lights were off. The assailant is unknown to R3. What will not be immediately obvious to the team is that, while being assaulted, R3 broke free from the assailant in the bedroom, ran to the kitchen, and removed a chef's knife from the drawer. The assailant followed her to the kitchen, where he was stabbed twice by R3. The assailant (R4) stumbled his way into the bedroom, leaving a trail of blood. An effective scene survey will lead to the team finding the unconscious R4 in the bedroom.

At 0:20, a paramedic arrives to take one casualty to hospital. The paramedic asks which casualty should go first. This casualty then immediately leaves the scene.

At 0:25, the team will be informed that a police officer has arrived on scene to take the victim (R3) and the first competitor to make contact with the victim into the hallway. Once in the hallway, the victim will escort the competitor away from the room, and the competitor will be asked to write an account of the details of the crime scene. The competitor will be told that when the written statement is finished, he/she may return to their team.

At 0:29 a paramedic arrives to take 2 casualties to the hospital. This will close rooms 1 & 2.

At 0:30, the security guard notifies the team in room 2 that somebody has called for help in room [z], and details are unknown. At this point, rooms [x] and [y] will have no casualties and will close. Upon entering room [z], the team finds 3 people, all suffering from a similar febrile respiratory illness. PPE is required to be worn, and one of the casualties is suffering from shortness of breath requiring the assisted use of a Ventolin metered dose inhaler.

INJURIES

R1

- Male or female
- partial thickness burns hands, arms up to elbows, and tops of feet (barefoot)
- patient is sitting in the kitchen area, in a dry place away from spilled water

R2

- Male or female
- partial thickness burns bottom of both feet (barefoot)
- diabetic; has taken a fast acting insulin in preparation for a meal
- patient is sitting in the kitchen area, in a dry place away from spilled water

R3

Female; physical assault victim

2014 Ontario Medical First Response Competition - SFA Scenario R

- left face bruising
- reddened throat from being strangled
- both hands and arms covered in assailant's blood
- pale face
 - remains calm and composed, with little outward display of emotion

R4

- Male; assailant
- left chest penetrating knife wound
 - o 5th intercostal space, mid-clavicular line
 - o 8cm length
 - o Frothy blood around incision
 - o Making gurgling/sucking sound
 - o Minor bleeding
- · Abdominal knife wound with severe bleeding
 - o 8cm length
 - o Left upper quadrant
- unconscious
- shock

R5

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- vomiting in toilet

R6

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face

R7

- Male or female
- Febrile
- Chills, malaise, dry cough, loss of appetite, body aches, nausea
- pale face
- mild shortness of breath

CASUALTY PROMPTS

R1

- sitting in the kitchen area, in a dry place away from spilled water Initially unresponsive and not breathing.
- Experiencing severe pain
- · Breathing is fast and patient is grimacing

2014 Ontario Medical First Response Competition – SFA Scenario R

<u>If asked:</u> <u>Casualty states:</u>

Name: Use casualty's real name

Date of birth: Use casualty's real date of birth

Symptoms: severe pain Allergies: codeine

Meds: None Past Med History: None

Last Meal: Muffin 1 hour ago

What happened: casualty was cooking pasta for meal before sporting event. As he/she was removing the pot from

the stove, the lights went out and the casualty dropped the pot.

Level of consciousness: alert Level of awareness: oriented to person, place, time

R2

sitting in the kitchen area, in a dry place away from spilled water Initially unresponsive and not breathing.

• Experiencing severe pain

Breathing is fast and patient is grimacing

<u>If asked:</u> <u>Casualty states:</u>

Name: Use casualty's real name

Date of birth: Use casualty's real date of birth

Symptoms: severe pain, lightheaded due to hypoglycemia

Allergies: None

Meds: Novorapid 10 units with meals, Lantus 15 units at bedtime

Past Med History: Type 1 diabetes Last Meal: Dinner last night

What happened: Roommate was cooking pasta for meal before sporting event. As he/she was removing the pot

from the stove, the lights went out and the casualty dropped the pot.

Level of consciousness: alert Level of awareness: oriented to person, place, time

R3

sitting in the bathroom on the floor

• remains calm and composed, with little outward display of emotion

<u>If asked:</u> <u>Casualty states:</u>

Name: Use casualty's real name Date of birth: Use casualty's real date of birth

Symptoms: casualty remains calm, quiet, and composed, but states she is scared, angry, and anxious

Allergies: cat dander Meds: birth control pill (Yasmin) daily

2014 Ontario Medical First Response Competition – SFA Scenario R

Past Med History: concussion May 2012 (car accident); knee injury - MCL tear 2013

Last Meal: can't remember

What happened: The lights went out, somebody entered the bedroom and grabbed casualty, punched her in face,

held her down by throat, and assaulted her. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant twice. Answer "I don't know" to any other questions about the assault and when asked to be more specific. Answer "I don't know" to questions regarding

the whereabouts or description of the assailant.

Level of consciousness: alert Level of awareness: oriented to person, place, time

R4

supine in bedroom floor, out of sight when competitors enter kitchen area

• unresponsive for the entire scenario

<u>If asked:</u> <u>Casualty states:</u>

Name: unresponsive Date of birth: unresponsive

Symptoms: unresponsive Allergies: unresponsive

Meds: unresponsive Past Med History: unresponsive

Last Meal: unresponsive What happened: unresponsive

Level of consciousness: unresponsive Level of awareness: unresponsive

R5

• sitting in the bathroom on the floor in front of toilet

not actively vomiting, but there is vomit in the toilet bowl.

Coughing occasionally, especially when speaking/answering questions

<u>If asked:</u> <u>Casualty states:</u>

Name: Use casualty's real name

Date of birth: Use casualty's real date of birth

Symptoms: fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, vomiting in toilet

Allergies: none Meds: daily multivitamin; advil for headaches as needed

Past Med History: sports hernia 2010 Last Meal: lunch yesterday

What happened: started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting

today

Level of consciousness: alert Level of awareness: oriented to person, place, time

R6

2014 Ontario Medical First Response Competition – SFA Scenario R

- sitting in the kitchen on a chair
- came over to see if friends were sick, too
- Coughing occasionally, especially when speaking/answering questions

<u>If asked:</u> <u>Casualty states:</u>

Name: Use casualty's real name Date of birth: Use casualty's real date of birth

Symptoms: fever, chills, malaise, dry cough, loss of appetite, body aches, nausea

Allergies: none Meds: Effexor 75mg daily

Past Med History: depression Last Meal: steak last night

What happened: started feeling unwell this morning; progressively worsening symptoms; came over to see if

friends were sick too

Level of consciousness: alert Level of awareness: oriented to person, place, time

R7

sitting in the bedroom on the bed with feet on the floor

casualty has asthma, and is experiencing mild shortness of breath and wheezing

• Coughing occasionally, especially when speaking/answering questions

If asked: Casualty states:

Name: Use casualty's real name Date of birth: Use casualty's real date of birth

Symptoms: fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, shortness of breath,

wheezing

Allergies: none

Meds: salbutamol – requires assistance to take medication if asked or suggested.

Past Med History: depression Last Meal: steak last night

What happened: started feeling unwell this morning; progressively worsening symptoms

Level of consciousness: alert Level of awareness: oriented to person, place, time

PROPS

Room [x]

Environment

Athletes' residence room

o Props

Water on floor

Radio on music station; medium volume

Pasta on floor, scattered around wet area

Large pot on floor in wet area

Small pot on stove with pasta sauce in it, stove on medium-low setting

Orange juice in refrigerator

2014 Ontario Medical First Response Competition - SFA Scenario R

- Colander in sink
- Wooden spoon on top of pasta sauce
- Table place setting with bowls and forks
- Glasses or cups in cupboard; door closed
- Room [y]
 - o **Environment**
 - Athletes' residence room
 - Radio on music station; loud
 - o Props
 - kitchen knife with blade >7" on floor in kitchen; blood on the point half
 - shower with running hot water, creating a steam filled bathroom
 - R3 wearing bathrobe over shorts/shirt
 - toothbrush, toothpaste, soap, etc. in bathroom/sink area
 - bath towels placed somewhere in bathroom
 - pocket knife in bedroom beside R4
 - Radio on music station; loud
 - R4 laying on large carpet segment (at least 6 feet by 6 feet) in a similar colour to humber residence carpet colour; pre-stained with blood to simulate severe bleeding without risk of damaging Humber residence carpet
- Room [z]
 - o Environment
 - Athletes' residence room
 - o Props
 - artificial vomit substitute in toilet bowl, on side of toilet bowl, and on floor in front of toilet
 - small garbage can in a conspicuous place in kitchen overflowing with used facial tissues
 - several dirty dishes, pots, etc. scattered on table/counter so as to create a lived-in esthetic
 - Ventolin MDI in R7's pocket

2014 Ontario Medical First Response Competition

Site "R" SFA

| Team: | | | |
|----------------|------|--|--|
| | | | |
| | | | |
| Judge: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Total Score: _ | | | |

SFA R GENERAL

| | 7 () (| | | ·/ · · · · |
|---------------------------------|---|-----------------------------|----------------------|------------------------------|
| Scene may o may r Each | ng Note e survey and primary survey points only be awarded within the first 3 minutes. no longer be awarded if the team has scored points in a subsequent section judge at a site will have a copy of this sheet and any judge may award the s for these items - items do not need to be done in order. | A - Action S - Statement | Performed/ Stated | Not Performed/ Not Stated |
| vey m 1 | Assess hazards Moves casualties away from water or eliminates slipping hazard | A/S | 2 | 0 |
| e Sur Roo | Call 911 for EMS | S | 2 | 0 |
| Scene Survey Room 1 | Identify to casualties as a first aid team and offer to help Consent given | Α | 2 | 0 |
| | Determine the number of casualties Two | A/S | 2 | 0 |
| m 2 | Assess hazards Secures knife appropriately. Asks about assailant and/or locates assailant (R3). | A/S | 2 | 0 |
| , Roo | Call 911 for Police | S | 2 | 0 |
| urve) | Call 911 for EMS | S | 2 | 0 |
| Scene Survey Room | Identify to casualties as a first aid team and offer to help Consent given | А | 2 | 0 |
| Sce | Determine the number of casualties Two | A/S | 2 | 0 |
| Scene | Assess hazards Identifies need for droplet precautions. | A/S | 2 | 0 |
| Sor | Identify to casualties as a first aid team and offer to help Consent given | Α | 2 | 0 |
| | Determine the number of casualties Three | A/S | 2 | 0 |
| Other | Gloves are worn by all team members each time physical contact is made with the casualty | А | 2 | 0 |
| Ö | Gloves changed before physical contact with different casualty | Α | 2 | 0 |
| | SUBTOTAL | | | |

| 01711 | • | <u> </u> | 100 | <u> </u> | |
|-------------------------------------|--|----------|-----------------------------|----------------------|------------------------------|
| may only be may no long Each judge | ey and primary survey points e awarded within the first 3 minutes. ger be awarded if the team has scored points in a subsequent section at a site will have a copy of this sheet and any judge may award the lese items - items do not need to be done in order. | | A - Action S - Statement | Performed/ Stated | Not Performed/ Not Stated |
| As As | ssess responsiveness Alert | | A/S | 2 | 0 |
| As Sur | SSESS airWay Clear, casualty is speaking | | A/S | 2 | 0 |
| Primary Survey | ssess breathing Shallow and regular, no distress | | A/S | 2 | 0 |
| As As | ssess skin condition Natural tone, warm, dry | | A/S | 2 | 0 |
| De | etermine mechanism of injury Moving pot of boiling water and pasta, lights went out, poured on self | | S | 2 | 0 |
| Pe | erform rapid body survey Partial thickness burn hands, arms to elbow, tops of feet | | Α | 2 | 0 |
| History As | sk casualty to describe how they are feeling Pain (10/10 if asked) | | S | 2 | 0 |
| ı <u>s</u> As | sk casualty if they have any allergies | | S | 2 | 0 |
| As | sk casualty if they take any medications | | S | 2 | 0 |
| As | sk casualty about their past medical history | | S | 2 | 0 |
| As | sk casualty about the time of their last oral intake Muffin 1 hour ago | | S | 2 | 0 |
| As | sk casualty what happened The lights went out and the pot fell | | S | 2 | 0 |
| F As | ssess level of awareness oriented to person, place, time | | A/S | 2 | 0 |
| 0) | ssess respirations 20 regular and shallow | | A/S | 2 | 0 |
| > As | SSESS pulse 98 strong and regular | | A/S | 2 | 0 |
| As | ssess circulation/skin condition Natural tone, warm, dry | | A/S | 2 | 0 |
| Pa Pa | alpate and inspect head | | Α | 1 | 0 |
| Ins | spect eyes Pupils equal and reactive | | Α | 1 | 0 |
| Ins | spect nose | | Α | 1 | 0 |
| ot-ot Ot | pen and inspect mouth | | Α | 1 | 0 |
| Head-to-toe Assessment | alpate and inspect jaw | | Α | 1 | 0 |
| | spect ears | | Α | 1 | 0 |
| Pa | alpate and inspect neck | | Α | 1 | 0 |
| | | | | | |

| | | | , , _ , | |
|--|---|-----|----------------|---|
| | Palpate and inspect collarbones | А | 1 | 0 |
| | Palpate and inspect shoulders | А | 1 | 0 |
| | Palpate and inspect left arm Partial thickness burns to elbow | А | 1 | 0 |
| | Palpate and inspect right arm Partial thickness burns to elbow | А | 1 | 0 |
| | Palpate and inspect left hand Partial thickness burns | А | 1 | 0 |
| | Palpate and inspect right hand Partial thickness burns | А | 1 | 0 |
| | Check left hand circulation, sensation, motor function Motor function reduced due to pain | А | 1 | 0 |
| | Check right hand circulation, sensation, motor function Motor function reduced due to pain | А | 1 | 0 |
| | Palpate chest and rib cage | А | 1 | 0 |
| | Palpate and inspect abdomen | А | 1 | 0 |
| | Palpate back | А | 1 | 0 |
| | Assess pelvic stability | А | 1 | 0 |
| | Palpate and inspect left leg | А | 1 | 0 |
| | Palpate and inspect right leg | А | 1 | 0 |
| | Palpate and inspect left foot Partial thickness burns | А | 1 | 0 |
| | Palpate and inspect right foot Partial thickness burns | А | 1 | 0 |
| | Check left foot circulation, sensation, motor function Motor function reduced due to pain | А | 1 | 0 |
| | Check right foot circulation, sensation, motor function Motor function reduced due to pain | А | 1 | 0 |
| ls 2 | Assess level of awareness oriented to person, place, time | A/S | 2 | 0 |
| Vital Signs 2 | Assess respirations 18 shallow and regular | A/S | 2 | 0 |
| Vita | Assess pulse 90 strong and regular | A/S | 2 | 0 |
| | Assess skin condition Pale, warm, sweaty | A/S | 2 | 0 |
| Treatment | Cool burns with running water Both arms and both feet | А | 2 | 0 |
| - Journal of the state of the s | Initiates cooling of burn within the first 10 minutes and maintains cooling procedure for at least 10 minutes | А | 2 | 0 |
| | SUBTOTAL | | | |

| | 1 1 | <u> </u> | 100 | <u> </u> | |
|------------------------------------|--|----------|-----------------------------|----------------------|------------------------------|
| may only may no lo Each judo | Note rvey and primary survey points be awarded within the first 3 minutes. onger be awarded if the team has scored points in a subsequent section ge at a site will have a copy of this sheet and any judge may award the these items - items do not need to be done in order. | | A - Action S - Statement | Performed/ Stated | Not Performed/ Not Stated |
| vey | Assess responsiveness Alert | | A/S | 2 | 0 |
| y Sur | Assess airway Clear, casualty is speaking | | A/S | 2 | 0 |
| Primary Survey | Assess breathing Shallow and regular, no distress | | A/S | 2 | 0 |
| <u> </u> | Assess skin condition Natural tone, warm, dry | | A/S | 2 | 0 |
| | Determine mechanism of injury Roommate moving pot of boiling water and pasta, lights went out, poured on floor | | S | 2 | 0 |
| | Perform rapid body survey Partial thickness burn volar surface of feet | | Α | 2 | 0 |
| History | Ask casualty to describe how they are feeling Pain, lightheaded | | S | 2 | 0 |
| Hist | Ask casualty if they have any allergies | | S | 2 | 0 |
| | Ask casualty if they take any medications Novorapid 10 units with meals, Lantus 15 units at bedtime | | S | 2 | 0 |
| | Ask casualty about their past medical history Type 1 diabetes | | S | 2 | 0 |
| | Ask casualty about the time of their last oral intake Dinner last night | | S | 2 | 0 |
| | Ask casualty what happened The lights went out, pot fell, and hot water surrounded feet | | S | 2 | 0 |
| 1s 1 | Assess level of awareness oriented to person, place, time | | A/S | 2 | 0 |
| I Signs 1 | Assess respirations 24 regular and shallow | | A/S | 2 | 0 |
| Vita | Assess pulse 110 strong and regular | | A/S | 2 | 0 |
| | Assess circulation/skin condition Natural tone, warm, dry | | A/S | 2 | 0 |
| nent | Palpate and inspect head | | Α | 1 | 0 |
| sessm | Inspect eyes Pupils equal and reactive | | Α | 1 | 0 |
| e Ass | Inspect nose | | Α | 1 | 0 |
| -to-to | Open and inspect mouth | | Α | 1 | 0 |
| Head-to-toe Assessment | Palpate and inspect jaw | | Α | 1 | 0 |
| | Inspect ears | | Α | 1 | 0 |
| | Palpate and inspect neck | | Α | 1 | 0 |
| | | | | | |

| O_1 / V | | | `\ | |
|---------------|---|-----|-----------|---|
| | Palpate and inspect collarbones | А | 1 | 0 |
| | Palpate and inspect shoulders | А | 1 | 0 |
| | Palpate and inspect left arm | А | 1 | 0 |
| | Palpate and inspect right arm | А | 1 | 0 |
| | Palpate and inspect left hand | А | 1 | 0 |
| | Palpate and inspect right hand | А | 1 | 0 |
| | Check left hand circulation, sensation, motor function | А | 1 | 0 |
| | Check right hand circulation, sensation, motor function | А | 1 | 0 |
| | Palpate chest and rib cage | А | 1 | 0 |
| | Palpate and inspect abdomen | А | 1 | 0 |
| | Palpate back | А | 1 | 0 |
| | Assess pelvic stability | А | 1 | 0 |
| | Palpate and inspect left leg | А | 1 | 0 |
| | Palpate and inspect right leg | А | 1 | 0 |
| | Palpate and inspect left foot Partial thickness burns | Α | 1 | 0 |
| | Palpate and inspect right foot Partial thickness burns | А | 1 | 0 |
| | Check left foot circulation, sensation, motor function Motor function reduced due to pain | Α | 1 | 0 |
| | Check right foot circulation, sensation, motor function Motor function reduced due to pain | А | 1 | 0 |
| IS 2 | Assess level of awareness oriented to person, place, time | A/S | 2 | 0 |
| Vital Signs 2 | Assess respirations 18 shallow and regular | A/S | 2 | 0 |
| Vita | Assess pulse 90 strong and regular | A/S | 2 | 0 |
| | Assess skin condition Pale, warm, sweaty | A/S | 2 | 0 |
| Treatment | Cool burns with running water Both arms and both feet | А | 2 | 0 |
| Treatment | Initiates cooling of burn within the first 10 minutes and maintains cooling procedure for at least 10 minutes | А | 2 | 0 |
| | SUBTOTAL | • | | |

| Scoring Note Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order. Assess responsiveness Aixt Assess sirvay Clear, cessably is speaking Assess shallow and raight, no deteess Assess shallow and raight, no deteess Assess shallow and raight, no deteess Assess shallow and raight no purchy reddened throat from being strangled S 2 0 Assess and y do not the have any allergies contraded by have any medications bint control pile system Ask casualty if they take any medications bint control pile system Ask casualty what their past medical history control pile system Ask casualty what happened The lights want can sendody without have larger shall not be control pile system down by trook. After strange, casualty got away and retrieved larle from kitchen and stabbed assalant the fact the retrieved and rail to the control pile system and regular the retrieved and rail to the control pile system and regular the retrieved and rail to the control pile system and regular the re | OI / CI C | <u> </u> | 100 | / \ L | <u>. </u> |
|--|--|------------------|-----|----------------------|--|
| Assess responsiveness | Scene survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a si Each judge at a site will have a copy of this sheet and any judg | · | 1 1 | Performed/ Stated | Not Performed/ Not Stated |
| ASSESS SKIN CONCILION pale, warm, dry Determine mechanism of injury physical assault, left face bruising from punch: reddened throat from being strangled Perform rapid body survey No other injuries found Ask casualty to describe how they are feeling casualty remains calm, quiet, and composed, but states she is scared, angry, and anxious Ask casualty if they have any allergies casualty if they take any medications birth control pill - yasmin Ask casualty about their past medical history concusion May 2012 (car accidently, knee injury - MCL tear 2013 Ask casualty about the time of their last oral intake soft intermember Ask casualty what happened The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got ways and retrieved knife from kitchen and stabbed assaliant busice. Assess level of awareness oriented to person, place, time Assess respirations 30 regular, rapid and shallow Assess pulse 104 strong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face brushing Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect mouth Palpate and inspect jaw A 1 0 | Assess responsiveness Alert | | A/S | | |
| ASSESS SKIN CONCILION pale, warm, dry Determine mechanism of injury physical assault, left face bruising from punch: reddened throat from being strangled Perform rapid body survey No other injuries found Ask casualty to describe how they are feeling casualty remains calm, quiet, and composed, but states she is scared, angry, and anxious Ask casualty if they have any allergies casualty if they take any medications birth control pill - yasmin Ask casualty about their past medical history concusion May 2012 (car accidently, knee injury - MCL tear 2013 Ask casualty about the time of their last oral intake soft intermember Ask casualty what happened The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got ways and retrieved knife from kitchen and stabbed assaliant busice. Assess level of awareness oriented to person, place, time Assess respirations 30 regular, rapid and shallow Assess pulse 104 strong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face brushing Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect mouth Palpate and inspect jaw A 1 0 | Assess airway Clear, casualty is speaking | | A/S | 2 | 0 |
| ASSESS SKIN CONCILION pale, warm, dry Determine mechanism of injury physical assault, left face bruising from punch: reddened throat from being strangled Perform rapid body survey No other injuries found Ask casualty to describe how they are feeling casualty remains calm, quiet, and composed, but states she is scared, angry, and anxious Ask casualty if they have any allergies casualty if they take any medications birth control pill - yasmin Ask casualty about their past medical history concusion May 2012 (car accidently, knee injury - MCL tear 2013 Ask casualty about the time of their last oral intake soft intermember Ask casualty what happened The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got ways and retrieved knife from kitchen and stabbed assaliant busice. Assess level of awareness oriented to person, place, time Assess respirations 30 regular, rapid and shallow Assess pulse 104 strong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face brushing Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect mouth Palpate and inspect jaw A 1 0 | Assess breathing Shallow and rapid, no distress | | A/S | 2 | 0 |
| Perform rapid body survey No other injuries found No other injuries found Perform rapid body survey No other injuries found No other injuries found Sk casualty to describe how they are feeling Ask casualty to describe how they are feeling Ask casualty if they have any allergies S | Assess skin condition | | A/S | 2 | 0 |
| Ask casualty if they have any allergies acasualty if they have any allergies Ask casualty if they take any medications birth control pill - yasmin Ask casualty about their past medical history concussion May 2012 (car accident): there injury - MCL tear 2013 Ask casualty about the time of their last oral intake can't remember Ask casualty what happened The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant twice. Assess level of awareness oriented to person, place, time Assess pulse 104 stong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face bruising Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect mouth Palpate and inspect jaw A 1 0 Palpate and inspect jaw A 1 0 | | strangled | S | 2 | 0 |
| casualty remains calm, quiet, and composed, but states she is scared, angry, and anxious Ask casualty if they have any allergies cat dender Ask casualty if they take any medications birth control pill - yearnin Ask casualty about their past medical history concussion May 2012 (car accident); knee injury - MCL tear 2013 Ask casualty about the time of their last oral intake ask casualty what happened Ask casualty what happened The lights went out, somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant twice. Assess level of awareness oriented to person, place, time Assess respirations 30 regular, rapid and shallow Assess pulse Assess pulse 104 strong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face brusing Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect mouth Palpate and inspect mouth Palpate and inspect mouth Palpate and inspect jaw A 1 0 | | | Α | 2 | 0 |
| Ask casualty about their past medical history concussion May 2012 (car accident); knee injury - MCL tear 2013 Ask casualty about their past medical history concussion May 2012 (car accident); knee injury - MCL tear 2013 Ask casualty about the time of their last oral intake can't remember Ask casualty what happened The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant twice. Assess level of awareness oriented to person, place, time Assess respirations 30 regular, rapid and shallow Assess pulse 104 strong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face bruising Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect jaw A 1 0 Palpate and inspect mouth Palpate and inspect jaw A 1 0 | Ask casualty to describe how they are feeling casualty remains calm, quiet, and composed, but states she is scared, and | gry, and anxious | S | 2 | 0 |
| Ask casualty about their past medical history concussion May 2012 (car accident); knee injury - MCL tear 2013 Ask casualty about the time of their last oral intake | Ask casualty if they have any allergies | | S | 2 | 0 |
| Ask casualty about the time of their last oral intake an't remember Ask casualty what happened The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant livice. Assess level of awareness oriented to person, place, time Assess respirations 30 regular, rapid and shallow Assess pulse 104 strong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face bruising Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect mouth Palpate and inspect jaw A 1 0 Palpate and inspect mouth Palpate and inspect jaw A 1 0 | | | S | 2 | 0 |
| Ask casualty what happened The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant twice. Assess level of awareness oriented to person, place, time Assess respirations 30 regular, rapid and shallow Assess pulse 104 strong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face bruising Inspect eyes Pupils equal and reactive Open and inspect mouth Palpate and inspect mouth Palpate and inspect mouth Palpate and inspect jaw A 1 0 Palpate and inspect mouth Palpate and inspect jaw A 1 0 | | | S | 2 | 0 |
| The lights went out; somebody entered the bedroom and grabbed casualty, punched her in face, held her down by throat. After struggle, casualty got away and retrieved knife from kitchen and stabbed assailant twice. Assess level of awareness oriented to person, place, time Assess respirations 30 regular, rapid and shallow Assess pulse 104 strong and regular Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face bruising Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect jaw A 1 0 Palpate and inspect jaw A 1 0 | | | S | 2 | 0 |
| Assess respirations 30 regular, rapid and shallow Assess pulse 104 strong and regular Assess circulation/skin condition Assess circulation/skin circulation/skin condition Assess circulation/skin circulation/skin circulation/skin cir | The lights went out; somebody entered the bedroom and grabbed casualt down by throat. After struggle, casualty got away and retrieved knife from | | S | 2 | 0 |
| Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face bruising Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect jaw Assess circulation/skin condition A/S A 1 0 A 1 0 A 1 0 A 1 0 A 1 0 | oriented to person, place, time | | A/S | 2 | 0 |
| Assess circulation/skin condition pale, warm, dry Palpate and inspect head Left face bruising Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect jaw Assess circulation/skin condition A/S A 1 0 A 1 0 A 1 0 A 1 0 A 1 0 | Assess respirations 30 regular, rapid and shallow | | A/S | 2 | 0 |
| Palpate and inspect head Left face bruising Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect jaw A 1 0 A 1 0 A 1 0 A 1 0 A 1 0 A 1 0 A 1 0 | Assess pulse 104 strong and regular | | A/S | 2 | 0 |
| Left face bruising Inspect eyes Pupils equal and reactive Inspect nose Open and inspect mouth Palpate and inspect jaw Left face bruising A 1 0 A 1 0 A 1 0 | | | A/S | 2 | 0 |
| | Palpate and inspect head Left face bruising | | Α | 1 | 0 |
| | Inspect eyes Pupils equal and reactive | | Α | 1 | 0 |
| | Inspect nose | | А | 1 | 0 |
| | Open and inspect mouth | | Α | 1 | 0 |
| | Palpate and inspect jaw | | Α | 1 | 0 |
| | | | Α | 1 | 0 |

SFA R

CASUALTY 3

| | | CASU | \neg L I | ı |
|--------------------------|--|------|------------|---|
| Palpate and in | spect neck angulation marks; structurally intact | А | 1 | 0 |
| Palpate and in | spect collarbones | A | 1 | 0 |
| Palpate and in | spect shoulders | A | 1 | 0 |
| Palpate and in | spect left arm from assailant's knife wounds | A | 1 | 0 |
| | spect right arm from assailant's knife wounds | A | 1 | 0 |
| Palpate and in | spect left hand from assailant's knife wounds | А | 1 | 0 |
| Palpate and in | spect right hand from assailant's knife wounds | А | 1 | 0 |
| Check left han | d circulation, sensation, motor function | A | 1 | 0 |
| Check right ha | nd circulation, sensation, motor function | A | 1 | 0 |
| Palpate chest | and rib cage | A | 1 | 0 |
| Palpate and in | spect abdomen | A | 1 | 0 |
| Palpate back | | A | 1 | 0 |
| Assess pelvic | stability | A | 1 | 0 |
| Palpate and in | spect left leg | A | 1 | 0 |
| Palpate and in | spect right leg | А | 1 | 0 |
| Palpate and in | spect left foot | A | 1 | 0 |
| Palpate and in | spect right foot | A | 1 | 0 |
| Check left foot | circulation, sensation, motor function | A | 1 | 0 |
| Check right foo | ot circulation, sensation, motor function | A | 1 | 0 |
| Assess level o | f awareness person, place, time | A/S | 2 | 0 |
| Assess respira | | A/S | 2 | 0 |
| Assess pulse 90 strong a | | A/S | 2 | 0 |
| Assess skin co | ondition | A/S | 2 | 0 |
| SUBTO | • | | | |

SUBTOTAL

| | • | | | |
|-----------------------------|--|-----------------------------|----------------------|------------------------------|
| may on may no Each ju | Note survey and primary survey points ly be awarded within the first 3 minutes. In longer be awarded if the team has scored points in a subsequent section ladge at a site will have a copy of this sheet and any judge may award the for these items - items do not need to be done in order. | A - Action S - Statement | Performed/ Stated | Not Performed/ Not Stated |
| vey | Assess responsiveness Unresponsive | A/S | 2 | 0 |
| Primary Survey | Assess airway Clear | A/S | 2 | 0 |
| rimar | Assess breathing Rapid, shallow and irregular, gasping | A/S | 2 | 0 |
| Ф. | Assess skin condition pale, cool, moist | A/S | 2 | 0 |
| | Determine mechanism of injury stabbed twice with a knife during assault sequence | S | 2 | 0 |
| | Perform rapid body survey Left pneumothorax due to knife wound; severe bleeding abdomen LUQ due to knife wound | А | 2 | 0 |
| าร 1 | Assess level of awareness unresponsive | A/S | 2 | 0 |
| Vital Signs | Assess respirations 40 irregular and shallow, gasping | A/S | 2 | 0 |
| Vita | Assess pulse 134 weak and regular | A/S | 2 | 0 |
| | Assess circulation/skin condition pale, cool, moist | A/S | 2 | 0 |
| ent | Palpate and inspect head | Α | 1 | 0 |
| essm | Inspect eyes Pupils equal and reactive | Α | 1 | 0 |
| e Ass | Inspect nose | Α | 1 | 0 |
| -to-to | Open and inspect mouth | Α | 1 | 0 |
| Head-to-toe Assessment | Palpate and inspect jaw | Α | 1 | 0 |
| _ | Inspect ears | Α | 1 | 0 |
| | Palpate and inspect neck | Α | 1 | 0 |
| | Palpate and inspect collarbones | Α | 1 | 0 |
| | Palpate and inspect shoulders | Α | 1 | 0 |
| | Palpate and inspect left arm | Α | 1 | 0 |
| | Palpate and inspect right arm | Α | 1 | 0 |
| | Palpate and inspect left hand | Α | 1 | 0 |
| | Palpate and inspect right hand | Α | 1 | 0 |
| | | | | |

SFA R

CASUALTY 4

| | Check left hand circulation | А | 1 | 0 |
|---------------|--|-----|---|---|
| | Check right hand circulation | А | 1 | 0 |
| | Palpate chest and rib cage Knife wound, sucking sound, frothy blood bubbling from site; lung sounds present right side only | А | 1 | 0 |
| | Palpate and inspect abdomen Knife wound LUQ, severe bleeding | А | 1 | 0 |
| | Palpate back | А | 1 | 0 |
| | Assess pelvic stability | А | 1 | 0 |
| | Palpate and inspect left leg | А | 1 | 0 |
| | Palpate and inspect right leg | А | 1 | 0 |
| | Palpate and inspect left foot | А | 1 | 0 |
| | Palpate and inspect right foot | А | 1 | 0 |
| | Check left foot circulation | А | 1 | 0 |
| | Check right foot circulation | А | 1 | 0 |
| 1s 2 | Assess level of awareness unresponsive | A/S | 2 | 0 |
| Vital Signs 2 | Assess respirations 38 shallow and irregular, gasping | A/S | 2 | 0 |
| | Assess pulse 152 weak and regular | A/S | 2 | 0 |
| | Assess skin condition Pale, cool, moist | A/S | 2 | 0 |
| | Immediately apply bulky dressing and pressure to LUQ wound | | | |
| | Apply three sided dressing to open pneumothorax | | | |
| | CLIDTOTAL | • | | |

SUBTOTAL

| Assess responsiveness Alert Assess airway Clear, casualty is speaking Assess breathing regular, no distress Assess skin condition pale, very warm, dry Determine mechanism of injury febrile respiratory illness Perform rapid body survey no injuries found Ask casualty to describe how they are feeling fever, chills, malaise, dry cough, loss of appetite, body sches, nausea, vomitting in toilet Ask casualty if they have any allergies Ask casualty if they take any medications Ask casualty if they take any medications Ask casualty about their past medical history sports hernia 2010 Ask casualty about the time of their last oral intake lunch yesterday Ask casualty what happened started feeling urwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, line Assess responsiveness and A/S 2 0 Description of the place of the pl | <u> </u> | | <u> </u> | | / \∟ | |
|--|--------------------------------------|--|----------|-----|----------------------|------------------------------|
| Assess responsiveness Alert Assess airway Clear, casualty is speaking Assess breathing regular, no distress Assess skin condition pale, very warm, dry Determine mechanism of injury febrile respiratory illness Perform rapid body survey no injuries found Ask casualty to describe how they are feeling fever, chills, melalese, dry cough, loss of appetite, body sches, nausea, vomiting in toilet Ask casualty if they have any allergies Ask casualty if they take any medications Ask casualty if they take any medications daily multivitamin; advil for headaches Ask casualty about their past medical history sports hernia 2010 Ask casualty about the time of their last oral intake lunch yesterday Assess level of awareness oriented to person, place, lime Assess responsiveness Assess responsiveness Assess responsiveness A/S 2 00 Assess pulse Assess pulse Assess circulation/skin condition pale, very warm, dry | Scene may or may no Each ju | survey and primary survey points only be awarded within the first 3 minutes. on longer be awarded if the team has scored points in a subsequent section audge at a site will have a copy of this sheet and any judge may award the | | 1 1 | Performed/ Stated | Not Performed/ Not Stated |
| Assess skin condition pale, very warm, dry Determine mechanism of injury febrile respiratory illness Perform rapid body survey no injuries found Ask casualty to describe how they are feeling fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, vomiting in toilet Ask casualty if they have any allergies Ask casualty if they take any medications daily multivitamin; advil for headaches Ask casualty about their past medical history sports hernia 2010 Ask casualty about the time of their last oral intake stanted feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Delacted and shallow A/S 2 00 | vey | | | A/S | | 0 |
| Assess skin condition pale, very warm, dry Determine mechanism of injury febrile respiratory illness Perform rapid body survey no injuries found Ask casualty to describe how they are feeling fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, vomiting in toilet Ask casualty if they have any allergies Ask casualty if they take any medications daily multivitamin; advil for headaches Ask casualty about their past medical history sports hernia 2010 Ask casualty about the time of their last oral intake stanted feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Determine mechanism of injury S 2 0 0 A 2 0 0 A 3 2 0 0 A 3 2 0 0 A 4 3 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 6 5 2 0 0 A 7 5 2 0 | y Sur | | | A/S | 2 | 0 |
| Assess skin condition pale, very warm, dry Determine mechanism of injury febrile respiratory illness Perform rapid body survey no injuries found Ask casualty to describe how they are feeling fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, vomiting in toilet Ask casualty if they have any allergies Ask casualty if they take any medications daily multivitamin; advil for headaches Ask casualty about their past medical history sports hernia 2010 Ask casualty about the time of their last oral intake stanted feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Determine mechanism of injury S 2 0 0 A 2 0 0 A 3 2 0 0 A 3 2 0 0 A 4 3 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 5 2 0 0 A 6 5 2 0 0 A 7 5 2 0 | rimar | | | A/S | 2 | 0 |
| Perform rapid body survey no injuries found Perform rapid body survey no injuries found A 2 0 0 | ₫. | | | A/S | 2 | 0 |
| Ask casualty to describe how they are feeling fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, vomiting in toilet Ask casualty if they have any allergies | | | | S | 2 | 0 |
| Second Part | | | | Α | 2 | 0 |
| Ask casualty if they take any medications daily multivitamin; advil for headaches Ask casualty about their past medical history sports hernia 2010 Ask casualty about the time of their last oral intake lunch yesterday Ask casualty what happened started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry | tory | Ask casualty to describe how they are feeling fever, chills, malaise, dry cough, loss of appetite, body aches, nausea, vomiting in toilet | | S | 2 | 0 |
| Ask casualty about their past medical history sports hernia 2010 Ask casualty about the time of their last oral intake lunch yesterday Ask casualty what happened started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Assess circulations and interpret the order Assess circulation and c | His | | | S | 2 | 0 |
| Ask casualty about the time of their last oral intake lunch yesterday Ask casualty what happened started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Assess respirations 10 A/S 2 0 11 A/S 2 0 12 Assess pulse 13 A/S 2 0 14 Assess circulation/skin condition pale, very warm, dry | | | | S | 2 | 0 |
| Ask casualty what happened started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Assess and increase the end. | | | | S | 2 | 0 |
| Started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Assess are spirations 20 regular and shallow A/S 2 0 | | | | S | 2 | 0 |
| oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Assess and in are set be an | | Ask casualty what happened started feeling unwell yesterday morning; progressively worsening symptoms; began vomiting today | | S | 2 | 0 |
| Assess pulse 90 strong and regular Assess circulation/skin condition pale, very warm, dry Polynote and increase based. | | | | A/S | 2 | 0 |
| Assess circulation/skin condition pale, very warm, dry Delinate and increase hand | | | | A/S | 2 | 0 |
| pale, very warm, dry | Vita | | | A/S | 2 | 0 |
| Palpate and inspect head Inspect eyes Pupils equal and reactive; Inspect nose redness around nares Open and inspect mouth Coughing Palpate and inspect jaw A 1 0 A 1 0 A 1 0 | | | | A/S | 2 | 0 |
| Inspect eyes Pupils equal and reactive; Inspect nose redness around nares Open and inspect mouth Coughing Palpate and inspect jaw A 1 0 A 1 0 | Head-to-toe Assessment | Palpate and inspect head | | Α | 1 | 0 |
| Inspect nose redness around nares Open and inspect mouth Coughing Palpate and inspect jaw A 1 0 A 1 0 | | | | Α | 1 | 0 |
| Open and inspect mouth Coughing Palpate and inspect jaw A 1 0 | | | | Α | 1 | 0 |
| Palpate and inspect jaw A 1 0 | | | | Α | 1 | 0 |
| | | Palpate and inspect jaw | | Α | 1 | 0 |
| | _ | Inspect ears | | Α | 1 | 0 |
| Palpate and inspect neck A 1 0 | | Palpate and inspect neck | | Α | 1 | 0 |

SFA R

CASUALTY 5

| \bigcirc . \prime | \ 1 \ | • | | <i>,</i> , | |
|-----------------------|---|---|-----|------------|---|
| | Palpate and inspect collarbones | | Α | 1 | 0 |
| | Palpate and inspect shoulders | | Α | 1 | 0 |
| | Palpate and inspect left arm | | А | 1 | 0 |
| | Palpate and inspect right arm | | А | 1 | 0 |
| | Palpate and inspect left hand | | А | 1 | 0 |
| | Palpate and inspect right hand | | А | 1 | 0 |
| | Check left hand circulation, sensation, motor function | | Α | 1 | 0 |
| | Check right hand circulation, sensation, motor function | | Α | 1 | 0 |
| | Palpate chest and rib cage | | Α | 1 | 0 |
| | Palpate and inspect abdomen | | А | 1 | 0 |
| | Palpate back | | А | 1 | 0 |
| | Assess pelvic stability | | А | 1 | 0 |
| | Palpate and inspect left leg | | А | 1 | 0 |
| | Palpate and inspect right leg | | А | 1 | 0 |
| | Palpate and inspect left foot | | А | 1 | 0 |
| | Palpate and inspect right foot | | А | 1 | 0 |
| | Check left foot circulation, sensation, motor function | | Α | 1 | 0 |
| | Check right foot circulation, sensation, motor function | | А | 1 | 0 |
| ls 2 | Assess level of awareness oriented to person, place, time | | A/S | 2 | 0 |
| Vital Signs | Assess respirations 22 regular and shallow | | A/S | 2 | 0 |
| | Assess pulse 94 strong and regular | | A/S | 2 | 0 |
| | Assess circulation/skin condition pale, very warm, dry | | A/S | 2 | 0 |
| | SUBTOTAL | | | | |

SOBIGIAL

| may on may no Each ju | survey and primary survey points ally be awarded within the first 3 minutes. In longer be awarded if the team has scored points in a subsequent section added at a site will have a copy of this sheet and any judge may award the for these items - items do not need to be done in order. | A - Action S - Statement | Performed/ Stated | Not Performed/ Not Stated |
|-----------------------------|---|-----------------------------|----------------------|------------------------------|
| vey | Assess responsiveness | A/S | 2 | 0 |
| y Sur | Assess airway Clear, casualty is speaking | A/S | 2 | 0 |
| Primary Survey | Assess breathing regular, no distress | A/S | 2 | 0 |
| <u> </u> | Assess skin condition pale, very warm, dry | A/S | 2 | 0 |
| | Determine mechanism of injury febrile respiratory illness | S | 2 | 0 |
| | Perform rapid body survey no injuries found | Α | 2 | 0 |
| History | Ask casualty to describe how they are feeling body aches, nausea, chills | S | 2 | 0 |
| Hist | Ask casualty if they have any allergies | S | 2 | 0 |
| | Ask casualty if they take any medications Effexor 75mg daily | S | 2 | 0 |
| | Ask casualty about their past medical history | S | 2 | 0 |
| | Ask casualty about the time of their last oral intake steak last night | S | 2 | 0 |
| | Ask casualty what happened started feeling unwell this morning; progressively worsening symptoms; came over to see if friends were sick too | S | 2 | 0 |
| 18 1 | Assess level of awareness oriented to person, place, time | A/S | 2 | 0 |
| Signs | Assess respirations 18 regular and shallow | A/S | 2 | 0 |
| Vital | Assess pulse 80 strong and regular | A/S | 2 | 0 |
| | Assess circulation/skin condition pale, very warm, dry | A/S | 2 | 0 |
| Head-to-toe Assessment | Palpate and inspect head | Α | 1 | 0 |
| | Inspect eyes Pupils equal and reactive; | А | 1 | 0 |
| | Inspect nose redness around nares | А | 1 | 0 |
| | Open and inspect mouth Coughing | А | 1 | 0 |
| | Palpate and inspect jaw | А | 1 | 0 |
| _ | Inspect ears | А | 1 | 0 |
| | | | | |

SFA R

CASUALTY 6

| | | | / \L I | ı |
|---|------------------------|-----|--------|---|
| Palpate and inspect neck | | А | 1 | 0 |
| Palpate and inspect collarbones | | А | 1 | 0 |
| Palpate and inspect shoulders | | А | 1 | 0 |
| Palpate and inspect left arm | | А | 1 | 0 |
| Palpate and inspect right arm | | А | 1 | 0 |
| Palpate and inspect left hand | | А | 1 | 0 |
| Palpate and inspect right hand | | А | 1 | 0 |
| Check left hand circulation, sens | ation, motor function | А | 1 | 0 |
| Check right hand circulation, sen | sation, motor function | А | 1 | 0 |
| Palpate chest and rib cage | | Α | 1 | 0 |
| Palpate and inspect abdomen | | А | 1 | 0 |
| Palpate back | | А | 1 | 0 |
| Assess pelvic stability | | А | 1 | 0 |
| Palpate and inspect left leg | | Α | 1 | 0 |
| Palpate and inspect right leg | | А | 1 | 0 |
| Palpate and inspect left foot | | Α | 1 | 0 |
| Palpate and inspect right foot | | А | 1 | 0 |
| Check left foot circulation, sensa | tion, motor function | А | 1 | 0 |
| Check right foot circulation, sens | ation, motor function | А | 1 | 0 |
| Assess level of awareness oriented to person, place, time | | A/S | 2 | 0 |
| Assess level of awareness oriented to person, place, time Assess respirations 20 regular and shallow Assess pulse | | A/S | 2 | 0 |
| Assess pulse 90 strong and regular | | A/S | 2 | 0 |
| Assess circulation/skin condition | | A/S | 2 | 0 |
| SLIBTOTAL | | | | - |

SUBTOTAL

| Scoring Notes Scores survey and primary survey points may only be awarded within the first 3 minutes. may no longer be awarded if the team has scored points in a subsequent section Each judge at a site will have a copy of this sheet and any judge may award the points for these items - items do not need to be done in order. Assess responsiveness Aser Assess alway Clear, creamby is geneting Assess shir condition park, way were, day Determine mechanism of injury items and the state state of the part of the of the | <u> </u> | - 1 | <u></u> | ` | <u> </u> |
|--|---|---|---------|----------------------|------------------------------|
| Ase Assess airway Clear casualty is speaking A/S 2 0 | Scene sui may only may no lo Each judg | rvey and primary survey points be awarded within the first 3 minutes. Inger be awarded if the team has scored points in a subsequent section are at a site will have a copy of this sheet and any judge may award the points | 1 1 | Performed/ Stated | Not Performed/ Not Stated |
| Assess skin condition pole, very warm, dry Determine mechanism of injury Interior respiratory illness Perform rapid body survey no injurious found Ask casualty to describe how they are feeling S 2 0 | vey | | A/S | 2 | 0 |
| Assess skin condition pole, very warm, dry Determine mechanism of injury Interior respiratory illness Perform rapid body survey no injurious found Ask casualty to describe how they are feeling S 2 0 | y Sur | | A/S | 2 | 0 |
| Assess skin condition pole, very warm, dry Determine mechanism of injury Interior respiratory illness Perform rapid body survey no injurious found Ask casualty to describe how they are feeling S 2 0 | rimar | | A/S | 2 | 0 |
| Perform rapid body survey | Φ. | | A/S | 2 | 0 |
| Ask casualty to describe how they are feeling S 2 0 | | | S | 2 | 0 |
| Short of breath, body aches, nauses, chills | | Perform rapid body survey no injuries found | Α | 2 | 0 |
| Ask casualty if they take any medications S 2 0 | ory | | S | 2 | 0 |
| Sabbutamol Ask casualty about their past medical history S 2 0 | Hist | | S | 2 | 0 |
| Ask casualty about the time of their last oral intake S 2 0 | | | S | 2 | 0 |
| Steak last night | | | S | 2 | 0 |
| Assess Level Of awareness Of awareness Assess Level Of awareness | | | S | 2 | 0 |
| Assess respirations 28 regular and shallow, wheezing A/S 2 0 | | | S | 2 | 0 |
| Assess pulse 100 strong and regular A/S 2 0 | 18 1 | | A/S | 2 | 0 |
| Assess circulation/skin condition pale, very warm, dry Palpate and inspect head A 1 0 | | | A/S | 2 | 0 |
| Palpate and inspect head | Vita | | A/S | 2 | 0 |
| Inspect eyes Pupils equal and reactive; Inspect nose redness around nares Open and inspect mouth Coughing Palpate and inspect jaw Inspect ears A 1 0 A 1 0 A 1 0 | | | A/S | 2 | 0 |
| Inspect ears A 1 0 | ent | Palpate and inspect head | Α | 1 | 0 |
| Inspect ears A 1 0 | essm | | Α | 1 | 0 |
| Inspect ears A 1 0 | -to-toe Asso | | А | 1 | 0 |
| Inspect ears A 1 0 | | | Α | 1 | 0 |
| Inspect ears A 1 0 | -lead | Palpate and inspect jaw | Α | 1 | 0 |
| Palpate and inspect neck A 1 0 | Т | Inspect ears | А | 1 | 0 |
| | | Palpate and inspect neck | Α | 1 | 0 |

| | | | \ | . , |
|--|---|-----|----------|-----|
| | Palpate and inspect collarbones | А | 1 | 0 |
| | Palpate and inspect shoulders | А | 1 | 0 |
| | Palpate and inspect left arm | А | 1 | 0 |
| | Palpate and inspect right arm | А | 1 | 0 |
| | Palpate and inspect left hand | А | 1 | 0 |
| | Palpate and inspect right hand | А | 1 | 0 |
| | Check left hand circulation, sensation, motor function | Α | 1 | 0 |
| | Check right hand circulation, sensation, motor function | А | 1 | 0 |
| | Palpate chest and rib cage | Α | 1 | 0 |
| | Palpate and inspect abdomen | А | 1 | 0 |
| | Palpate back | Α | 1 | 0 |
| | Assess pelvic stability | А | 1 | 0 |
| | Palpate and inspect left leg | А | 1 | 0 |
| | Palpate and inspect right leg | А | 1 | 0 |
| | Palpate and inspect left foot | А | 1 | 0 |
| | Palpate and inspect right foot | А | 1 | 0 |
| | Check left foot circulation, sensation, motor function | А | 1 | 0 |
| | Check right foot circulation, sensation, motor function | А | 1 | 0 |
| igns 2 d with meds | Assess level of awareness oriented to person, place, time | A/S | 2 | 0 |
| Vital Signs 2 assisted with meds | Assess respirations 16 regular and shallow | A/S | 2 | 0 |
| | Assess pulse 80 strong and regular | A/S | 2 | 0 |
| * | Assess circulation/skin condition pale, very warm, dry | A/S | 2 | 0 |
| ent | Assists with the administration of salbutamol | А | 2 | 0 |
| Treatment | Confirms right person | А | 2 | 0 |
| Ė | Confirms right medication | Α | 2 | 0 |
| | Confirms right time | Α | 2 | 0 |
| | | | I | |

 SFA R
 CASUALTY 7

 Confirms right amount
 A
 2
 0

 Confirms right route
 A
 2
 0

SUBTOTAL

DOCUMENTATION

| lty 1 | Incident date and time are filled out | Α | 2 | 0 |
|------------|---|----------|---|---|
| Casualty 1 | Casualty's first and last name and date of birth | Α | 2 | 0 |
| O | At least 1 team members' name and signature | А | 2 | 0 |
| | Incident history | Α | 2 | 0 |
| | 1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | Α | 2 | 0 |
| | 2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | Α | 2 | 0 |
| | Description of wounds | Α | 2 | 0 |
| | Allergies Codeine | Α | 2 | 0 |
| | Last meal Muffin | Α | 2 | 0 |
| ty 2 | Incident date and time are filled out | Α | 2 | 0 |
| Casualty | Casualty's first and last name and date of birth | Α | 2 | 0 |
| Ö | At least 1 team members' name and signature | Α | 2 | 0 |
| | Incident history | Α | 2 | 0 |
| | 1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | А | 2 | 0 |
| | 2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | А | 2 | 0 |
| | Description of wounds | А | 2 | 0 |
| | Medications Novorapid 10 units with meals, Lantus 15 units at bedtime | Α | 2 | 0 |
| | Past medical history Type 1 diabetes | Α | 2 | 0 |
| | Symptoms severe pain, lightheaded | Α | 2 | 0 |
| ty 3 | Incident date and time are filled out | А | 2 | 0 |
| Casualty 3 | Casualty's first and last name and date of birth | А | 2 | 0 |
| | At least 1 team members' name and signature | А | 2 | 0 |
| | Incident history | А | 2 | 0 |
| | 1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | Α | 2 | 0 |
| | 2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | А | 2 | 0 |
| | Allergies Cat dander | A | 2 | 0 |
| | Medications Tim birth control pill (Yasmin) daily | A | 2 | 0 |
| | | <u> </u> | | |

R

DOCUMENTATION

| | Description of injuries left face bruising; reddened throat from being strangled | Α | 2 | 0 |
|------------|---|---|---|---|
| lty 4 | Incident date and time are filled out | А | 2 | 0 |
| Casualty 4 | Casualty's first and last name and date of birth | А | 2 | 0 |
| O | At least 1 team members' name and signature | Α | 2 | 0 |
| | Incident history | Α | 2 | 0 |
| | 1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | А | 2 | 0 |
| | 2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | А | 2 | 0 |
| | Level of consciousness unresponsive | А | 2 | 0 |
| | Description of injuries left chest penetrating knife wound; left chest penetrating knife wound | А | 2 | 0 |
| lty 5 | Incident date and time are filled out | Α | 2 | 0 |
| Casualty | Casualty's first and last name and date of birth | Α | 2 | 0 |
| O | At least 1 team members' name and signature | А | 2 | 0 |
| | Incident history | А | 2 | 0 |
| | 1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | А | 2 | 0 |
| | 2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | А | 2 | 0 |
| | Symptoms – at least three of the following Chills, malaise, dry cough, loss of appetite, body aches, nausea | А | 2 | 0 |
| lty 6 | Incident date and time are filled out | А | 2 | 0 |
| Casualty 6 | Casualty's first and last name and date of birth | Α | 2 | 0 |
| O | At least 1 team members' name and signature | Α | 2 | 0 |
| | Incident history | Α | 2 | 0 |
| | 1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | Α | 2 | 0 |
| | 2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | Α | 2 | 0 |
| | Symptoms – at least three of the following Chills, malaise, dry cough, loss of appetite, body aches, nausea | Α | 2 | 0 |
| lty 7 | Incident date and time are filled out | Α | 2 | 0 |
| Casualty 7 | Casualty's first and last name and date of birth | Α | 2 | 0 |
| 0 | At least 1 team members' name and signature | Α | 2 | 0 |
| | Incident history | Α | 2 | 0 |
| | | | | |

R

DOCUMENTATION

| 1st vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | Α | 2 | 0 |
|--|---|---|---|
| 2nd vital signs Time and Pulse and Respirations and Skin Condition and blood pressure | Α | 2 | 0 |
| Symptoms – at least three of the following Chills, malaise, dry cough, loss of appetite, body aches, nausea | Α | 2 | 0 |
| Medication administration Records name of medication, amount given, and time of administration | Α | 2 | 0 |

SUBTOTAL