Scenario #1 - "Double Shovel Trouble"

CYCLE #	TEAM #
---------	--------

NO.	POINTS	DONE	SCENE/PRIMARY SURVEY			
1	10		Did the team TAKE CHARGE of the situation? (remained calm themselves	5?)		
2	10		Did the team wear protective GLOVES?			
3	10		Did the team ASSESS for HAZARDS?			
4	10		Did the team REMOVE the ICY HAZARD by throwing down salt or other a	cceptable means?		
5	10		Did the team CALL OUT FOR HELP?			
6	10		Did the team ASK for SITUATION HISTORY?			
7	10		Did the team DETERMINE the NUMBER OF CASUALTIES?	2		
8	10		Did the team ID SELF and OBTAIN CONSENT?	Implied Consent		
9	10		Did the team WARN THE CASUALTY NOT TO MOVE?			
10	10		Did the team CONTROL C-SPINE to prevent movement?			
11	10		Did the team ASSESS LEVEL OF CONSCIOUSNESS?	Unconsicous		
12	10		Did the team ASSESS AIRWAY?	Open		
13	10		Did the team ASSESS BREATHING?	18 Shallow & Regular		
14	10		Did the team APPLY OYXGEN APPROPRIATELY? (NRB 15LPM)			
15	10		Did the team ASSESS PULSE? (Circulation)	88 Strong & Regular		
16	10		Did the team ASSESS SKIN CONDITION (Circulation)	Cool and Slightly pale		
17	10		Did the team PERFORM A RAPID BODY SURVEY?	Severe Bleed back/left head		
18	10		Did the team APPLY absorbant and sterile DRESSINGS to the BLEED on th	e back/left side of head?		
19	10		Did the team IMMEDIATELY COVER WITH A BLANKET for shock and warn	nth?		
20	20		Did the team PLACE BLANKET/BARRIER <u>UNDER</u> the patient for warmth?	?		
21	10		Did the team ACTIVATE EMS/AMBULANCE?			
	220	0	Total of SCENE/PRIMARY SURVEY			

JUDGES NOTES:

This section is active for the first 3 minutes of the scenario only!

During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey. After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey.

JUDGES DO NOT TALLY MARKS FROM YOUR OWN SHEETS!

Judges MUST circle EITHER the point value OR "0" on EACH LINE!

Scenario #1 - "Double Shovel Trouble"

SECONDARY SURVEY

Actions in this section may be performed by the competitors at ANY point in the scenario. After the 3 first minutes, this section and beyond are the only areas that points shall be awarded

Actions in this section may be done in any order.

NO.	POINTS	DONE	HISTORY OF THE PATIEN	Т
22	10		Did the team ask about SYMPTOMS	Pain R leg, Headache, Pain R wrist
23	10		Did the team ask about ALLERGIES?	None
24	10		Did the team ask about MEDICATIONS?	None
25	10		Did the team ask about MEDICAL HISTORY?	Previously healthy
26	10		Did the team ask about LAST ORAL INTAKE?	Ate full meal 1 hour ago
27	10		Did the team determine INCIDENT HISTORY?	Shovelling Icy path, must have slipped
			1st Set of VITAL SIGNS	
28	10		Did the team check LEVEL OF CONSCIOUSNESS?	Unconcious
29	10		Did the team check RESPIRATIONS?	18 Shallow & Regular
30	10		Did the team check PULSE?	88 Strong & Regular
31	10		Did the team check BLOOD PRESSURE	118/76
32	10		Did the team check SKIN CONDITION/TEMP?	Cool, Slightly pale
33	10		Did the team check PUPILS?	Sluggish @ 3mm
			HEAD TO TOE EXAMINATION	
34	5		Check SCALP/HEAD?	Severe Bleeding back/left side of head
35	5		Check both EYES?	Slight bruising under both eyes
36	5		Check NOSE?	No Findings
37	5		Check CHEEKBONES?	No Findings
38	5		Check MOUTH?	No Findings
39	5		Check JAW?	No Findings
40	5		Check both EARS?	No Findings
41	5		Check NECK?	Stiffness, but no physical findings
42	5		Check both COLLARBONES?	No Findings
43	5		Check both SHOULDERS?	No Findings
44	5		Check RIGHT ARM?	Right wrist/heel of hand bruising, pain
45	5		Check LEFT ARM?	No Findings
46	5		Check CHEST?	No findings
47	5		Check ABDOMEN?	No Findings
48	5		Check BACK?	No Findings
49	5		Check PELVIS?	No Findings
50	5		Check RIGHT LEG?	Open Fx, open wound, no bone, + blood
51	5		Check LEFT LEG?	No Findings
	210	0	Total of SECONDARY SURVEY	

2019 OMFRC - ZONE COMPETITION AMFR/ PRO LEVEL

Scenario #1 - "Double Shovel Trouble"

AMFR ASSESSMENT CONTINUTED

Actions in this section may be per			s in this section may be performed by the competitor at any point in the scenario.
	NO. POINTS	DONE	HEAD INJURY/CONCUSSION ASSESSMENT - OPORST

ROVOKES? ROVOKES? ROVOKES? ROVOKES? ROVOKES? ROVOKES? ROVOKES? ROVOKES? REGION/RADIATION/RELIEF? ROVOKES? ROVOKES. ROVOK). POINTS DO
EUALITY? EGION/RADIATION/RELIEF? EVERITY? Tout of 10 IME? II can't remember how long ago" UR/LEG ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? ROVOKES? Any movement > (++) Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 9 out of 10 IME? II can't remember how long ago" ST/ARM ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? From shoulder to fingers EVERITY? 9 out of 10 II can't remember how long ago" ST/ARM ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? Any movement > (++) Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? II can't remember how long ago" II can't remember how long ago" II y and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
EGION/RADIATION/RELIEF? EVERITY? 7 out of 10 IME? "I can't remember how long ago" UR/ LEG ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? ROVOKES? any movement > (++) Severe ache/ crushing EGION/RADIATION/RELIEF? EVERITY? 9 out of 10 IME? "I can't remember how long ago" ST/ARM ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? "I can't remember how long ago" ST/ARM ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? ROVOKES? any movement > (++) Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" INSET? Severe ache/ crushing From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" INSET And GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? Given Consent CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
EVERITY? IME? "I can't remember how long ago" UR/ LEG ASSESSMENT - OPQRST INSET? ROVOKES? Any movement > (++) Severe ache/ crushing EGION/RADIATION/RELIEF? EVERITY? Severe ache/ crushing EGION/RAM ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? I can't remember how long ago" ST/ARM ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? ROVOKES? Any movement > (++) Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? Given Consent CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular LSE? (2nd Set) 86 Strong & Regular	20
UR/ LEG ASSESSMENT - OPQRST NSET? Shovelling, must have fallen? ROVOKES? Any movement > (++) ROVOKES? From shoulder to fingers ROVOKES? Any movement > (++)	20
WR/ LEG ASSESSMENT - OPQRST NSET? Shovelling, must have fallen? ROVOKES? any movement > (++) RUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 9 out of 10 IME? "I can't remember how long ago" ST/ARM ASSESSMENT - OPQRST NSET? Shovelling, must have fallen? ROVOKES? any movement > (++) ROVOKES? any movement > (++) ROVOKES? From shoulder to fingers EVERITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" INT AND GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? Given Consent CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
ROVOKES? ROVOKES? ROVOKES? ROVOKES? ROVOKES? ROVOKES? ROVOKES? ROVOKES? REGION/RADIATION/RELIEF? ROVOKES? ROVOK	20
ROVOKES? QUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 9 out of 10 IME? "I can't remember how long ago" ST/ARM ASSESSMENT - OPQRST INSET? ROVOKES? QUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" INSET? A con't remember how long ago" INSET? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" INSET! A con't remember how long ago" INSET! A con't remember how long ago" INSET! A con't remember how long ago" INSET! Sewere ache/ crushing From shoulder to fingers EVERITY? A con't remember how long ago" INSET! A con	
EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 9 out of 10 IME? "I can't remember how long ago" ST/ARM ASSESSMENT - OPQRST NSET? Shovelling, must have fallen? ROVOKES? any movement > (++) BUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
EGION/RADIATION/RELIEF? EVERITY? 9 out of 10 IME? "I can't remember how long ago" ST/ARM ASSESSMENT - OPQRST INSET? ROVOKES? Any movement > (++) QUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
EVERITY? 9 out of 10 IME? "I can't remember how long ago" ST/ARM ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? ROVOKES? any movement > (++) RUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" INSET OR STORM STORM SCENARIO LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? Given Consent CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
IME? ST/ARM ASSESSMENT - OPQRST INSET? ROVOKES? Any movement > (++) RUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
ST/ARM ASSESSMENT - OPQRST INSET? Shovelling, must have fallen? ROVOKES? any movement > (++) RUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? Given Consent CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
ROVOKES? any movement > (++) QUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" At) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
ROVOKES? any movement > (++) BUALITY? Severe ache/ crushing EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" INTY AND GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	
EGION/RADIATION/RELIEF? From shoulder to fingers EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
EGION/RADIATION/RELIEF? EVERITY? 2 or 3 out of 10 IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ILSE? (2nd Set) 86 Strong & Regular	20
EVERITY? IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular LESE? (2nd Set) 86 Strong & Regular	20
IME? "I can't remember how long ago" It) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? Given Consent CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ULSE? (2nd Set) 86 Strong & Regular	20
At) / and GENERAL PATIENT CARE (after 10 min into Scenario) LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ULSE? (2nd Set) 86 Strong & Regular	20
LY NOTE the CHANGE in LEVEL OF CONSCIOUSNESS? OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) Semi Conscious, Slow to respond SPIRATIONS? (2nd Set) 20 Shallow & Regular ULSE? (2nd Set) 86 Strong & Regular	20
OBTAIN CONSENT? CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) SPIRATIONS? (2nd Set) SPIRATIONS? (2nd Set) Semi Conscious, Slow to respond 20 Shallow & Regular RESE? (2nd Set) 86 Strong & Regular	RE-ASSESSI
CASUALTY NOT TO MOVE? VEL OF CONSCIOUSNESS? (2nd Set) SPIRATIONS? (2nd Set) LSE? (2nd Set) Semi Conscious, Slow to respond 20 Shallow & Regular 86 Strong & Regular	10
VEL OF CONSCIOUSNESS? (2nd Set) SPIRATIONS? (2nd Set) LSE? (2nd Set) Semi Conscious, Slow to respond 20 Shallow & Regular 86 Strong & Regular	10
SPIRATIONS? (2nd Set) 20 Shallow & Regular USE? (2nd Set) 86 Strong & Regular	10
LSE? (2nd Set) 86 Strong & Regular	10
, ,	10
OOD PRESSURE? (2nd Set) 128/82	10
120,02	10
IN CONDITION/TEMP? (2nd Set) Cool, Slightly pale	10
PILS? (2nd Set) Equal and sluggish @ 3mm	10
NT CONTINUED PAGE	450 0

Scenario #1 - "Double Shovel Trouble"

			FIRST AID CARE/ TREATMENT			
	Actions in this section may be performed by the competitor at any point in the scenario.					
NO.	POINTS	DONE	Care for Suspected HEAD & NECK / CONCL	JSSION INJURY		
79	20		Did the team PERFORM A DETAILED HEAD INJURY ASSESSMENT?			
80	20		Did the team MAINTAIN C-SPINE SUPPORT throughout Scneario (until fully immobilized?)		
81	20		Did the team ACCURATELY MEASURE & APPLY C-Collar?			
82	20		Did the team LOG ROLL onto BACKBOARD without EXCESSIVE MC	OVEMENT?		
83	40		Did the team FULLY IMMOBILIZE the patient on the Backboard us	ing APPROPRAITE strapping techniq		
84	20		Did the team SECURE the HEAD as the final step of the IMMC	DBILIZATION process?		
85	30		Did the team REMAIN in CONSTANT Monitor of the IMMOBIL	ZED patient?		
			Care for Right WRIST/HEEL OF HAND- Closed Fractur	e		
86	10		Did the team CHECK CIRCULATION BEFORE BANDAGING			
87	20		Did the team APPLY a SPLINT to IMMOBILIZE the Injury?			
88	20		Did the team SECURE the SPLINT ABOVE & BELOW the Injury? (No	ot directly ontop)		
89	10		Did the team RE-CHECK CIRCULATION AFTER BANDAGING			
90	20		Did the team ELEVATE the arm using a STANDARD ARM SLING?			
91	10 Did the team APPLY an ICE/COLD PACK? (Must be wrapped in fabric/protector)					
	Care for Right UPPER LEG - Open Fracture					
92	10		Did the team PLACE a TENTED DRESSING over protruding bone end?			
93	20		Did the team PLACE PADDING (Log Cabin) on either side for protection?			
94	20		Did the team SECURE the PADDING (Log Cabin) in Place?			
95	10		Did the team CHECK CIRCULATION BEFORE BANDAGING			
96	20		Did the team IMMOBILZE the RIGHT LEG with SPLINTS or OTHER	LEG with Padding between?		
97	30		Did the team SECURE SPINT/LEG using at least 5 WIDE BANDAGES	S?		
98	10		Did the team RE-CHECK CIRCULATION AFTER BANDAGING			
99	50		The team DID NOT ATTEMPT APPLICATION of the suplied SAGAR	Splint		
			RE-ASSESSMENT of VITAL SIGNS (3rd Set)			
100	10		Did the team RE-check LEVEL OF CONSCIOUSNESS? (3rd Set)	Semi Conscious, Slow to respond		
101	10		Did the team RE-check RESPIRATIONS? (3rd Set)	18 Shallow and Regular		
102	10		Did the team RE-check PULSE? (3rd Set)	84 Strong & Regular		
103	10		Did the team RE-check BLOOD PRESSURE? (3rd Set)	126/72		
104	10		Did the team RE-check SKIN CONDITION/TEMP? (3rd Set)	Cool, Slightly Pale		
105	10		Did the team RE-check PUPILS? (3rd Set)	Equal and Sluggish at 3mm		
			SHOCK & GENERAL CARE			
106	10		Did the team REASSURE the patient about their OWN CARE?			
107	20		Were GLOVES EFFECTIVE THROUGHOUT? (Torn gloves MUST be	replaced!)		
	520	0	Total of FIRST AID/TREATMENT			

Scenario #1 - "Double Shovel Trouble"

NO.	POINTS DO	ONE RECORDING for Patient #1 - "Shoveller" - PART 1
108	20	Was ALL of the patients PERSONAL INFORMATION recorded?
109	10	Was the INCIDENT TIME AND DATE recorded?
110	10	Was the INCIDENT LOCATION recorded?
111	20	Was the INCIDENT HISTORY (Accurately) recorded?
112	10	Was the patients ALLERGIES (None) recorded?
113	10	Was the patients MEDICATIONS (None) recorded?
114	10	Was the patients MEDICAL HISTORY (Previously Healthy) recorded?
115	10	Was the LAST ORAL INTAKE (Ate 1 hour before incident) recorded?
116	10	Was the patients INITIAL LEVEL of CONSCIOUSNESS (Unconscious) recorded?
117	10	Was the TIME of the CHANGE in LEVEL OF CONSCIOUSNESS *10 minutes into scenario* recorded?
118	10	Was the SUSPECTED HEAD/NECK INJURY (Concussion) recorded?
119	10	Was the 3" LACERATION to the BACK/LEFT SIDE of the HEAD recorded?
120	10	Was the PATIENTS SLUGGISH RESPONSES, Continued SEMI CONSCIOUS state recorded?
121	10	Was the ONSET (Shovelling and assumes they fell) recorded? - HEAD INJURY
122	10	Was the PROVOCATION (Noise and Light) recorded? - HEAD INJURY
123	10	Was the QUALITY (severe throbbing) recorded? - HEAD INJURY
124	10	Was the REGION (Ache in back of head) recorded? - HEAD INJURY
125	10	Was the RADIATION (Ringing in the ears) recorded? - HEAD INJURY
126	10	Was the RELIEF (None) recorded? - HEAD INJURY
127	10	Was the SEVERITY (7/10) recorded? - HEAD INJURY
128	10	Was the CLOSED FRACTURE to RIGHT WRIST/HAND recorded?
129	10	Was the ONSET (Shovelling and assumes they fell) recorded? - RIGHT WRIST FX
130	10	Was the PROVOCATION (Movement) recorded? - RIGHT WRIST FX
131	10	Was the QUALITY (Mild Ache) recorded? - RIGHT WRIST FX
132	10	Was the REGION (Hand/Wrist Only) recorded? - RIGHT WRIST FX
133	10	Was the RADIATION (None) recorded? - RIGHT WRIST FX
134	10	Was the RELIEF (None) recorded? - RIGHT WRIST FX
135	10	Was the SEVERITY (2 or 3/10) recorded? - RIGHT WRIST FX
136	10	Was the OPEN FRACTURE to UPPER LEG recorded?
137	10	Was the ONSET (Shovelling and assumes they fell) recorded? - RIGHT FEMUR FX
138	10	Was the PROVOCATION (Movement) recorded? - RIGHT FEMUR FX
139	10	Was the QUALITY (Severe Ache) recorded? - RIGHT FEMUR FX
140	10	Was the REGION (In the Leg @ Fx site) recorded? - RIGHT FEMUR FX
141	10	Was the RADIATION (Pain from Hip to Knee) recorded? - RIGHT FEMUR FX
142	10	Was the RELIEF (None) recorded? - RIGHT FEMUR FX
143	10	Was the SEVERITY (9/10) recorded? - RIGHT FEMUR FX
	380	0 Total of RECORDING/ DOCUMENTATION - PART 1 ONLY
	300	U TOTAL OF RECORDING/ DOCOMENTATION - PART I UNLY

Scenario #1 - "Double Shovel Trouble"

NO.	POINTS	DONE	RECORDING for Patient #1 - "Shoveller"	- PART 2	
	Vit	tal Signs	MUST be the CORRECTED #s & HAVE the TIME recorded, to be	awarded points !!!	
144	5	.a. 0.5.10	Was 1st set of vital signs - LEVEL OF CONSCIOUSNESS recorded	Unconcious	
145	5		Was 1st set of vital signs - RESPIRATIONS recorded?	18 Shallow & Regular	
146	5		Was 1st set of vital signs - PULSE recorded?	88 Strong & Regular	
147	5		Was 1st set of vital signs - BLOOD PRESSURE recorded?	118/76	
148	5		Was 1st set of vital signs - SKIN CONDITION recorded?	Cool, Slightly pale	
149	5		Was 1st set of vital signs - PUPILS recorded?	Sluggish @ 3mm	
150	5		Was 2nd set of vital signs - LEVEL OF CONSCIOUSNESS recorded	Semi Conscious, Slow to respond	
151	5		Was 2nd set of vital signs - RESPIRATIONS recorded?	20 Shallow & Regular	
152	5		Was 2nd set of vital signs - PULSE recorded?	86 Strong & Regular	
153	5		Was 2nd set of vital signs - BLOOD PRESSURE recorded?	128/82	
154	5		Was 2nd set of vital signs - SKIN CONDITION recorded?	Cool, Slightly pale	
155	5		Was 2nd set of vital signs - PUPILS recorded?	Equal and sluggish @ 3mm	
156	5		Was 3rd set of vital signs - LEVEL OF CONSCIOUSNESS recorded	Semi Conscious, Slow to respond	
157	5		Was 3rd set of vital signs - RESPIRATIONS recorded?	18 Shallow and Regular	
158	5		Was 3rd set of vital signs - PULSE recorded?	84 Strong & Regular	
159	5		Was 3rd set of vital signs - BLOOD PRESSURE recorded?	126/72	
160	5		Was 3rd set of vital signs - SKIN CONDITION recorded?	Cool, Slightly Pale	
161	5		Was 3rd set of vital signs - PUPILS recorded?	Equal and Sluggish at 3mm	
162	10		Was the APPLICATION OF OXYGEN recorded?		
163	20		Was the TYPE OF OXYGEN DELIVERY DEVICE & FLOW RATE recorded?		
164	10		Was the MAINTENANCE of C-SPINE CONTROL recorded?		
165	10		Was the APPLICATION of a C-COLLAR recorded?		
166	10		Was the SIZE of the C-COLLAR recorded?		
167	10		Was the LOG ROLL onto a BACKBOARD recorded?		
168	10		Was the IMMOBILIZATION of the patient onto the BACKBOARD recorded?		
169	10		Was the PRE-BANDAGING CIRCULATION of the RIGHT ARM recorded?		
170	20		Was the SPLINT of the RIGHT WRIST CLOSED FRACTURE recorded?		
171	20		Was the ARM SLING for the RIGHT WRIST CLOSED FRACTURE recorded?		
172	10		Was the POST-BANDAGING CIRCULATION of the RIGHT ARM record	ed?	
173	20		Was the ICE PACK for the RIGHT WRIST CLOSED FRACTURE recorded?		
174	10		Was the PRE-BANDAGING CIRCULATION of the RIGHT LEG recorded?		
175	20		Was the APPLICATION of a STERILE DRESSING to the RIGHT FEMUR OPEN WOUND recorded?		
176	20		Was the LOG CABIN/PADDING for the RIGHT FEMUR FRACTURE recorded?		
177	20		Was the SPLINT/ LEG and PADDING for the RIGHT FEMUR recorded?		
178	20		Was the 5+ BANDAGES used to SECURE the SPLINTS/LEG recorded		
179	10		Was the POST-BANDAGING CIRCULATION of the RIGHT ARM recorded?		
180	10		Was the Application of a BLANKET OVER the patient recorded?		
181	10		Was the Application of a BLANKET UNDER the patient recorded?		
182	20		Was the NOTIFICATION OF EMS WITH TIME recorded?		
183	30		Was the Name(s) of the first aid team LEGIBLY recorded?		
	420	0	Total of RECORDING/ DOCUMENTATION - PART 2 ONLY		
183		0	• •		

Scenario #1 - "Double Shovel Trouble"

EAM#

NO.	POINTS	DONE	SCENE/PRIMARY SURVEY			
184	10		Did the team TAKE CHARGE of the situation?			
185	10		Did the team wear protective GLOVES?			
186	10		Did the team ASSESS for HAZARDS?			
187	10		Did the team REMOVE the ICY HAZARD by throwing down salt or other a	Did the team REMOVE the ICY HAZARD by throwing down salt or other acceptable means?		
188	10		Did the team CALL OUT FOR HELP?			
189	10		Did the team ASK for SITUATION HISTORY?			
190	10		Did the team DETERMINE the NUMBER OF CASUALTIES?	2		
191	10		Did the team ID SELF and OBTAIN CONSENT?	Verbal Consent		
192	10		Did the team WARN THE CASUALTY NOT TO MOVE?			
193	10		Did the team RULE OUT NEED for C-SPINE control?			
194	10		Did the team ASSESS LEVEL OF CONSCIOUSNESS?	Fully Conscious		
195	10		Did the team ASSESS AIRWAY?	Open		
196	10		Did the team ASSESS BREATHING?	18 Shallow & Regular		
197	10		Did the team ASSESS PULSE? (Circulation)	98 Strong & Regular		
198	10		Did the team ASSESS SKIN CONDITION (Circulation)	Cool, Slightly pale		
199	10		Did the team PERFORM A RAPID BODY SURVEY?	No Life Threatening Findings		
200	10		Did the team IMMEDIATELY COVER WITH A BLANKET for shock and warr	mth?		
201	20		Did the team PLACE BLANKET/BARRIER <u>UNDER</u> the patient for warmth?			
202	10		Did the team ACTIVATE EMS/AMBULANCE?			
	200	0	Total of SCENE/PRIMARY SURVEY			

JUDGES NOTES:

This section is active for the first 3 minutes of the scenario only!

During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey. After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey.

JUDGES DO NOT TALLY MARKS FROM YOUR OWN SHEETS!

Judges MUST circle EITHER the point value OR "0" on EACH LINE!

Scenario #1 - "Double Shovel Trouble"

SECONDARY SURVEY

Actions in this section may be performed by the competitors at ANY point in the scenario. After the 3 first minutes, this section and beyond are the only areas that points shall be awarded

Actions in this section may be done in any order.

NO.	POINTS	DONE	HISTORY OF THE PATI	ENT
203	10		Did the team ask about SYMPTOMS	Ache R Elbow, L arm Throbbing
204	10		Did the team ask about ALLERGIES?	Penicillin & Sulfa (Rash)
205	10		Did the team ask about MEDICATIONS?	Daily Multi-Vitamin
206	10		Did the team ask about MEDICAL HISTORY?	Previously Healthy
207	10		Did the team ask about LAST ORAL INTAKE?	Ate fulll meal 1 hr ago
208	10		Did the team determine INCIDENT HISTORY?	Salting, Struck with shovel
			1st Set of VITAL SIGNS	
209	10		Did the team check LEVEL OF CONSCIOUSNESS?	Fully Conscious
210	10		Did the team check RESPIRATIONS?	18 Shallow & Regular
211	10		Did the team check PULSE?	98 Strong & Regular
212	10		Did the team check BLOOD PRESSURE	134/86
213	10		Did the team check SKIN CONDITION/TEMP?	Cool, Slightly pale
214	10		Did the team check PUPILS?	Equal and Reactive @ 4mm
			HEAD TO TOE EXAMINATION	
215	5		Check SCALP/HEAD?	No Findings
216	5		Check both EYES?	No Findings
217	5		Check NOSE?	No Findings
218	5		Check CHEEKBONES?	No Findings
219	5		Check MOUTH?	No Findings
220	5		Check JAW?	No Findings
221	5		Check both EARS?	No Findings
222	5		Check NECK?	No Findings
223	5		Check both COLLARBONES?	No Findings
224	5		Check both SHOULDERS?	No Findings
225	5		Check RIGHT ARM?	Redness, tenderness & 120 Angle
226	5		Check LEFT ARM?	Moderate Bruise to mid-shaft forearm
227	5		Check CHEST?	No Findings
228	5		Check ABDOMEN?	No Findings
229	5		Check BACK?	No Findings
230	5		Check PELVIS?	No Findings
231	5		Check RIGHT LEG?	No Findings
232	5		Check LEFT LEG?	No Findings
	210	0	Total of SECONDARY SURVEY	

Scenario #1 - "Double Shovel Trouble"

AMFR ASSESSMENT CONTINUTED AND FIRST AID TREATMENT

Actions in this section may	be performed b	by the competitor at	any point in the scenario.
-----------------------------	----------------	----------------------	----------------------------

NO.	POINTS	DONE LEFT ARM ASSESSMENT - OPC						
233	20	Did the team ASK about ONSET?	Salting, struck with shovel					
234	20	Did the team ASK about PROVOKES?	Any movement > (++)					
235	20	Did the team ASK about QUALITY?	Moderate throbbing					
236	20	Did the team ASK about REGION/RADIATION/RELIEF?	Left forearm with tingling into fingers					
237	20	Did the team ASK about SEVERITY?	6 out of 10					
238	20	Did the team ASK about TIME?	About 5 min's before arrival of team					
	RIGHT ELBOW ASSESSMENT - OPQRST							
239	20	Did the team ASK about ONSET?	Fell back on elbow = direct hit					
240	20	Did the team ASK about PROVOKES?	No changes, constant ache					
241	20	Did the team ASK about QUALITY?	"Deep" Aching					
242	20	Did the team ASK about REGION/RADIATION/RELIEF?	Down arm + Tingling fingers					
243	20	Did the team ASK about SEVERITY?	5 out of 10					
244	20	Did the team ASK about TIME?	About 5 min's before arrival of team					
		RE-ASSESSMENT of VITAL SIGNS (2nd Set) / and GENERAL PA	TIENT CARE					
245	10	Did the team RE-check LEVEL OF CONSCIOUSNESS? (2nd Set)	Fully Conscious					
246	10	Did the team RE-check RESPIRATIONS? (2nd Set)	16 Shallow & Regular					
247	10	Did the team RE-check PULSE? (2nd Set)	92 Stong & Regular					
248	10	Did the team RE-check BLOOD PRESSURE? (2nd Set)	132/82					
249	10	Did the team RE-check SKIN CONDITION/TEMP? (2nd Set)	Cool, Slightly Pale					
250	10	Did the team RE-check PUPILS? (2nd Set)	Equal and sluggish @ 4mm					
		Care for LEFT FOREARM - Closed Fracture						
251	10	Did the team CHECK CIRCULATION BEFORE BANDAGING						
252	20	Did the team APPLY a SPLINT to IMMOBILIZE the Injury?						
253	20	• • •	Did the team SECURE the SPLINT ABOVE & BELOW the Injury? (Not directly ontop)					
254	10	Did the team RE-CHECK CIRCULATION AFTER BANDAGING						
255	20	Did the team ELEVATE the arm using a STANDARD ARM SLING?						
256	10	Did the team APPLY an ICE/COLD PACK? (Must be wrapped in fa	bric/protector)					
		Care for RIGHT ELBOW - Dislocation						
257	10	Did the team CHECK CIRCULATION BEFORE BANDAGING						
258	20	Did the team ELEVATE the arm using a COLLAR & CUFF SLING or	broad bandages around body?					
259	10	Did the team RE-CHECK CIRCULATION AFTER BANDAGING						
260	10	Did the team APPLY an ICE/COLD PACK? (Must be wrapped in fa	bric/protector)					
		RE-ASSESSMENT of VITAL SIGNS (3rd Set)						
261	10	Did the team RE-check LEVEL OF CONSCIOUSNESS? (3rd Set)	Fully Conscious					
262	10	Did the team RE-check RESPIRATIONS? (3rd Set)	18 Shallow and Regular					
263	10	Did the team RE-check PULSE? (3rd Set)	88 Strong & Regular					
264	10	Did the team RE-check BLOOD PRESSURE? (3rd Set)	134/76					
265	10	Did the team RE-check SKIN CONDITION/TEMP? (3rd Set)	Cool, Slightly Pale					
266	10	Did the team RE-check PUPILS? (3rd Set)	Equal and Sluggish at 4mm					
	SHOCK & GENERAL CARE							
267	10	Did the team REASSURE the patient about their OWN CARE?						
268	20	•						
	530	0 Total of AMFR ASSESSMENT CONTINUED PAGE	· · · · · · · · · · · · · · · · · · ·					

Scenario #1 - "Double Shovel Trouble"

NO.	POINTS DONE	RECORDING for Patient #2 - "Salter" - PART	1
269	20	Was ALL of the patients PERSONAL INFORMATION recorded?	
270	10	Was the INCIDENT TIME AND DATE recorded?	
271	10	Was the INCIDENT LOCATION recorded?	
272	20	Was the INCIDENT HISTORY (Accurately) recorded?	
273	10	Was the patients ALLERGIES (Penicillin & Sulfa = Rash) recorded?	
274	10	Was the patients MEDICATIONS (Daily Multi-Vitamins) recorded?	
275	10	Was the patients MEDICAL HISTORY (Previously Healthy) recorded?	
276	10	Was the LAST ORAL INTAKE (Ate full meal 1 hr ago) recorded?	
277	10	Was the patients INITIAL LEVEL of CONSCIOUSNESS (Fully Conscious) recorded?	
278	10	Was the RULED OUT C-SPINE concerns noted (due to lack of MOI)?	
279	10	Was the CLOSED FRACTURE to LEFT FOREARM recorded?	
280	10	Was the ONSET (Salting, stuck with shovel) recorded? - LEFT FOREARM FX	
281	10	Was the PROVOCATION (Movement) recorded? - LEFT FOREARM FX	
282	10	Was the QUALITY (Moderate Throbbing) recorded? - LEFT FOREARM FX	
283	10	Was the REGION (FOREARM) recorded? - LEFT FOREARM FX	
284	10	Was the RADIATION (Tingling in fingers) recorded? - LEFT FOREARM FX	
285	10	Was the RELIEF (None) recorded? - LEFT FOREARM FX	
286	10	Was the SEVERITY (6 /10) recorded? - LEFT FOREARM FX	
287	10	Was the TIME (5 min before team arrival or proper time on clock) recorded? - LEFT FOREARM FX	
288	10	Was the Suspected DISLOCATION to the RIGHT ELBOW recorded?	
289	10	Was the ONSET (Fall = direct impact) recorded? - RIGHT ELBOW	
290	10	Was the PROVOCATION (No changes, consistent ache) recorded? - RIGHT ELBOW	
291	10	Was the QUALITY ("Deep Ache") recorded? - RIGHT ELBOW	
292	10	Was the REGION (Right elbow) recorded? - RIGHT ELBOW	
293	10	Was the RADIATION (down arm + tingling in fingers) recorded? - RIGHT ELBOW	
294	10	Was the RELIEF (None) recorded? - RIGHT ELBOW	
295	10	Was the SEVERITY (5/10) recorded? - RIGHT ELBOW	
296	10	Was the TIME OF INJURY recorded? - RIGHT ELBOW	
	Vital Signs	MUST be the CORRECTED #s & HAVE the TIME recorded, to be award	ded points !!!
297	5	Was 1st set of vital signs - LEVEL OF CONSCIOUSNESS recorded	Fully Conscious
298	5	Was 1st set of vital signs - RESPIRATIONS recorded?	18 Shallow & Regular
299	5	Was 1st set of vital signs - PULSE recorded?	98 Strong & Regular
300	5	Was 1st set of vital signs - BLOOD PRESSURE recorded?	134/86
301	5	Was 1st set of vital signs - SKIN CONDITION recorded?	Cool, Slightly pale
302	5	Was 1st set of vital signs - PUPILS recorded?	Equal and Reactive @ 4mm
	330 0	Total of RECORDING/ DOCUMENTATION - PART 1 ONLY	

Scenario #1 - "Double Shovel Trouble"

NO.	POINTS	DONE	RECORDING for Patient #2 - "Salter" - PART 2		
Vital Signs MUST be the CORRECTED #s & HAVE the TIME recorded, to be awarded points !!!					
303	5		Was 2nd set of vital signs - LEVEL OF CONSCIOUSNESS recorded	Fully Conscious	
304	5		Was 2nd set of vital signs - RESPIRATIONS recorded?	16 Shallow & Regular	
305	5		Was 2nd set of vital signs - PULSE recorded?	92 Stong & Regular	
306	5		Was 2nd set of vital signs - BLOOD PRESSURE recorded?	132/82	
307	5		Was 2nd set of vital signs - SKIN CONDITION recorded?	Cool, Slightly Pale	
308	5		Was 2nd set of vital signs - PUPILS recorded?	Equal and sluggish @ 4mm	
309	5		Was 3rd set of vital signs - LEVEL OF CONSCIOUSNESS recorded	Fully Conscious	
310	5		Was 3rd set of vital signs - RESPIRATIONS recorded?	18 Shallow and Regular	
311	5		Was 3rd set of vital signs - PULSE recorded?	88 Strong & Regular	
312	5		Was 3rd set of vital signs - BLOOD PRESSURE recorded?	134/76	
313	5		Was 3rd set of vital signs - SKIN CONDITION recorded?	Cool, Slightly Pale	
314	5		Was 3rd set of vital signs - PUPILS recorded?	Equal and Sluggish at 4mm	
315	10		Was the PRE-BANDAGING CIRCULATION of the LEFT ARM recorded?		
316	20		Was the SPLINT of the LEFT FOREARM CLOSED FRACTURE recorded?		
317	20		Was the ARM SLING for the LEFT FOREARM CLOSED FRACTURE recorded?		
318	10		Was the POST-BANDAGING CIRCULATION of the LEFT FOREARM recorded?		
319	20		Was the ICE PACK for the LEFT FOREARM CLOSED FRACTURE recorded?		
320	10		Was the PRE-BANDAGING CIRCULATION of the RIGHT ELBOW DISLOCATION recorded?		
321	20		Was the COLLAR & CUFF SLING for the RIGHT ELBOW DISLOCATION recorded?		
322	10		Was the POST-BANDAGING CIRCULATION of the RIGHT ELBOW DISLOCATION recorded?		
323	20		Was the ICE PACK for the RIGHT ELBOW DISLOCATION recorded?		
324	10		Was the Application of a BLANKET recorded?		
325	20		Was the NOTIFICATION OF EMS WITH TIME recorded?		
326	30		Was the Name(s) of the first aid team LEGIBLY recorded?		
	260	0	Total of RECORDING/ DOCUMENTATION - PART 2 ONLY		

Scenario #1 - "Double Shovel Trouble"

POINT TOTALS FOR SCENARIO BY PATIENT & PAGE

	DATIENT #4. USb coolland	OUT OF POSSIBLE
	PATIENT # 1 - "Shoveller" Page 1	OUT OF POSSIBLE
Scene & Primary	rage I	
Assessment	0	220
	Page 2	
Secondary	-0-	
Assessment	0	210
	Page 3	
AMFR		
Assessment	0	450
	Page 4	
First Aid		
Treatment	0	520
	Page 5	
Recording		
Part 1	0	380
	Page 6	
Recording		400
Part 2	0	420
	PATIENT # 2 - "Salter"	OUT OF POSSIBLE
Carra O Delavare	Page 7	
Scene & Primary	0	200
Assessment		200
Cacandam	Page 8	
Secondary	0	210
Assessment	Page 9	210
AMFR Assessment &	rage 3	
First Aid Treatement	0	530
That Aid Treatement	Page 10	330
Recording		
Part 1	0	330
	Page 11	
Recording		
Part 2	0	260
	Patient # 1 - "Shoveller"	Patient #2 - "Salter"
	•	
PATIENT TOTALS:	0	0
	TEAM SCENARIO #1 TOTAL:	MAX SCENARIO POINTS:
	0	3730