Scenario #1 - "Double Shovel Trouble"

CYCLE #	TEAM #
OIOLL #	

NO.	POINTS	DONE	SCENE/PRIMARY SURVEY	
350	10		Did the team TAKE CHARGE of the situation? (remained calm themselves	?)
351	10		Did the team wear protective GLOVES?	
352	10		Did the team ASSESS for HAZARDS?	
353	10		Did the team REMOVE the ICY HAZARD by throwing down salt or other a	cceptable means?
354	10		Did the team CALL OUT FOR HELP?	
355	10		Did the team ASK for SITUATION HISTORY?	
356	10		Did the team DETERMINE the NUMBER OF CASUALTIES?	2
357	10		Did the team ID SELF and OBTAIN CONSENT?	Implied Consent
358	10		Did the team WARN THE CASUALTY NOT TO MOVE?	
359	10		Did the team CONTROL C-SPINE to prevent movement?	
360	10		Did the team ASSESS LEVEL OF CONSCIOUSNESS?	Unconsicous
361	10		Did the team ASSESS AIRWAY?	Open
362	10		Did the team ASSESS BREATHING?	18 Shallow & Regular
363	10		Did the team ASSESS SKIN CONDITION (Circulation)	Cool and Slightly pale
364	10		Did the team PERFORM A RAPID BODY SURVEY?	Severe Bleed back/left head
365	10		Did the team APPLY absorbant and sterile DRESSINGS to the BLEED on the	e back/left side of head?
366	10		Did the team IMMEDIATELY COVER WITH A BLANKET for shock and warm	nth?
367	20		Did the team PLACE BLANKET/BARRIER UNDER the patient for warmth?	
368	10		Did the team ACTIVATE EMS/AMBULANCE?	
	200	0	Total of SCENE/PRIMARY SURVEY	

JUDGES NOTES:

This section is active for the first 3 minutes of the scenario only!

During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey. After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey.

JUDGES DO NOT TALLY MARKS FROM YOUR OWN SHEETS!

Judges MUST circle EITHER the point value OR "0" on EACH LINE!

Score Sheet for Patient #1 - "Shoveller"

Scenario #1 - "Double Shovel Trouble"

SECONDARY SURVEY

Actions in this section may be performed by the competitors at ANY point in the scenario. After the 3 first minutes, this section and beyond are the only areas that points shall be awarded

Actions in this section may be done in any order.

NO.	POINTS [OONE	HISTORY OF THE PATIEN	Т
369	10		Did the team ask about SYMPTOMS	Pain R leg, Headache, Pain R wrist
370	10		Did the team ask about ALLERGIES?	None
371	10		Did the team ask about MEDICATIONS?	None
372	10		Did the team ask about MEDICAL HISTORY?	Previously healthy
373	10		Did the team ask about LAST ORAL INTAKE?	Ate full meal 1 hour ago
374	10		Did the team determine INCIDENT HISTORY?	Shovelling Icy path, must have slipped
			1st Set of VITAL SIGNS	
375	10		Did the team check LEVEL OF CONSCIOUSNESS?	Unconcious
376	10		Did the team check RESPIRATIONS?	18 Shallow & Regular
377	10		Did the team check PULSE?	88 Strong & Regular
378	10		Did the team check SKIN CONDITION/TEMP?	Cool, Slightly pale
379	10		Did the team check PUPILS?	Sluggish @ 3mm
			HEAD TO TOE EXAMINATION	
380	5		Check SCALP/HEAD?	Severe Bleeding back/left side of head
381	5		Check both EYES?	Slight bruising under both eyes
382	5		Check NOSE?	No Findings
383	5		Check CHEEKBONES?	No Findings
384	5		Check MOUTH?	No Findings
385	5		Check JAW?	No Findings
386	5		Check both EARS?	No Findings
387	5		Check NECK?	Stiffness, but no physical findings
388	5		Check both COLLARBONES?	No Findings
389	5		Check both SHOULDERS?	No Findings
390	5		Check RIGHT ARM?	Right wrist/heel of hand bruising, pain
391	5		Check LEFT ARM?	No Findings
392	5		Check CHEST?	No findings
393	5		Check ABDOMEN?	No Findings
394	5		Check BACK?	No Findings
395	5		Check PELVIS?	No Findings
396	5		Check RIGHT LEG?	Open Fx, open wound, no bone, + blood
397	5		Check LEFT LEG?	No Findings
	200	0	Total of SECONDARY SURVEY	

Score Sheet for Patient #1 - "Shoveller"

Scenario #1 - "Double Shovel Trouble"

			CONTINUED ASSESSMENT and FIRST AID CARE	
		Actio	ons in this section may be performed by the competitor at any point	in the scenario.
NO.	POINTS	DONE	RE-ASSESSMENT of VITAL SIGNS (2nd Set) (after	10 min into Scenario)
398	10		Did the team IMMEDIATELY NOTE the CHANGE in LEVEL OF CONSC	CIOUSNESS?
399	10		Did the team ID SELF and OBTAIN CONSENT?	Given Consent
400	10		Did the team WARN THE CASUALTY NOT TO MOVE?	
401	10		Did the team RE-check LEVEL OF CONSCIOUSNESS? (2nd Set)	Semi Conscious, Slow to respond
402	10		Did the team RE-check RESPIRATIONS? (2nd Set)	20 Shallow & Regular
403	10		Did the team RE-check PULSE? (2nd Set)	86 Strong & Regular
404	10		Did the team RE-check SKIN CONDITION/TEMP? (2nd Set)	Cool, Slightly pale
405	10		Did the team RE-check PUPILS? (2nd Set)	Equal and sluggish @ 3mm
			Care for Suspected HEAD & NECK / CONCUSSION INJU	RY
406	20		Did the team PERFORM A DETAILED HEAD INJURY ASSESSMENT?	
407	20		Did the team MAINTAIN C-SPINE SUPPORT throughout Scneario (u	ntil fully immobilized?)
			Care for Right WRIST/HEEL OF HAND- Closed Fracture	e
408	10		Did the team CHECK CIRCULATION BEFORE BANDAGING	
409	20		Did the team APPLY a SPLINT to IMMOBILIZE the Injury?	
410	20		Did the team SECURE the SPLINT ABOVE & BELOW the Injury? (Not	t directly ontop)
411	10		Did the team RE-CHECK CIRCULATION AFTER BANDAGING	
412	20		Did the team ELEVATE the arm using a STANDARD ARM SLING?	
413	10		Did the team APPLY an ICE/COLD PACK? (Must be wrapped in fabr	ic/protector)
			Care for Right UPPER LEG - Open Fracture	
414	10		Did the team PLACE a TENTED DRESSING over protruding bone end	d?
415	20		Did the team PLACE PADDING (Log Cabin) on either side for protect	tion?
416	20		Did the team SECURE the PADDING (Log Cabin) in Place?	
417	10		Did the team CHECK CIRCULATION BEFORE BANDAGING	
418	20		Did the team IMMOBILZE the RIGHT LEG with SPLINTS or OTHER LI	EG with Padding between?
419	30		Did the team SECURE SPINT/LEG using at least 5 WIDE BANDAGES	?
420	10		Did the team RE-CHECK CIRCULATION AFTER BANDAGING	
			RE-ASSESSMENT of VITAL SIGNS (3rd Set)	
421	10		Did the team RE-check LEVEL OF CONSCIOUSNESS? (3rd Set)	Semi Conscious, Slow to respond
422	10		Did the team RE-check RESPIRATIONS? (3rd Set)	18 Shallow and Regular
423	10		Did the team RE-check PULSE? (3rd Set)	84 Strong & Regular
424	10		Did the team RE-check SKIN CONDITION/TEMP? (3rd Set) Cool, Slightly Pal	
425	10		Did the team RE-check PUPILS? (3rd Set)	Equal and Sluggish at 3mm
			SHOCK & GENERAL CARE	
426	10		Did the team REASSURE the patient about their OWN CARE?	
427	20		Were GLOVES EFFECTIVE THROUGHOUT? (Torn gloves MUST be r	enlaced!)
-1.27	410	0	Total of FIRST AID/TREATMENT	CP.0000.)
	710		TOTAL OF FINAL AID/ INCATINENT	

Score Sheet for Patient #1 - "Shoveller"

Scenario #1 - "Double Shovel Trouble"

NO	POINTS	DONE	RECORDING for Patient #1 - "Shovel	ler"
428	20	DONL	Was ALL of the patients PERSONAL INFORMATION recorded?	
429	10		Was the INCIDENT TIME AND DATE recorded?	
430	10		Was the INCIDENT LOCATION recorded?	
431	20		Was the INCIDENT HISTORY (Accurately) recorded?	
432	10		Was the patients ALLERGIES (None) recorded?	
433	10		Was the patients MEDICATIONS (None) recorded?	
434	10		Was the patients MEDICAL HISTORY (Previously Healthy) recorded?	
435	10		Was the LAST ORAL INTAKE (Ate 1 hour before incident) recorded?	
436	10		Was the patients INITIAL LEVEL of CONSCIOUSNESS (Unconscious) re	ecorded?
437	10		Was the TIME of the CHANGE in LEVEL OF CONSCIOUSNESS *10 minu	
438	10		Was the SUSPECTED HEAD/NECK INJURY (Concussion) recorded?	
439	10		Was the 3" LACERATION to the BACK/LEFT SIDE of the HEAD recorder	d?
440	10		Was the PATIENTS SLUGGISH RESPONSES, Continued SEMI CONSCIO	
441	10		Was the CLOSED FRACTURE to RIGHT WRIST/HAND recorded?	
442	10		Was the OPEN FRACTURE to UPPER LEG recorded?	
	Vit	al Signs	MUST be the CORRECTED #s & HAVE the TIME recorded, to be a	awarded points !!!
443	5	J	Was 1st set of vital signs - LEVEL OF CONSCIOUSNESS recorded?	Unconcious
444	5		Was 1st set of vital signs - RESPIRATIONS recorded?	18 Shallow & Regular
445	5		Was 1st set of vital signs - PULSE recorded?	88 Strong & Regular
446	5		Was 1st set of vital signs - SKIN CONDITION recorded?	Cool, Slightly pale
447	5		Was 1st set of vital signs - PUPILS recorded?	Sluggish @ 3mm
448	5		Was 2nd set of vital signs - LEVEL OF CONSCIOUSNESS recorded	Semi Conscious, Slow to respond
449	5		Was 2nd set of vital signs - RESPIRATIONS recorded?	16 Shallow & Regular
450	5		Was 2nd set of vital signs - PULSE recorded?	86 Strong & Regular
451	5		Was 2nd set of vital signs - SKIN CONDITION recorded?	Cool, Slightly pale
452	5		Was 2nd set of vital signs - PUPILS recorded?	Equal and sluggish @ 3mm
453	5		Was 3rd set of vital signs - LEVEL OF CONSCIOUSNESS recorded	Semi Conscious, Slow to respond
454	5		Was 3rd set of vital signs - RESPIRATIONS recorded?	18 Shallow and Regular
455	5		Was 3rd set of vital signs - PULSE recorded?	84 Strong & Regular
456	5		Was 3rd set of vital signs - SKIN CONDITION recorded?	Cool, Slightly Pale
457	5		Was 3rd set of vital signs - PUPILS recorded?	Equal and Sluggish at 3mm
458	10		Was the MAINTENANCE of C-SPINE CONTROL recorded?	
459	10		Was the PRE-BANDAGING CIRCULATION of the RIGHT ARM recorded	?
460	20		Was the SPLINT of the RIGHT WRIST CLOSED FRACTURE recorded?	
461	20		Was the ARM SLING for the RIGHT WRIST CLOSED FRACTURE recorded	ed?
462	10		Was the POST-BANDAGING CIRCULATION of the RIGHT ARM recorde	
463	20		Was the ICE PACK for the RIGHT WRIST CLOSED FRACTURE recorded?	
464	10		Was the PRE-BANDAGING CIRCULATION of the RIGHT LEG recorded?	
465	20		Was the APPLICATION of a STERILE DRESSING to the RIGHT FEMUR V	VOUND recorded?
466	20		Was the LOG CABIN/PADDING for the RIGHT FEMUR recorded?	
467	20		Was the SPLINT/ LEG and PADDING for the RIGHT FEMUR recorded?	
468	20		Was the 5+ BANDAGES used to SECURE the SPLINTS/LEG recorded	
469	10		Was the POST-BANDAGING CIRCULATION of the RIGHT ARM recorded?	
470	10			
471	10	··		
472	20		Was the NOTIFICATION OF EMS WITH TIME recorded?	
473	30		Was the Name(s) of the first aid team LEGIBLY recorded?	
	505	0	Total of RECORDING/ DOCUMENTATION	

Scenario #1 - "Double Shovel Trouble"

. . .

Scenario #1 - "Double Shovel Trouble"

CYCLE # ____ TEAM # ____

	SCENE/PRIMARY SURVEY	DONE	POINTS	NO.
	Did the team TAKE CHARGE of the situation?		10	474
	Did the team wear protective GLOVES?		10	475
	Did the team ASSESS for HAZARDS?		10	476
eptable means?	Did the team REMOVE the ICY HAZARD by throwing down salt or other acce		10	477
	Did the team CALL OUT FOR HELP?		10	478
	Did the team ASK for SITUATION HISTORY?		10	479
2	Did the team DETERMINE the NUMBER OF CASUALTIES?		10	480
Verbal Consent	Did the team ID SELF and OBTAIN CONSENT?		10	481
	Did the team WARN THE CASUALTY NOT TO MOVE?		10	482
	Did the team RULE OUT NEED for C-SPINE control?		10	483
Fully Conscious	Did the team ASSESS LEVEL OF CONSCIOUSNESS?		10	484
Open	Did the team ASSESS AIRWAY?		10	485
18 Shallow & Regular	Did the team ASSESS BREATHING?		10	486
Cool, Slightly pale	Did the team ASSESS SKIN CONDITION (Circulation)		10	487
lo Life Threatening Findings	Did the team PERFORM A RAPID BODY SURVEY?		10	488
?	Did the team IMMEDIATELY COVER WITH A BLANKET for shock and warmth		10	489
	Did the team PLACE BLANKET/BARRIER UNDER the patient for warmth?		20	490
	Did the team ACTIVATE EMS/AMBULANCE?		10	491
	Total of SCENE/PRIMARY SURVEY	0	190	

JUDGES NOTES:

This section is active for the first 3 minutes of the scenario only!

During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey.

After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey.

JUDGES DO NOT TALLY MARKS FROM YOUR OWN SHEETS!

Judges MUST circle EITHER the point value OR "0" on EACH LINE!

Scenario #1 - "Double Shovel Trouble"

SECONDARY SURVEY

Actions in this section may be performed by the competitors at ANY point in the scenario. After the 3 first minutes, this section and beyond are the only areas that points shall be awarded

Actions in this section may be done in any order.

Г	NE HISTORY OF THE PATIE	INTS DON	NO.
Ache R Elbow L arm Throbbing	Did the team ask about SYMPTOMS	10	492
Penicillin & Sulfa (Rash)	Did the team ask about ALLERGIES?	LO	493
Daily Multi-Vitamin	Did the team ask about MEDICATIONS?	10	494
Previously Healthy	Did the team ask about MEDICAL HISTORY?	LO	495
Ate fulll meal 1 hr ago	Did the team ask about LAST ORAL INTAKE?	LO	496
Salting, Struck with shovel	Did the team determine INCIDENT HISTORY?	LO	497
	1st Set of VITAL SIGNS		
Fully Conscious	Did the team check LEVEL OF CONSCIOUSNESS?	10	498
18 Shallow & Regular	Did the team check RESPIRATIONS?	LO	499
98 Strong & Regular	Did the team check PULSE?	LO	500
Cool, Slightly pale	Did the team check SKIN CONDITION/TEMP?	10	501
Equal and Reactive @ 4mm	Did the team check PUPILS?	LO	502
	HEAD TO TOE EXAMINATION		
No Findings	Check SCALP/HEAD?	5	503
No Findings	Check both EYES?	5	504
No Findings	Check NOSE?	5	505
No Findings	Check CHEEKBONES?	5	506
No Findings	Check MOUTH?	5	507
No Findings	Check JAW?	5	508
No Findings	Check both EARS?	5	509
No Findings	Check NECK?	5	510
No Findings	Check both COLLARBONES?	5	511
No Findings	Check both SHOULDERS?	5	512
Redness, tenderness & 120 Angle	Check RIGHT ARM?	5	513
Moderate Bruise to mid-shaft forearm	Check LEFT ARM?	5	514
No Findings	Check CHEST?	5	515
No Findings	Check ABDOMEN?	5	516
No Findings	Check BACK?	5	517
No Findings	Check PELVIS?	5	518
No Findings	Check RIGHT LEG?	5	519
No Findings	Check LEFT LEG?	5	520
	Total of SECONDARY SURVEY	00 0	

Scenario #1 - "Double Shovel Trouble"

	CONTINUTED ASSESSMENT and FIRST AID TREATMENT				
	Actions in this section may be performed by the competitor at any point in the scenario.				
NO.	POINTS	DONE	RE-ASSESSMENT of VITAL SIGNS (2nd Set) (after 10	min into Scenario)	
521	10		Did the team RE-check LEVEL OF CONSCIOUSNESS? (2nd Set)	Fully Conscious	
522	10		Did the team RE-check RESPIRATIONS? (2nd Set)	16 Shallow & Regular	
523	10		Did the team RE-check PULSE? (2nd Set)	92 Stong & Regular	
524	10		Did the team RE-check SKIN CONDITION/TEMP? (2nd Set)	Cool, Slightly Pale	
525	10		Did the team RE-check PUPILS? (2nd Set)	Equal and sluggish @ 4mm	
			Care for LEFT FOREARM - Closed Fracture		
526	10		Did the team CHECK CIRCULATION BEFORE BANDAGING		
527	20		Did the team APPLY a SPLINT to IMMOBILIZE the Injury?		
528	20		Did the team SECURE the SPLINT ABOVE & BELOW the Injury? (Not di	rectly ontop)	
529	10		Did the team RE-CHECK CIRCULATION AFTER BANDAGING		
530	20		Did the team ELEVATE the arm using a STANDARD ARM SLING?		
531	10		Did the team APPLY an ICE/COLD PACK? (Must be wrapped in fabric/	protector)	
			Care for RIGHT ELBOW - Dislocation		
532	10		Did the team CHECK CIRCULATION BEFORE BANDAGING		
533	20		Did the team ELEVATE the arm using a COLLAR & CUFF SLING or broad	d bandages around body?	
534	10		Did the team RE-CHECK CIRCULATION AFTER BANDAGING		
535	10		Did the team APPLY an ICE/COLD PACK? (Must be wrapped in fabric/	protector)	
			RE-ASSESSMENT of VITAL SIGNS (3rd Set)		
536	10		Did the team RE-check LEVEL OF CONSCIOUSNESS? (3rd Set)	Fully Conscious	
537	10		Did the team RE-check RESPIRATIONS? (3rd Set)	18 Shallow and Regular	
538	10		Did the team RE-check PULSE? (3rd Set)	88 Strong & Regular	
539	10		Did the team RE-check SKIN CONDITION/TEMP? (3rd Set)	Cool, Slightly Pale	
540	10		Did the team RE-check PUPILS? (3rd Set)	Equal and Sluggish at 4mm	
			SHOCK & GENERAL CARE		
541	10		Did the team REASSURE the patient about their OWN CARE?		
542	20		Were GLOVES EFFECTIVE THROUGHOUT? (Torn gloves MUST be repl	laced!)	
	270	0	Total of CONTINUED ASSESSMENT & FIRST AID CARE PAGE		

Scenario #1 - "Double Shovel Trouble"

NO.	POINTS	DONE	RECORDING for Patient #2 - "Salter"	
543	20	,	Was ALL of the patients PERSONAL INFORMATION recorded?	
544	10	,	Was the INCIDENT TIME AND DATE recorded?	
545	10	,	Was the INCIDENT LOCATION recorded?	
546	20	,	Was the INCIDENT HISTORY (Accurately) recorded?	
547	10	,	Was the patients ALLERGIES (Penicillin & Sulfa = Rash) recorded?	
548	10	,	Was the patients MEDICATIONS (Daily Multi-Vitamins) recorded?	
549	10	,	Was the patients MEDICAL HISTORY (Previously Healthy) recorded?	
550	10	,	Was the LAST ORAL INTAKE (Ate full meal 1 hr ago) recorded?	
551	10	,	Was the patients INITIAL LEVEL of CONSCIOUSNESS (Fully Conscious) reco	orded?
552	10	,	Was the RULED OUT C-SPINE concerns noted (due to lack of MOI)?	
553	10	,	Was the CLOSED FRACTURE to LEFT FOREARM recorded?	
554	10	,	Was the Suspected DISLOCATION to the RIGHT ELBOW recorded?	
	Vit	al Signs N	UST be the CORRECTED #s & HAVE the TIME recorded, to be awar	ded points !!!
555	5	,	Was 1st set of vital signs - LEVEL OF CONSCIOUSNESS recorded?	Fully Conscious
556	5	,	Nas 1st set of vital signs - RESPIRATIONS recorded?	18 Shallow & Regular
557	5	,	Nas 1st set of vital signs - PULSE recorded?	98 Strong & Regular
558	5	,	Was 1st set of vital signs - SKIN CONDITION recorded?	Cool, Slightly pale
559	5	,	Nas 1st set of vital signs - PUPILS recorded?	Equal and Reactive @ 4mm
560	5	,	Was 2nd set of vital signs - LEVEL OF CONSCIOUSNESS recorded?	Fully Conscious
561	5	,	Was 2nd set of vital signs - RESPIRATIONS recorded?	16 Shallow & Regular
562	5	,	Nas 2nd set of vital signs - PULSE recorded?	92 Stong & Regular
563	5	,	Was 2nd set of vital signs - SKIN CONDITION recorded?	Cool, Slightly Pale
564	5	,	Was 2nd set of vital signs - PUPILS recorded?	Equal and sluggish @ 4mm
65	5	,	Was 3rd set of vital signs - LEVEL OF CONSCIOUSNESS recorded?	Fully Conscious
566	5	,	Was 3rd set of vital signs - RESPIRATIONS recorded?	18 Shallow and Regular
567	5	,	Was 3rd set of vital signs - PULSE recorded?	88 Strong & Regular
568	5	,	Was 3rd set of vital signs - SKIN CONDITION recorded?	Cool, Slightly Pale
569	5	,	Was 3rd set of vital signs - PUPILS recorded?	Equal and Sluggish at 4mm
570	10	,	Was the PRE-BANDAGING CIRCULATION of the LEFT ARM recorded?	
571	20	,	Was the SPLINT of the LEFT FOREARM CLOSED FRACTURE recorded?	
572	20	,	Was the ARM SLING for the LEFT FOREARM CLOSED FRACTURE recorded?	?
573	10	,	Was the POST-BANDAGING CIRCULATION of the LEFT FOREARM recorde	d?
574	20	,	Was the ICE PACK for the LEFT FOREARM CLOSED FRACTURE recorded?	
575	10	,	Was the PRE-BANDAGING CIRCULATION of the RIGHT ELBOW DISLOCATION	ON recorded?
576	20	,	Was the COLLAR & CUFF SLING for the RIGHT ELBOW DISLOCATION recor	rded?
577	10	,	Was the POST-BANDAGING CIRCULATION of the RIGHT ELBOW DISLOCAT	TION recorded?
578	20	,	Nas the ICE PACK for the RIGHT ELBOW DISLOCATION recorded?	
579	10	,	Nas the Application of a BLANKET recorded?	
580	20	,	Was the NOTIFICATION OF EMS WITH TIME recorded?	
581	30	,	Nas the Name(s) of the first aid team LEGIBLY recorded?	
	415	0 -	Total of RECORDING/ DOCUMENTATION - PART 1 ONLY	

Scenario #1 - "Double Shovel Trouble"

POINT TOTALS FOR SCENARIO BY PATIENT & PAGE

	PATIENT # 1 - "Shoveller"	OUT OF POSSIBLE
	Page 1	
Scene & Primary		
Assessment	0	200
	Page 2	
Secondary		
Assessment	0	200
	Page 3	
AMFR		
Assessment	0	410
	Page 4	
First Aid		
Treatment	0	505
	PATIENT # 2 - "Salter"	OUT OF POSSIBLE
	Page 5	
Scene & Primary		
Assessment	0	190
	Page 6	
Secondary		
Assessment	0	200
	Page 7	
AMFR Assessment &	·	
First Aid Treatement	0	270
	Page 8	
Recording		
Part 1	0	415
	Patient # 1 - "Shoveller"	Patient #2 - "Salter"
PATIENT TOTALS:	0	0
TE	AM SCENARIO #1 TOTAL:	MAX SCENARIO POINTS:
	•	2200
	0	2390