

2000

30th ANNUAL ONTARIO OPEN First Aid Competition

DETACH PAGE AND GIVE TO TEAM WHEN DIRECTED TO DO SO

TEAM SCENARIO

During the set-up for the competition, one assistant is using a ladder to hang banners near the ceiling in the ballroom. Suddenly you hear a scream and when you turn you discover the individual laying on the floor at the base of the ladder.

Good luck! You have 15 minutes to complete the scenario.

N.B.

There will be an announcement of time at the 5 minute, and again at the final 2 minutes.

2000

30th ANNUAL ONTARIO OPEN

First Aid Competition

JUDGE'S COPY OF SCENARIO

TEAM SCENARIO

During the set-up for the competition, one assistant is using a ladder to hang banners near the ceiling in the ballroom. Suddenly you hear a scream and when you turn you discover the individual laying on the floor at the base of the ladder.

Good luck! You have 15 minutes to complete the scenario.

N.B.

There will be an announcement of time at the 5 minute, and again at the final 2 minutes.

INJURIES

- Fractured right Tibia/Fibula (open Tibia fracture)
- Fractured right Clavicle (same side; closed)
- Fractured right Humerus (same side; closed)
- Fractured jaw with bleeding from split lip – lots of blood around the face but nothing from ears.
- Frothy blood in mouth – blood capsules.
- Person is unconscious throughout scenario.

CASUALTY PROMPTS

While setting up for the Annual dinner, one volunteer fell from a ladder sustaining multiple injuries.

- Fractured right Tibia/Fibula (open Tibia fracture)
- Fractured right Clavicle (same side; closed)
- Fractured right Humerus (same side; closed)
- Fractured jaw with bleeding from split lip – lots of blood around the face but nothing from ears.
- Frothy blood in mouth – blood capsules.
- Person is unconscious throughout scenario but responds to pain.
- Person is unconscious but the competitor will have to tell them to breath through the nose.

PROPS

- Moulage for fractured humerus.
- Moulage for fractured clavicle.
- Moulage for fractured tibia.
- Dental cotton wad for fractured jaw.
- Blood capsule for bleeding from the mouth.

2000

30th ANNUAL ONTARIO OPEN

First Aid Competition

Team Information

Please print the following information:

TEAM'S NAME _____

TEAM CAPTAIN'S NAME _____

JUDGE’S NAME (PRINT) _____

FLOOR POSITION (SQUARE #) _____

Page 1 Primary Survey Points Total _____
(Possible 300)

Page 2, Secondary Survey Page 1, Sub-Total _____
(Possible 240)

Page 3, Secondary Survey Page 2, Sub-Total _____
(Possible 350)

Page 4, Secondary Survey Page 3, Sub-Total _____
(Possible 135)

Secondary Survey Points Total _____
(Possible 725)

Total Points Awarded
Primary + Secondary Total (Possible 1025)

--

2000

30th ANNUAL ONTARIO OPEN

First Aid Competition

A - Action
S - Statement

SCENE / PRIMARY SURVEY: This section is active for the first 5 minutes of the scenario only. During these first 5 minutes, the competitors may perform the actions that are both listed here and in the Secondary Survey. After the 5 minutes, the competitors are eligible to receive marks only in the Secondary Survey. Marks may no longer be awarded in this Primary Survey.		A/S	P O I N T S	N O T D O N E
<i>Actions in this section may be done in any order.</i>				
1.1	Did First Aiders take charge of the situation ? <i>(tell casualty) not to move?)</i>	S	20	0
1.2	Did First Aiders call out for help from by-standers ? <i>(if Yes, readily available to call EMS and or traffic control only).</i>	S	20	0
1.3	Were hazards assessed ?	S	20	0
1.4	Did First Aiders make an effort to control any hazards?	S	20	0
1.5	Did First Aiders put on protective gloves? <i>(vinyl, latex, Playtex, etc.; must actually be worn to receive marks)</i>	A	20	0
1.6	Did First Aiders determine if there are other casualties?	S	20	0
1.7	Did First Aiders determine/state mechanism of injury ?	A/S	20	0
1.8	Did First Aiders ID themselves and offer to help ?	A/S	20	0
1.9	Did First Aiders instruct the casualty not to move?	A/S	20	0
1.10	Did First Aider assess responsiveness? <i>(level of consciousness), (Unconscious/responds to pain).</i>	A/S	20	0
1.11	Did First Aider activate EMS ? <i>(911, Fire Police Ambulance; by-stander available to do this)</i>	A/S	20	0
1.12	Did First Aider assess airway and breathing? <i>(Casualty is unconscious)</i>	A/S	20	0
1.13	Did First Aider assess pulse?	A/S	20	0
1.14	Did First Aider perform a rapid body survey on casualty ?	A/S	20	0
1.15	Did First Aider assess the casualty’s skin condition or temperature ? <i>(cool/clammy)</i>	A/S	20	0
PAGE 1 SUB-TOTAL POINTS AWARDED				
Primary Survey		(Possible 300)		

SECONDARY SURVEY: Actions in this section may be performed by the competitors in the first 5 minutes of the scenario as well as the Primary Survey . After the 5 first minutes, this is the only section that points shall be awarded to.		A/S	P O I N T S	N O T D O N E
<i>Actions in this section may be done in any order.</i>				
2.0	History of the casualty:			
2.1	Did the First Aider ask bystanders if they know casualty? <i>(none do)</i>	S	10	0
2.2	Did the First Aider check for a medical alert device ? <i>(bracelet, necklace etc.) (none)</i>	A/S	10	0
2.3	Did First Aider ask bystanders how the incident happened? <i>(he fell off the ladder).</i>	S	10	0
3.0	Casualty’s Vital Signs Assessment			
3.1	Did First Aider determine Level of Consciousness ? <i>(casualty is unconscious, responds to pain.)</i>	A	10	0
3.2.	Did First Aider assess Respirations ? <i>(correct to 26 and shallow.)</i>	A	10	0
3.3	Did First Aiders assess Pulse ? <i>(carotid or radial OK.)</i> <i>(correct to 110 and weak.)</i>	A	10	0
3.4	Did First Aiders assess Skin Condition ? <i>(correct to pale and bluish.)</i>	A/S	10	0
3.5	Did First Aiders check Skin Temperature ? <i>(OK by palpation.) (correct to cold and clammy.)</i>	A	10	0
4.0	Casualty - Head to Toe Assessment			
4.1	check scalp ?	A	10	0
4.2	check eyes ? <i>(equal and reacts to light)</i>	A	10	0
4.3	check nose ?	A	10	0
4.4	check mouth ? <i>(bleeding from split lip)</i>	A	10	0
4.5	check jaw ? <i>(fractured jaw)</i>	A	10	0
4.6	check ears ?	A	10	0
4.7	check neck ?	A	10	0
4.8	check collarbones ? <i>(fractured right clavicle)</i>	A	10	0
4.9	check shoulders ?	A	10	0
4.10	check arms/hands ? <i>(fractured right humerus)</i>	A	10	0
4.11	check chest ?	A	10	0
4.12	check abdomen ?	A	10	0
4.13	check back ?	A	10	0
4.14	check pelvis ?	A	10	0
4.15	Check both legs ? <i>(open fracture - tibia/fibula)</i>	A	10	0
4.16	check both ankles and feet ?	A	10	0
PAGE 2 SUB-TOTAL POINTS AWARDED				
Secondary Survey Page 1		(Possible 240)		

5.0	Patient Care: Suspected Head & Spinal Injuries			
5.1	Were head and spinal injuries suspected ?	A	10	0
5.2	Was the casualty’s head supported effectively throughout scenario ?	A	50	0
5.3	Was the casualty treated and left in position found (Not Rolled) ?	A	50	0
6.0	Facial Injuries			
6.1	Did First Aiders recognize a jaw injury ? (fractured jaw)	A	10	0
6.2	Was jaw supported without bandaging ? (<i>reference text 7-10</i>)	A	10	0
6.3	Was mouth examined for loose or foreign objects ?	A	10	0
6.4	Was the split lip examined?	A	10	0
6.5	Was the bleeding lip treated?	A	10	0
7.0	Arm and Shoulder injuries			
7.1	Was circulation below the fracture assessed ?	A	10	0
7.2	Were the fractures effectively immobilized? (<i>Any effective method is OK: Speed splint; board, etc.</i>)	A	10	0
7.3	Was distal circulation checked on Right arm ?	A	10	0
8.0	Leg Injuries			
8.1	Was circulation below the fracture assessed ?	A	10	0
8.2	Was a dressing applied over the open wound?	A	10	0
8.3	Was indirect pressure applied effectively to control bleeding on ?	A	10	0
8.4	Was bandage holding ring pad checked for tightness?	A	10	0
8.5	Were the fractures effectively immobilized? (<i>Any effective method is OK: Speed splint; board, etc.</i>)	A	10	0
8.6	Was distal circulation checked on Right leg ?	A	10	0
9.0	SHOCK AND GENERAL			
9.1	Was casualty covered “over” to lessen shock ?	A	10	0
9.2	Was casualty covered “under” to lessen shock ?	A	10	0
9.3	Was casualty reassured ?	A	10	0
9.4	Was casualty reassured more than once ?	A	10	0
9.5	Was Level of consciousness reassessed? (<i>casualty remains unconscious, responds only to pain</i>)	A	10	0
9.6	Was casualty’s temperature reassessed ? (<i>cold & clammy.</i>)	A	10	0
9.7	Was casualty’s pulse reassessed ? (<i>90 and weak.</i>)	A	10	0
9.8	Was casualty’s respirations reassessed ? (<i>20 and shallow.</i>)	A	10	0
10.0	Personal Protective Equipment			
10.1	Were gloves worn for duration of scenario ?	A	10	0
10.2	Were gloves effective ? (Judges Note: torn gloves must be replaced.)	A	10	0
PAGE 3 SUB-TOTAL POINTS AWARDED				
Secondary Survey Page 2		(Possible 350)		

11.0	Recording			
11.1	Was the date and time recorded ?	A	5	0
11.2	Was the patient’s information recorded ?	A	5	0
11.3	Was the First Aider’s information recorded ?	A	5	0
11.4	Was the initial Level of Consciousness recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.5	Was the initial Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.6	Was the initial Pulse recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.7	Was the initial Skin Condition recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.8	Was the initial Skin Temperature recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.9	Was incident history recorded ?	A	5	0
11.10	Was the suspected head injury recorded ?	A	5	0
11.11	Was treatment for the suspected head injury recorded ?	A	5	0
11.12	Was the suspected neck injury recorded ?	A	5	0
11.13	Was treatment for the suspected neck injury recorded ?	A	5	0
11.14	Was the jaw injury identified ?	A	5	0
11.15	Was treatment for the jaw injury recorded ?	A	5	0
11.16	Was the fractured Right Clavicle identified ?	A	5	0
11.17	Was treatment for the fractured Right Clavicle recorded ?	A	5	0
11.18	Was the fractured Right Humerus identified ?	A	5	0
11.19	Was treatment for the fractured Right Humerus recorded ?	A	5	0
11.20	Was the fractured Right Tibia/Fibula identified ?	A	5	0
11.21	Was treatment for the fractured Tibia/Fibula recorded ?	A	5	0
11.22	Was the reassessed Level of Consciousness recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.23	Was the reassessed Respirations recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.24	Was the reassessed Pulse recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.25	Was the reassessed Skin Condition recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.26	Was the reassessed Skin Temperature recorded with time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
11.27	Was the reassessed Level of Consciousness recorded with the time taken ? <i>(If no time recorded, then no mark.)</i>	A	5	0
PAGE 4 SUB-TOTAL POINTS AWARDED				
Secondary Survey Page 3		(Possible 135)		