

# 2008

## 38th Annual Ontario Open First Aid Competition

### ***Industrial Space*** TEAM SCENARIO

#### **Background Scenario**

It is a fall day and your team is attending a Healthcare Conference at the Construction Safety Association of Ontario in Etobicoke. You are heading to your next session when someone comes running into the hallway asking for a first aid kit.

There will be a 3 minute warning to the judges to signify the end of the primary survey. There will also be a 2 minute left signal for the team's benefit.

#### ***(BACKGROUND – NOT TO BE SHARED WITH COMPETITORS)***

*Two men were working on cutting out some openings in a wall being constructed in the shop. The gentleman on a ladder is using a circular saw to cut the openings, when the saw catches and kicks back. The kick back causes the man to fall – while the saw is still running. He cuts off one finger and partially amputates another. He also cuts his leg in the fall. He landed on his left elbow, which upon taking the brunt of the force of his fall caused his humerus to break.*

*His buddy runs into the hallway to get the first aid kit, the stress of seeing his friend's injuries has aggravated his asthma and he is having difficulty breathing. He will stumble upon the First Aiders at the conference and ask for their help. He will offer them protective safety gear – which they will hopefully choose to wear.*

#### **INJURIES**

##### Casualty A (comes to hallway for help)

- Consciousness and breathing
- Casualty is showing respiratory distress
- History of asthma – triggered by stress or exercise

##### Casualty B (found in room by ladder)

- Consciousness and breathing
- Severe cut to left hand with first finger fully amputated and second finger partially amputated – this is hidden by a torn bloody work glove
- Severe bleed to right lower leg
- Fractured right humerus near elbow

#### **CASUALTY PROMPTS**

##### Casualty A (comes to hallway for help)

- Run into the hallway frantically searching for a first aid kit – asks a responder to help.
- You should appear to be out of breath
- You need help for your buddy who fell off the ladder and cut themselves
- Go to equipment and gather first aid kit – ***ask if they need safety equipment!!***
- Take them to your buddy.
- Continue to have difficulty breathing once in the room.
- You have a history of stress and exercise induced asthma. You do have your inhaler with you.
- You are pretty shaken and don't think you can remember how to use it.
- The inhaler relieves your asthma symptoms.
- Refuse to take off your safety equipment.

Casualty B (found in room by ladder)

- Conscious and breathing. Feeling a little nauseous but did NOT hit their head.
- Found by knocked over ladder, under piece of wood (covering lower body) with circular saw underneath. The saw is still connected to an extension cord.
- You are in a lot of pain!
- You were cutting out an opening when the saw caught and kicked back knocking you off the ladder.
- You landed on your elbow. You cut your hand and leg with the saw
- You cannot bend your right arm at the elbow.

**PROPS**

- Both casualties are wearing coveralls, hard hats and safety glasses. (14 sets of coveralls)
- Casualty #B needs work gloves (will need 28 pairs)
- Responders will need hard hats and safety glasses  
**Therefore: 28 Hard hats and 28 Safety Glasses**
- 7 First Aid kit #3 (Provided) ; **plus all necessary replacement stock x 4 (including 2 boxes of Gloves in Medium & Large, as well as lots of extra 3X3s, and 3” roller gauze)**
- If Kits do not have ice packs need 7
- 7 Ladders
- 7 Asthma Inhalers
- 7 Circular saws – blades removed
- 7 Orange extension cords
- 7 Panels of wood – large scraps to cover lower half of body
- 50 Casualty care records.
- 7 tarps to protect flooring from blood
- 7 rolls of duct tape
- Caution tape to mark bystander sight
- Sound effects of tools as per Don Smith
- Large Rubbermaid Bin for Hard Hats and Stuff to reset and place at starting door
- Zip-Lock Sandwich Bags (box/100)

**JUDGES’ PROMPTS**

Casualty A (comes to hallway for help)

	<b>1<sup>st</sup> Set</b>	<b>After Inhaler</b>
Respirations	28 shallow	20 regular
Pulse	100 weak/regular	80 strong/regular
Skin	Pale/Sweaty/Warm	Pale/Warm/Dry
Pupils	4 mm reactive	4 mm reactive
LOC	Conscious	Conscious

- No allergies
- Takes Ventolin
- History of asthma
- Last ate a full meal approximately 1 hour ago
- Was having a very productive day before the accident

Casualty B (found in room by ladder)

	<b>1<sup>st</sup> Set</b>	<b>2<sup>nd</sup> Set</b>
Respirations	24 shallow	28 shallow
Pulse	110 weak/regular	110 weak/irregular
Skin	Pale/Sweaty/Cool	Pale/Sweaty/Cool
Pupils	4 mm reactive	4 mm reactive
LOC	Conscious	Conscious

- Casualty feels a little nauseous – did NOT hit head.
- Allergic to sulfa-drugs
- No medications
- No significant medial history
- Last ate a full meal approximately 1 hour ago
- Was having a very productive day before the accident

# 2008 38th Annual Ontario Open First Aid Competition

## **Industrial Space** TEAM SCENARIO

### TEAM Information

Team Number \_\_\_\_\_

Team Member #1 \_\_\_\_\_

Team Member #2 \_\_\_\_\_

Judges' Names \_\_\_\_\_

**Page 5 Primary Survey Total** \_\_\_\_\_  
(Possible 260)

Page 6, Secondary Survey- Casualty A P1a, Sub-Total \_\_\_\_\_  
(Possible 100)

Page 7, Secondary Survey- Casualty A P2a, Sub-Total \_\_\_\_\_  
(Possible 200)

Page 8, Secondary Survey- Casualty A P3a, Sub-Total \_\_\_\_\_  
(Possible 140)

Page 9, Secondary Survey- Casualty B P1b, Sub-Total \_\_\_\_\_  
(Possible 90)

Page 10, Secondary Survey- Casualty B P2b, Sub-Total \_\_\_\_\_  
(Possible 240)

Page 11, Secondary Survey- Casualty B P3b, Sub-Total \_\_\_\_\_  
(Possible 230)

Page 12, Secondary Survey- Casualty B P4b, Sub-Total \_\_\_\_\_  
(Possible 140)

**Secondary Survey Points Total** \_\_\_\_\_  
(Possible 1140)

<p><b>Total Points Awarded</b> Primary + Secondary Total (Possible 1400)</p>	
--	--

<p><b>SCENE / PRIMARY SURVEY:</b> This section is active for the first 3 minutes of the scenario only. During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey. After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey.  <i>Actions in this section may be done in any order.</i></p>		A/S	P O I N T S	N O T D O N E
1.1	Did First Aiders take charge of the situation? <i>(team tells casualties not to move? )</i>	S	10	0
1.2	Did First Aiders I.D. themselves? <b>Both for points</b>	A/S	10	0
1.3	Did <b>both</b> First Aiders put on hard hat and safety glasses?	A	20	0
1.4	Did First Aiders obtain consent to help?	A/S	20	0
1.5	Were hazards assessed and cleared? Wood and plugged in saw.	A	30	0
1.6	Did First Aiders put on protective gloves?	A	20	0
1.7	Did First Aiders ask what happened?	S	10	0
1.8	Did First Aiders determine if there are other casualties? <i>None</i>	S	10	0
1.9	Did First Aiders activate 911?	S	10	0
1.10	Did First Aiders assess responsiveness – Casualty B? <i>(level of consciousness: casualty is conscious)</i>	A/S	10	0
1.11	Did First Aiders assess airway? – Casualty B <i>(clear)</i>	A/S	10	0
1.12	Did First Aiders assess breathing– Casualty B? <i>(24 regular and shallow)</i>	A	10	0
1.13	Did First Aiders assess circulation– Casualty B? <i>(present; 110 regular &amp; weak)</i>	A	10	0
1.14	Did First Aiders perform a rapid body survey– Casualty B <i>(note severe bleed on leg)?</i>	A	10	0
1.15	Was treatment for bleeding initiated as part of Primary Survey	A	10	0
1.16	Did First Aiders assess the casualty’s skin condition and temperature – Casualty B? <i>(skin is cool, pale and sweaty)</i>	A	10	0
1.17	Did First Aiders assess airway? – Casualty A <i>(clear)</i>	A/S	10	0
1.18	Did First Aiders assess breathing– Casualty A? <i>(28 regular and shallow)</i>	A	10	0
1.19	Did First Aiders assess circulation– Casualty A? <i>(present; 100 regular &amp; strong)</i>	A	10	0
1.20	Did First Aiders perform a rapid body survey– Casualty A?	A	10	0
1.21	Did First Aiders assess the casualty’s skin condition and temperature – Casualty A? <i>(skin is warm, pale and sweaty)</i>	A	10	0
<p><b>SUB-TOTAL POINTS AWARDED PRIMARY SURVEY</b>  (Possible 260)</p>				

<b>CASUALTY #A</b>				
<b>SECONDARY SURVEY:</b> Actions in this section may be performed by the competitor in the first 3 minutes of the scenario as well as the <b>Primary Survey</b> . After the 3 first minutes, this is the only section that points shall be awarded to. <i>Actions in this section may be done in any order.</i>		A/S	P O I N T S	N O T D O N E
2.0	<b>HISTORY</b>			
2.1	Did the First Aiders ask the casualty what happened? <i>(working on a cutout with a friend when my friend fell and cut himself)</i>	S	10	0
2.2	Did the First Aiders ask if casualty has any allergies? <i>(none)</i>	S	10	0
	Did First Aider ask if they used any medications? <i>(ventolin)</i>	S	10	0
2.3	Did First Aiders ask if he had any medical problems? <i>(asthma)</i>	S	10	0
2.4	Did the First Aiders ask if casualty had eaten? <i>(Yes, 1hr ago)</i>	S	10	0
2.5	Did the First Aiders check for a medical alert device? <i>(none)</i>	A	10	0
3.0	<b>VITAL SIGNS</b>			
3.1	Did First Aiders acknowledge Casualty was still conscious?	A	10	0
3.2.	Did First Aiders assess Respirations? <i>If before inhaler correct to 28 regular and shallow. If after inhaler correct to 20 regular and full.</i>	A	10	0
3.3	Did First Aiders assess Pulse? <i>(carotid or radial OK.) If before inhaler correct to 110 regular and weak. If after inhaler correct to 80 regular and strong.</i>	A	10	0
3.4	Did First Aiders assess Skin Condition and temperature? <i>If before inhaler correct to pale/warm/sweaty. If after inhaler correct to pale/warm/dry.</i>	A/S	10	0
<b>SUB-TOTAL POINTS AWARDED</b> <b>P1a – SECONDARY SURVEY</b>  (Possible 100)				

## CLASSROOM

<b>CASUALTY #A</b>				
4.0	<b>HEAD TO TOE ASSESSMENT</b>			
4.1	Was patient assessed for further injuries? ( <i>assessment can be a secondary survey or appropriate/focused questions</i> )	A/S	20	0
5.0	<b>SHOCK AND TREATMENT</b>			
5.1	Was casualty reassured?	S	10	0
5.2	Was casualty reassured more than once?	S	10	0
5.3	Was asthma attack recognized?	S	10	0
5.4	Did First Aider ask if they had their medication?	S	10	0
5.5	Did First Aider shake the inhaler prior to helping patient take it?	A	10	0
5.6	Did First Aider inform patient to exhale before taking the inhaler	S	10	0
5.7	Did First Aider ask patient to hold their breath after inhaling medication?	S	10	0
5.8	Did First Aider repeat the process for a second dose – at least 30 seconds after the first?	A	10	0
5.9	Was casualty's temperature reassessed? ( <i>cool to touch</i> )	A	10	0
5.10	Did First Aider check <i>Right Person</i> ?	S	10	0
5.11	Did First Aider check <i>Right Route</i> ?	S	10	0
5.12	Did First Aider check <i>Right Dose</i> ?	S	10	0
5.13	Did First Aider check <i>Right Medication</i> ?	S	10	0
5.14	Did First Aider check <i>Right Time</i> ?	S	10	0
5.15	Did First Aiders ask if the medication helped?	S	10	0
5.16	Did First Aiders reassess Respirations? <i>If before inhaler correct to 28 regular and shallow.</i> <i>If after inhaler correct to 20 regular and full.</i>	S	10	0
5.17	Did First Aiders reassess Pulse? ( <i>carotid or radial OK.</i> ) <i>If before inhaler correct to 110 regular and weak.</i> <i>If after inhaler correct to 80 regular and strong.</i>	S	10	0
5.18	Did First Aiders reassess Skin Condition and temperature? <i>If before inhaler correct to pale/warm/sweaty.</i> <i>If after inhaler correct to pale/warm/dry.</i>	S	10	0
<b>SUB-TOTAL POINTS AWARDED</b>				
<b>P2a – SECONDARY SURVEY</b>				
(Possible 200)				

<b>CASUALTY #A</b>				
6.0	<b>RECORDING</b>			
6.1	Was the date and time recorded?	A	5	0
6.2	Was the Casualty's information recorded?	A	5	0
6.3	Was the First Aiders information recorded?	A	5	0
6.4	Was the initial Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.5	Was the initial Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.6	Was the initial Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.7	Was the initial Skin Condition recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.8	Was the initial Skin Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.9	Was incident history recorded? (was working, watched friend fall and cut themselves)	A	5	0
6.10	Was Casualty's history of asthma recorded?	A	5	0
6.11	Was Casualty's medication (Ventolin) recorded?	A	5	0
6.12	Did the First Aiders record that the Casualty had eaten earlier today?	A	5	0
6.13	Was the Casualty's respiratory distress recorded?	A	5	0
6.14	Was the time the inhaler was given recorded?	A	5	0
6.15	Were two puffs of medication recorded?	A	5	0
6.16	Was the result of the medication given? (less distress)	A	5	0
6.17	Was treatment for shock recorded? <i>(ie. Reassurance, blanket use, coaching)</i>	A	5	0
6.18	Was the reassessed Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.19	Was the reassessed Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.20	Was the reassessed Skin Condition recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.21	Was the reassessed Skin Temperature recorded with time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
6.22	Was the reassessed Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.0	<b>PERSONAL PROTECTIVE EQUIPMENT</b>			
7.1	Was Hard Hat and Safety Glasses worn throughout the scenario by both First Aiders?	A	20	0
7.2	Were nitrile/vinyl gloves effective? <i>(Judges Note: torn gloves must be replaced.)</i>	A	10	0
<b>SUB-TOTAL POINTS AWARDED</b>				
<b>P3a – SECONDARY SURVEY</b>				
<b>(Possible 140)</b>				

<b>CASUALTY #B</b>				
<b>SECONDARY SURVEY:</b> Actions in this section may be performed by the competitor in the first 3 minutes of the scenario as well as the <b>Primary Survey</b> . After the 3 first minutes, this is the only section that points shall be awarded to. <i>Actions in this section may be done in any order.</i>		A/S	P O I N T S	N O T D O N E
8.0	<b>HISTORY</b>			
8.1	Did the First Aiders ask the casualty what happened? <i>( using the saw to do a cutout, it kicked and I fell cutting myself)</i>	S	10	0
8.2	Did the First Aiders ask if casualty has any allergies? <i>(sulfa-drugs)</i>	S	10	0
8.3	Did First Aider ask if they take any medications? <i>(none)</i>	S	10	0
8.4	Did First Aiders ask if he had any medical problems? <i>(none)</i>	S	10	0
8.5	Did the First Aiders ask if casualty had eaten? <i>(Yes, 1hr ago)</i>	S	10	0
9.0	<b>VITAL SIGNS</b>			
9.1	Did First Aiders acknowledge Casualty was still conscious?	A	10	0
9.2.	Did First Aiders assess Respirations? <i>(24 shallow &amp; regular)</i>	A	10	0
9.3	Did First Aiders assess Pulse? <i>(110 weak &amp; regular.)</i>	A	10	0
9.4	Did First Aiders assess Skin Condition and temperature? <i>(pale, cool, sweaty)</i>	A/S	10	0
<b>SUB-TOTAL POINTS AWARDED</b> <b>P1b – SECONDARY SURVEY</b>  (Possible 90)				



<b>CASUALTY #B</b>				
10.0	<b>HEAD TO TOE ASSESSMENT</b>			
10.1	Check head and scalp? (no deformities)	A	10	0
10.2	Check eyes? ( <i>pupils equal, 4mm and reacts to light</i> )	A	10	0
10.3	Check nose? (no deformities and clear)	A	10	0
10.4	Check mouth? ( <i>mouth is clear</i> )	A	10	0
10.5	Check jaw? ( <i>no deformity</i> )	A	10	0
10.6	Check ears? ( <i>ears clear – no fluid</i> )	A	10	0
10.7	Check neck? ( <i>no deformity</i> )	A	10	0
10.8	Check collarbones? ( <i>no deformity</i> )	A	10	0
10.9	Check shoulders? ( <i>no deformity</i> )	A	10	0
10.10	Check Right arm/hand? ( <i>amputated fingers – must remove glove</i> )	A	10	0
10.11	Check Left arm/hand? ( <i>bruising &amp; deformity at elbow, cannot move arm</i> )	A	10	0
10.12	Check chest ( <i>no deformity</i> )	A	10	0
10.13	Check abdomen? (clear)	A	10	0
10.14	Check back? ( <i>no deformity</i> )	A	10	0
10.15	Check pelvis? ( <i>no deformity</i> )	A	10	0
10.16	Check right leg? ( <i>large laceration to lower leg</i> )	A	10	0
10.17	Check right ankle and foot? ( <i>no deformity</i> )	A	10	0
10.18	Check left leg? ( <i>no deformity</i> )	A	10	0
10.19	Check left ankle and foot? ( <i>no deformity</i> )	A	10	0
11.0	<b>SHOCK</b>			
11.1	Was casualty reassured?	S	10	0
11.2	Was casualty covered?	S	10	0
11.3	Did First Aiders assess Respirations? ( <i>28 shallow &amp; regular</i> )	S	10	0
11.4	Did First Aiders assess Pulse? ( <i>110 weak &amp; irregular.</i> )	S	10	0
11.5	Did First Aiders assess Skin Condition? ( <i>pale, cool, sweaty</i> )	S	10	0
<b>SUB-TOTAL POINTS AWARDED</b>				
<b>P2b – SECONDARY SURVEY</b>				
(Possible 240)				

<b>CASUALTY #B</b>				
12.0	<b>Treatment of Amputated Fingers</b>			
12.1	Was the work glove cut off?	<b>A</b>	<b>10</b>	<b>0</b>
12.2	Was gauze placed over wounds and direct pressure applied?	<b>A</b>	<b>10</b>	<b>0</b>
12.3	Was bleeding checked to see if was controlled? ( <i>it is</i> )	<b>S</b>	<b>10</b>	<b>0</b>
12.4	Was the gauze bandaged in place effectively?	<b>A</b>	<b>10</b>	<b>0</b>
12.5	Was the circulation to the Left hand checked BEFORE bandaging? ( <i>present</i> )	<b>A</b>	<b>10</b>	<b>0</b>
12.6	Was circulation to the Left hand checked AFTER bandaging?( <i>present</i> )	<b>A</b>	<b>10</b>	<b>0</b>
12.7	Was the amputated finger stored in a plastic bag?	<b>A</b>	<b>10</b>	<b>0</b>
12.8	Was the amputated finger kept dry and protected?	<b>A</b>	<b>10</b>	<b>0</b>
12.9	Was the finger labeled and kept safe during the scenario?	<b>A</b>	<b>10</b>	<b>0</b>
12.10	Was bandaging reassessed for effectiveness? ( <i>it is</i> )	<b>A</b>	<b>10</b>	<b>0</b>
13.0	<b>Treatment of Leg Wound</b>			
13.1	Was wound exposed?	<b>A</b>	<b>10</b>	<b>0</b>
13.2	Was gauze placed over wounds and direct pressure applied?	<b>A</b>	<b>10</b>	<b>0</b>
13.3	Was bleeding checked to see if was controlled? ( <i>is not</i> )	<b>A</b>	<b>10</b>	<b>0</b>
13.4	Was more gauze added to the wound – and the bottom layer not disturbed?	<b>A</b>	<b>10</b>	<b>0</b>
13.5	Was bleeding checked to see if was controlled? ( <i>it is</i> )	<b>A</b>	<b>10</b>	<b>0</b>
13.6	Was gauze effectively bandaged in place?	<b>A</b>	<b>10</b>	<b>0</b>
13.7	Was the circulation to the foot checked BEFORE bandaging? ( <i>present</i> )	<b>A</b>	<b>10</b>	<b>0</b>
13.8	Was circulation to the foot checked AFTER bandaging?( <i>present</i> )	<b>A</b>	<b>10</b>	<b>0</b>
13.9	Was bandaging reassessed for effectiveness? ( <i>it is</i> )	<b>A</b>	<b>10</b>	<b>0</b>
14.0	<b>Treatment of Fractured Humerus</b>	<b>A</b>	<b>10</b>	<b>0</b>
14.1	Was the area exposed? (note deformity)			
14.2	Was arm splinted in position found?	<b>A</b>	<b>10</b>	<b>0</b>
14.3	Was the circulation to the Left hand checked BEFORE splinting? ( <i>present</i> )	<b>A</b>	<b>10</b>	<b>0</b>
14.4	Was the circulation to the Left hand checked AFTER splinting? ( <i>present</i> )	<b>A</b>	<b>10</b>	<b>0</b>
<b>SUB-TOTAL POINTS AWARDED</b>				
<b>P3b – SECONDARY SURVEY</b>				
(Possible 230)				

<b>CASUALTY #B</b>				
15.0	<b>RECORDING</b>			
15.1	Was the date and time recorded?	A	5	0
15.2	Was the Casualty’s information recorded?	A	5	0
15.3	Was the First Aiders information recorded?	A	5	0
15.4	Was the initial Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.5	Was the initial Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.6	Was the initial Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.7	Was the initial Skin Condition recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.8	Was the initial Skin Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.9	Was incident history recorded? <i>(was working, fell off ladder and cut themselves)</i>	A	5	0
15.10	Was the casualty’s allergy to Sulfa-drugs recorded?	A	5	0
15.11	Was Casualty’s medical history recorded? <i>(none)</i>	A	5	0
15.12	Did the First Aiders record that the Casualty had eaten earlier today?	A	5	0
15.13	Was treatment for shock recorded?	A	5	0
15.14	Was the reassessed Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.15	Was the reassessed Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.16	Was the reassessed Skin Condition recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.17	Was the reassessed Skin Temperature recorded with time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.18	Was the reassessed Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
15.19	Was the severe bleed to the leg recorded?	A	5	0
15.20	Was treatment for the leg recorded?	A	5	0
15.21	Was the circulation check Before & After bandaging the leg recorded?	A	5	0
15.22	Was the suspected fractured humerus recorded?	A	5	0
15.23	Was treatment for the fractured humerus recorded?	A	5	0
15.24	Was the circulation check Before & After splinting the fractured humerus recorded?	A	5	0
15.25	Was the amputated finger/hand laceration recorded?	A	5	0
15.26	Was treatment for the hand laceration recorded?	A	5	0
15.27	Was the circulation check Before & After bandaging the hand recorded?	A	5	0
15.28	Was treatment for the amputated finger recorded?	A	5	0
<b>SUB-TOTAL POINTS AWARDED</b>				
<b>P4b – SECONDARY SURVEY</b>				
<b>(Possible 140)</b>				