

2009 39th Annual Ontario Open First Aid Competition

Lumber Jack Show- TEAM SCENARIO

Background Scenario

It is May 2nd and your team is providing first aid support to the Western Fair.

There will be a 3 minute warning to the judges to signify the end of the primary survey.

There will also be a 2 minute left signal for the team's benefit.

(BACKGROUND – NOT TO BE SHARED WITH COMPETITORS)

You and your friend are attending the Western Fair. As you take a break at the Paul Bunyan Lumber Jack Show, you suddenly see a woman collapse, and fall forward in the stands in front of you. As you arrive at the scene of the collapsed female, you hear screaming coming from the area of the performers.

INJURIES

Casualty A - Pregnant Female: 6 months pregnant, due August 15

- Flushed, dry face.
- Nausea, abdominal pain (no bleeding if asked)
- Weak, rapid pulse
- Was unconscious less than 10 seconds.
- Bruised, painful Left Elbow (no swelling, no deformity)

Casualty B - Amputated Left Hand

- Profuse bleeding amputated left hand
- Large laceration to right thigh
- Shock – nausea, pale & sweaty skin

CASUALTY PROMPTS

Casualty A

- Casualty is found lying on her left side. You 6 months pregnant, due August 15, normal pregnancy. Have not eaten since breakfast "Wasn't hungry" Had one bottle of water. You felt light headed, everything kind of went black, and I fell down. Unconscious about 10 seconds.
- Casualty is conscious and breathing throughout scenario
- Casualty is feeling a little nauseated but has not vomited. Small laceration on right leg.
- Casualty has no allergies
- Casualty is currently taking Materna Vitamins "because my doctor said I should.
- Past medical history, casualty has asthma, takes Ventolin.
- Casualty complains of pain left elbow-"I think I fell on it"

Casualty B

- Casualty is found, sitting cross legged on ground
- Was performing with a chainsaw, when he "saw the pregnant lady fall on the ground, and I went to drop my chainsaw to help.

- Casualty is breathing and conscious throughout scenario.
- Casualty is nauseated, has not vomited.
- Casualty is a hemophiliac, wears medic alert for same.
- Casualty takes Crestor 20 mg for high cholesterol and Altace 5 mg twice daily for high blood pressure.
- Bleeding is severe from severed hand and from large laceration on right upper leg.

PROPS

Casualty A

- Female casualty wearing loose fitting clothes – something to help simulate pregnant belly
- Bottles of water for casualty to carry/keep with them

Casualty B

- Male casualties only dressed in work type clothes or Tyvec coveralls
- Wears a medic alert that states “hemophiliac”

- Six stocked first aid kits type 2 (restocked with 4x4's and triangulars and lots of tape each the non-allergenic type is preferred for each run through)
- 40 extra triangular and 100 extra 4X4's
- 10 rolls of tape to restock between scenarios.
- Chainsaws with guards for each square
- Wood which appears to have been cut by the chainsaws.
- Chairs to simulate stands where casualty #1 was sitting prior to collapsing
- Plastic dropsheets/tarps to protect the ground from blood

JUDGES PROMPTS

Please see individual judge's prompts for each casualty before individual marking guide

**2009
39th Annual Ontario Open First Aid Competition**

***“Lumber Jack Show”* TEAM SCENARIO**

Team Number _____

Team Member #1 _____

Team Member #2 _____

Judges' Names _____

<u>CASUALTY A</u>		
Page 5 - Primary Survey	(Possible 300) Sub-Total	_____
Page 6, Secondary Survey	(Possible 110) Sub-Total	_____
Page 7, Secondary Survey	(Possible 200) Sub-Total	_____
Page 8, Secondary Survey	(Possible 120) Sub-Total	_____
Page 9, Recording Page 4	(Possible 110) Sub-Total	_____
Casualty A	(Possible 840) Total	_____

<u>CASUALTY B</u>		
Page 11 Primary Survey	(Possible 300) Sub-Total	_____
Page 12, Secondary Survey	(Possible 120) Sub-Total	_____
Page 13, Secondary Survey	(Possible 330) Sub-Total	_____
Page 14, Secondary Survey	(Possible 90) Sub-Total	_____
Page 15, Recording Page 4	(Possible 110) Sub-Total	_____
Casualty B	(Possible 950) Total	_____

<p>Total Points Awarded Casualty A & Casualty B (Possible 1790)</p>	
--	--

Casualty!“A”!

Casualty A - Pregnant Female: 6 months pregnant, due August 15

- Flushed, dry face.
- Nausea, abdominal pain (no bleeding if asked)
- Weak, rapid pulse
- Was unconscious less than 10 seconds.
- Bruised, painful Left Elbow (no swelling, no deformity)

CASUALTY PROMPTS

Casualty A

- Casualty is found lying on her left side. You 6 months pregnant, due August 15, normal pregnancy. Have not eaten since breakfast “Wasn’t hungry” Had one bottle of water. You felt light headed, everything kind of went black, and I fell down. Unconscious about 10 seconds.
- Casualty is conscious and breathing throughout scenario
- Casualty is feeling a little nauseated but has not vomited. Small laceration on right leg.
- Casualty has no allergies
- Casualty is currently taking Materna Vitamins “because my doctor said I should.
- Past medical history, casualty has asthma, takes Ventolin.
- Casualty complains of pain left elbow-“I think I fell on it”

JUDGES’ PROMPTS

	1st Set	2nd Set
Respirations	28 regular, shallow	22 regular, full
Pulse	120 weak/regular	120 weak/regular
Skin	Flushed/Warm/Dry	Flushed/Warm/Dry
Pupils	3 mm reactive	3 mm reactive
LOC	Conscious c/o “Lightheaded”	Conscious c/o “Lightheaded”

- Allergies: NONE
 - Meds: Materna (vitamins); Ventolin
 - Past Med History: Asthma, Pregnant – no complications, so far
 - Last Meal: “wasn’t hungry”
 - Events: felt lightheaded, “everything went black,” and woke up on the ground
- Judge informs team that the area is safe - only after chainsaws are turned off (may be stated). IF ASKED.
 - Casualty was sitting watching the show when she got light headed and collapsed.
 - She is 6 months pregnant
 - Injury to left arm is only bruising, requires a sling.

Casualty A		A/S	P O I N T S	N O T D O N E
SCENE / PRIMARY SURVEY: This section is active for the first 3 minutes of the scenario only. During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey. After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey. Actions in this section may be done in any order.				
1.1	Did First Aiders take charge of the situation? <i>(team tells casualties not to move?)</i>	S	20	0
1.2	Did First Aiders I.D. self?	A/S	20	0
1.3	Did First Aiders obtain consent to help?	A/S	20	0
1.4	Did First Aiders call out for help from by-standers?	S	20	0
1.5	Were hazards assessed? <i>(None for this casualty)</i>	S	20	0
1.6	Did First Aiders put on protective gloves? <i>(vinyl, latex, etc; must actually be worn to receive marks)</i>	A	20	0
1.7	Did First Aiders determine if there are other casualties? <i>(one other)</i>	S	20	0
1.8	Did First Aiders determine/state the mechanism of injury? <i>(felt lightheaded, and passed out, woke up on the ground)</i>	A/S	20	0
1.9	Did First Aiders assess responsiveness? <i>(conscious but feels lightheaded)</i>	A/S	20	0
1.10	Did First Aider activate EMS? <i>(by-stander/judge is available)</i>	A/S	20	0
1.11	Did First Aiders assess Airway? <i>(casualty has patent airway)</i>	A/S	20	0
1.12	Did First Aiders assess Breathing? (30 regular and shallow)	A/S	20	0
1.13	Did First Aider assess Circulation – Skin condition & Temperature? <i>(present 120 regular & weak – skin flushed, dry, warm)</i>	A/S	20	0
1.14	Did First Aiders perform a rapid body survey? <i>(no gross bleeding or deformity)</i>	A/S	20	0
1.15	Did first aiders ask how long casualty was unconscious? <i>(less than 10 seconds – bystander/judge to provide, IF ASKED)</i>	S	20	0
PAGE 5 SUB-TOTAL POINTS AWARDED				
Primary Survey (Possible 300)				

Casualty A		A/S	P O I N T S	N O T D O N E
SECONDARY SURVEY: Actions in this section may be performed by the competitor in the first 3 minutes of the scenario as well as the Primary Survey . After the 3 first minutes, this is the only section that points shall be awarded to. Actions in this section may be done in any order.				
2.0	HISTORY OF THE CASUALTY:			
2.1	Did the First Aider ask bystanders if they know casualty? <i>(Casualty's husband is in stands)</i>	S	10	0
2.2	Did the First Aider ask about symptoms? <i>(nausea)</i>	S	10	0
2.3	Did the First Aider ask if casualty has any allergies? <i>(none)</i>	S	10	0
2.4	Did First Aider ask casualty if they took any meds? <i>(Casualty takes Folic Acid, Ventolin)</i>	S	10	0
2.5	Did the First Aider ask about Past Medical History? <i>(asthma and Pregnant)</i>	S	10	0
2.6	Did the First Aider ask if casualty had eaten? <i>(No breakfast, only a bottle of water)</i>	S	10	0
2.7	Did First Aider ask casualty how the incident happened? <i>(Casualty felt light headed, everything went black and collapsed)</i>	S	10	0
3.0	CASUALTY'S VITAL SIGNS ASSESSMENT			
3.1	Did First Aider determine Level of Consciousness? <i>(conscious and light headed).</i>	A	10	0
3.2.	Did First Aider assess Respirations? <i>(correct to 30 regular and shallow.)</i>	A	10	0
3.3	Did First Aider assess Pulse? <i>(carotid or radial OK.)</i> <i>(correct to 120 regular and weak.)</i>	A	10	0
3.4	Did First Aider assess Skin Condition & Temperature? <i>(correct to flushed, warm, and dry)</i>	A/S	10	0
PAGE 6 SUB-TOTAL POINTS AWARDED				
Secondary Survey		(Possible 110)		

Casualty A				
4.0	HEAD TO TOE ASSESSMENT	A	10	0
4.1	Check scalp? (<i>clear</i>)			
4.2	Check eyes? (<i>pupils equal, 3mm and reacts to light</i>)	A	10	0
4.3	Check nose? (<i>nothing</i>)	A	10	0
4.4	Check mouth? (<i>mouth is clear</i>)	A	10	0
4.5	Check jaw? (<i>no deformity</i>)	A	10	0
4.6	Check ears? (<i>ears clear – no fluid</i>)	A	10	0
4.7	Check neck? (<i>no deformity</i>)	A	10	0
4.8	Check collarbones? (<i>no deformity</i>)	A	10	0
4.9	Check shoulders? (<i>no deformity</i>)	A	10	0
4.10	Check both arms/hands? (<i>bruising left elbow</i>)	A	10	0
4.11	Check chest (<i>clear</i>)	A	10	0
4.12	check abdomen? (<i>casualty experiences no pain upon palpation but abdomen is pregnant</i>)	A	10	0
4.13	check back? (<i>no deformity</i>)	A	10	0
4.14	check pelvis? (<i>no deformity</i>)	A	10	0
4.15	Check both legs?	A	10	0
4.16	Check both ankles and feet? (<i>no deformity slight swelling</i>)	A	10	0
5.0	Bruised Left Arm			
5.1	Was the injury exposed?	A	10	0
5.2	Was an ice pack offered?	A	10	0
5.3	Was circulation checked before treatment?	A	10	0
5.4	Was circulation re-checked after left arm treated? (<i>unchanged after treatment</i>)	A	10	0
PAGE 7 SUB-TOTAL POINTS AWARDED				
Secondary Survey		(Possible 200)		

Casualty A				
8.0	SHOCK AND GENERAL			
8.1	Was casualty covered "over" to lessen shock?	A	10	0
8.2	Was casualty reassured?	S	10	0
8.3	Was casualty reassured more than once?	A	10	0
8.4	Was Level of Consciousness reassessed? <i>(casualty remains conscious throughout)</i>	A	10	0
8.5	Was casualty's skin condition & temperature reassessed? <i>(remains warm, flushed, and dry)</i>	A	10	0
8.6	Was casualty's pulse reassessed? <i>(110 regular and weak.)</i>	A	10	0
8.7	Was casualty's respirations reassessed? <i>(20 regular and shallow.)</i>	A	10	0
8.8	Did First Aider determine that casualty was feeling nauseous?	A	10	0
8.9	Was the casualty asked to warn the First Aider if she was going to vomit?	S	10	0
8.10	Was the Casualty offered something to drink? (water)	A/S	10	0
8.11	Did someone offer to notify the casualty's husband that she was being sent to the hospital?	A/S	10	0
9.0	PERSONAL PROTECTIVE EQUIPMENT			
9.1	Were gloves worn for the duration of the scenario and were they effective? <i>(Judges Note: torn gloves must be replaced.)</i>	A	10	0
PAGE 8 SUB-TOTAL POINTS AWARDED				
Secondary Survey		(Possible 120)		

Casualty A				
10.0	RECORDING			
10.1	Was the date and time recorded?	A	5	0
10.2	Was the Casualty's information recorded?	A	5	0
10.3	Was the First Aider's information recorded?	A	5	0
10.4	Was the initial Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.5	Was the initial Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.6	Was the initial Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.7	Was the initial Skin Condition & Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.8	Was incident history recorded?	A	5	0
10.9	Was mechanism of injury recorded? <i>(light headed and passed out, hit left elbow)</i>	A	5	0
10.10	Was the brief loss of consciousness recorded?	A	5	0
10.11	Was the patient's medications recorded? (Materna and ventolin)	A	5	0
10.12	Was medical history noted? (Asthma & pregnant)	A	5	0
10.13	Was the left arm injury described/recorded?	A	5	0
10.14	Was Casualty's feeling of nausea recorded?	A	5	0
10.15	Was water given to casualty recorded?	A	5	0
10.16	Was treatment for the left arm injury recorded?	A	5	0
10.17	Did the First Aider record when/what the patient last ate?	A	5	0
10.18	Was the reassessed Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.19	Was the reassessed Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.20	Was the reassessed Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.21	Was the reassessed Skin Condition & Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.22	Was notification of EMS recorded?	A	5	0
PAGE 9 SUB-TOTAL POINTS AWARDED				
Recording		(Possible 110)		

Casualty “B”!

Casualty B - Amputated Left Hand

- Profuse bleeding amputated left hand
- Large laceration to right thigh
- Shock – nausea, pale & sweaty skin

CASUALTY PROMPTS

Casualty B

- Casualty is found, sitting cross legged on ground
- Was performing with a chainsaw, when he “saw the pregnant lady fall on the ground, and I went to drop my chainsaw to help.
- Casualty is breathing and conscious throughout scenario.
- Casualty is nauseated, has not vomited.
- Casualty is a hemophiliac, wears medic alert for same.
- Casualty takes Crestor 20 mg for high cholesterol and Altace 5 mg twice daily for high blood pressure.
- Bleeding is severe from severed hand and from large laceration on right upper leg.

JUDGES' PROMPTS

	1st Set	2nd Set
Respirations	30 regular, shallow	30 regular, full
Pulse	120 weak/regular	110 weak/regular
Skin	Pale/Cool/Sweaty	Pale/Cool/Sweaty
Pupils	3 mm reactive	3 mm reactive
LOC	Conscious	Conscious

- Allergies: NONE
 - Meds: Crestor 20mg and Altace 5mg
 - Past Med History: Hemophilia
 - Last Meal: 1 hr ago
 - Events: witnessed woman collapse, lost concentration and cut off his hand
- Judge informs team that the area is safe - only after chainsaws are turned off (may be stated). IF ASKED.
 - Casualty complains of nausea, but no vomiting
 - Casualty has a history of hemophilia and his wounds are bleeding +++
 - All dressings required to be reinforced after initial application to help control bleeding

Casualty B		A/S	P O I N T S	N O T D O N E
SCENE / PRIMARY SURVEY: This section is active for the first 3 minutes of the scenario only. During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey. After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey. Actions in this section may be done in any order.				
1.1	Did First Aider stake charge of the situation?	S	20	0
1.2	Did First Aiders I.D. self?	A/S	20	0
1.3	Did First Aiders obtain consent to help?	A/S	20	0
1.4	Did First Aiders call out for help from by-standers?	S	20	0
1.5	Were hazards assessed? (Chain saw is running, must be stated they are dealing with chain saw!!!)	S	20	0
1.6	Did First Aiders put on protective gloves? (<i>vinyl, latex, etc; must actually be worn to receive marks</i>)	A	20	0
1.7	Did First Aiders determine if there are other casualties? (<i>one other</i>)	S	20	0
1.8	Did First Aiders attempt to control bleeding from amputated left hand immediately? (<i>any method</i>)	A/S	20	0
1.9	Did first aiders attempt to control bleeding from right leg laceration? (<i>any method</i>)	A/S	20	0
1.10	Did First Aiders assess responsiveness? (<i>conscious</i>)	A/S	20	0
1.11	Did First Aider activate EMS? (<i>by-stander/judge is available</i>)	A/S	20	0
1.12	Did First Aiders assess airway? (<i>airway is clear</i>)	A/S	20	0
1.13	Did First Aiders assess breathing? (<i>30 regular and shallow</i>)	A/S	20	0
1.14	Did First Aider assess Circulation – skin condition & temperature? (<i>Skin is pale, cool & sweaty; pulse 120 regular & weak</i>)	A/S	20	0
1.15	Did First Aiders perform a rapid body survey? (<i>amputated left hand, large gash right leg</i>)	A	20	0
PAGE 11 SUB-TOTAL POINTS AWARDED				
Primary Survey (Possible 300)				

Casualty B				
SECONDARY SURVEY: Actions in this section may be performed by the competitor in the first 3 minutes of the scenario as well as the Primary Survey . After the 3 first minutes, this is the only section that points shall be awarded to. Actions in this section may be done in any order.		A/S	P O I N T S	N O T D O N E
2.0	HISTORY OF THE CASUALTY !			
2.1	Did the First Aider ask bystanders if they know casualty? <i>(Casualty is known by coworkers.)</i>	S	10	0
2.2	Did the First Aider ask about Symptoms? <i>(nausea)</i>	S	10	0
2.3	Did the First Aider check for a medical alert device? <i>(bracelet, necklace etc.- Casualty wears medic alert hemophiliac)</i>	A/S	10	0
2.4	Did the First Aider ask if casualty has any allergies? <i>(none)</i>	S	10	0
2.5	Did First Aider ask casualty about medications? <i>(Crestor and Altace)</i>	S	10	0
2.6	Did the First Aider ask about Past Medical History? <i>(high blood pressure and high cholesterol)</i>	S	10	0
2.7	Did the First Aider ask if casualty had eaten? <i>(ate 1 hr ago)</i>	S	10	0
2.8	Did First Aider ask casualty how the incident happened? <i>(saw woman collapse in stands and dropped chain saw)</i>	S	10	0
3.0	CASUALTY'S VITAL SIGNS ASSESSMENT !			
3.1	Did First Aider determine Level of Consciousness? <i>(Casualty is alert throughout.)</i>	A	10	0
3.2.	Did First Aider assess Respirations? <i>(correct to 30 regular and shallow.)</i>	A	10	0
3.3	Did First Aider assess Pulse? <i>(carotid or radial OK.)</i> <i>(correct to 120 regular and weak.)</i>	A	10	0
3.4	Did First Aider assess Skin Condition & Temperature? <i>(skin is pale, cool & clammy)</i>	A/S	10	0
PAGE 12 SUB-TOTAL POINTS AWARDED				
Secondary Survey		(Possible 120)		

Casualty B				
4.0	HEAD TO TOE ASSESSMENT			
4.1	Check scalp? (<i>clear</i>)	A	10	0
4.2	Check eyes? (<i>pupils equal, 3mm and reacts to light</i>)	A	10	0
4.3	Check nose? (<i>nothing</i>)	A	10	0
4.4	Check mouth? (<i>mouth is clear</i>)	A	10	0
4.5	Check jaw? (<i>no deformity</i>)	A	10	0
4.6	Check ears? (<i>ears clear – no fluid</i>)	A	10	0
4.7	Check neck? (<i>no deformity</i>)	A	10	0
4.8	Check collarbones? (<i>no deformity</i>)	A	10	0
4.9	Check shoulders? (<i>no deformity</i>)	A	10	0
4.10	Check both arms/hands? (<i>left hand amputated at wrist</i>)	A	10	0
4.11	Check chest (<i>clear</i>)	A	10	0
4.12	check abdomen? <i>Clear</i>	A	10	0
4.13	check back? (<i>no deformity</i>)	A	10	0
4.14	check pelvis? (<i>no deformity</i>)	A	10	0
4.15	Check both legs? (<i>large laceration right leg, bleeding profusely</i>)	A	10	0
	Amputated Left Hand			
4.16	Was the injury exposed?	A	10	0
4.17	Was direct pressure maintained?	A	10	0
4.18	Were sterile dressings applied over the wound?	A	10	0
4.19	Did first aider elevate affected arm?	A	10	0
4.20	Was the affected arm placed in a sling? (SJA Tubular)	A	10	0
4.21	Was the amputated hand located?	A	10	0
4.22	Was the amputated hand kept clean?	A	10	0
4.23	Was casualty name attached to amputated hand?	A	10	0
4.24	Were additional bandages used to reinforce dressings as they bleed through? (<i>If asked, judge to tell first aider bandage is bleeding through one time only</i>)	A	10	0
4.25	Was the initial dressing reassessed?	A/S	10	0
4.26	Was dressing checked to make sure it was not bleeding through again? (<i>no bleeding this time</i>)	A/S	10	0
	Laceration to Right Leg			
4.27	Was direct pressure maintained?	A	10	0
4.28	Was circulation below the laceration assessed?	A/S	10	0
4.29	Were sterile dressings applied to wound?	A	10	0
4.30	Was the dressing reinforced? (<i>If asked, judge to tell first aider bandage is bleeding through one time only</i>)	A	10	0
4.31	Were bandages, checked for tightness?	A/S	10	0
4.32	Was the injured limb elevated?	A	10	0
4.33	Were additional bandages applied to prevent bleeding through the initial bandages?	A	10	0
PAGE 13 SUB-TOTAL POINTS AWARDED				
Secondary Survey				
(Possible 330)				

Casualty B				
8.0	SHOCK AND GENERAL			
8.1	Was casualty covered "over" to lessen shock?	A	10	0
8.2	Was casualty reassured?	A	10	0
8.3	Was casualty reassured more than once?	A	10	0
8.4	Was Level of Consciousness reassessed? (casualty remains conscious throughout)	A	10	0
8.5	Was casualty's skin condition & temperature reassessed? (remains pale, cool, and sweaty)	A	10	0
8.6	Was casualty's pulse reassessed? (110 regular and weak.)	A	10	0
8.7	Was casualty's respirations reassessed? (30 regular and shallow.)	S	10	0
8.8	Was somebody sent to notify the supervisor that the patient is being taken to the hospital?	A/S	10	0
9.0	PERSONAL PROTECTIVE EQUIPMENT			
9.1	Were gloves worn for the duration of the scenario and were they effective? (<i>Judges Note: torn gloves must be replaced.</i>)	A	10	0
PAGE 14 SUB-TOTAL POINTS AWARDED				
Secondary Survey		(Possible 90)		

Casualty B				
10.0	RECORDING			
10.1	Was the date and time recorded?	A	5	0
10.2	Was the patient's information recorded?	A	5	0
10.3	Was the First Aider's information recorded?	A	5	0
10.4	Was the initial Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.5	Was the initial Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.6	Was the initial Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.7	Was the initial Skin Condition & Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.8	Was incident history recorded?	A	5	0
10.9	Was mechanism of injury recorded? <i>(casualty saw lady collapse and dropped chain saw)</i>	A	5	0
10.10	Was the patient's medications recorded? <i>(Crestor and Altace)</i>	A	5	0
10.11	Was medical history noted? <i>(hemophilia + High BP, Cholesterol)</i>	A	5	0
10.12	Did the First Aider record when/what the patient last ate?	A	5	0
10.13	Was the amputated left hand recorded?	A	5	0
10.14	Was treatment for the amputation recorded?	A	5	0
10.15	Was disposition of amputated hand recorded?	A	5	0
10.16	Was the right leg laceration identified?	A	5	0
10.17	Was treatment for the lacerated right leg recorded?	A	5	0
10.18	Was the reassessed Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.19	Was the reassessed Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.20	Was the reassessed Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.21	Was the reassessed Skin Condition & Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
10.22	Was notification of EMS recorded?	A	5	0
PAGE 15 SUB-TOTAL POINTS AWARDED				
Recording		(Possible 110)		