

2010

40th Annual Ontario Open First Aid Challenge

Outdoor - TEAM SCENARIO - AMFR

Background Scenario

You are called to assist an accident outside of the Dofasco Learning and Recreation Centre.

There will be a 3 minute warning to the judges to signify the end of the primary survey.
There will also be a 2 minute left signal for the team's benefit.

(BACKGROUND – NOT TO BE SHARED WITH COMPETITORS)

The time is Spring and it is time to get the dirt bikes and ATVs out. A teenager gets his (or her) dirt bike out of the garage for the first time since it was bought at the motorcycle show over the winter. All tuned and cleaned up, the bike is ready for a cloudy, cool, but dry Saturday afternoon ride in the municipal woods behind the house. The teenager heads off to the back field to meet up with friends.

While rounding a curve on the dirt road that cuts through the woods, the rider comes suddenly upon service vehicle traveling in the opposite direction. Both swerve to avoid colliding, but the bike hits the car at the right front quarter panel vaulting the rider over the hood and into the soft, wet underbrush. The car carries on and hits a tree at low speed causing the airbags to deploy in the car. The driver was belted.

INJURIES / PROMPTS

Casualty A (lying prone on ground)

- Semi-conscious and breathing
- Casualty is lying prone with right arm beneath the chest and left arm extended superior over left shoulder
- Wearing Motorcycle helmet
- Small amount of blood draining from nose (*for simulation purposes, just scant amount so as not to damage/ruin helmet interior, but enough to suggest injury*)
- Obvious deformity to right wrist once pt rolled over.
- Left leg is swollen at mid femur level
- Signs of hypovolemic compromise.
- When roused, pt. complains of neck and leg pain.
- Swelling and bruising to the right side of face.
- Responses to questions slowly with brief, incomplete answer.
- Keeps repeating how upset his dad will be with him.
-

Casualty B (walking around, in disbelief about accident)

- Conscious, breathing, and ambulatory.
- Complaining to pain in the face and left wrist (no obvious injury – from airbag deployment)
- Wandering around car and primary patient.
- Angry that bike rider had hit him (I can't believe this happened! Where are the police? He came out of nowhere?)

PROPS

- 2x dirt bikes.
- 2x motorcycle helmet
- 2x bike jackets or heavy jean jackets.
- 2x backboards and immobilization equipment
- 2x traction splint.
- 1x AMFR response kit in a backpack, complete with:
 - Roll gauze
 - Large pressure dressings
 - Oral glucose^{[SMK1][ML2]}
 - Foil blankets
 - C-collars
 - Sheers
 - Advanced assessment equipment – BP cuffs,
 - Oxygen and delivery devices
 - Suction

JUDGES' PROMPTS

Casualty A

S – slow to remember and respond to questions, pain in wrist and lower leg, generally cold and shivering (it's early May and the ground is wet and cold).

A - dogs and cats

M – benadryl

P – none, healthy

L – breakfast

E – did I hit something? Where did that car come from?

	1st Set	Post treatment	Further sets
Respirations	20 shallow, Reg	16 full, regular	same
Pulse	118 weak/regular	100 strong/regular	86 strong / regular
BP	110/72	116/74	same
Skin	Pale/ cool / Dry	Pink / cool/ Dry	same
Pupils	3 mm reactive	3 mm reactive	same
LOC	Conscious	Conscious	same (need revising)

Casualty B – (found wandering around scene between his car and the casualty)

S – face and wrist hurt

A – sulfa and ASA

M – none

P - none

L- last night

E- was rounding the curve on the dirt road and the next thing I knew I was heading for the tree after seeing something, someone sail over the hood of my car. Once the airbag went off, I got out of the car to see what happened.

	1st Set	2nd Set
Respirations	20 shallow, reg	20 shallow, reg
Pulse	110 strong/regular	80 full/regular
Skin	Pink/Warm/Dry	Pink/Warm/Dry
Pupils	3 mm reactive	5 mm reactive
LOC	Conscious	Conscious

2010
40th Annual Ontario Open First Aid Challenge

***“Outdoor”* TEAM SCENARIO - AMFR**

Team Number _____

Team Member #1 _____

Team Member #2 _____

Judges' Names _____

CASUALTY A

Page 4 - Primary Survey	(Possible 420) Sub-Total	_____
Page 5, Secondary Survey	(Possible 130) Sub-Total	_____
Page 6, Secondary Survey, Tx	(Possible 330) Sub-Total	_____
Page 7, Shock & General	(Possible 110) Sub-Total	_____
Page 8, Recording	(Possible 150) Sub-Total	_____
Casualty A	(Possible 1140) Total	_____

CASUALTY B

Page 10 Primary Survey	(Possible 260) Sub-Total	_____
Page 11, Secondary Survey	(Possible 130) Sub-Total	_____
Page 12, Tx, Shock & General	(Possible 310) Sub-Total	_____
Page 13, Recording	(Possible 110) Sub-Total	_____
Casualty B	(Possible 810) Total	_____

Total Points Awarded

Casualty A & Casualty B (Possible 1950)

Casualty A		A/S	P O I N T S	N O T D O N E
<p>SCENE / PRIMARY SURVEY: This section is active for the first 3 minutes of the scenario only. During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey. After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey.</p> <p>Actions in this section may be done in any order.</p>				
1.1	Did First Aiders take charge of the situation? <i>(team tells casualty not to move?)</i>	A/S	20	0
1.2	Did First Aiders I.D. self?	A/S	20	0
1.3	Did First Aiders obtain consent to help?	A/S	20	0
1.4	Were hazards assessed? <i>(motorcycle and car – both engines are off, if asked) POINTS ONLY AWARDED IF ASKED</i>	S	20	0
1.5	Did First Aiders put on protective gloves? <i>(must actually be worn before touching patient to receive marks)</i>	A	20	0
1.6	Did First Aiders determine if there are other casualties? <i>(one other – car driver walking around)</i>	S	20	0
1.7	Did First Aiders determine/state the mechanism of injury? <i>(motorcycle driver thrown from bike, hit by car)</i>	A/S	20	0
1.8	Did First Aiders direct casualty not to move?	A/S	20	0
1.9	Did First Aiders initiate manual c-spine control?	A	20	0
1.10	Did First Aider determine responsiveness? <i>(responds to pain initially, moans)</i>	A/S	20	0
1.11	Did First Aiders assess Airway? <i>(casualty is lying prone with helmet in place, cannot assess in position found)</i>	A/S	20	0
1.12	Did First aiders logroll patient until back safely?	A	20	0
1.13	Did First Aiders remove helmet safely using two people? <i>(one rescuer holding posterior neck and jaw; the other rescuer removing helmet with minimal movement of patient)</i>	A	40	0
1.14	Did First Aiders reassess Airway with helmet removed? <i>(clear, small amount of blood from nose)</i>	A/S	20	0
1.15	Did First Aiders assess Breathing? <i>(20 regular and shallow)</i>	A	20	0
1.16	Did First Aiders administer O ₂ ? <i>(non-rebreather @ 10 – 15 LPM)</i>	A	20	0
1.17	Did First Aider assess Circulation – Skin condition & temperature? <i>(pale, cool, dry)</i>	A	20	0
1.18	Did First Aider assess Circulation – Carotid or radial pulses? <i>(present – RADIAL pulse weak, if asked)</i>	A	20	0
1.19	Did First Aiders perform a rapid body survey? <i>(swollen LEFT thigh, patient moans if assessed)</i>	A	20	0
1.20	Did First Aider activate EMS? <i>(the bystander is available)</i>	A/S	20	0
<p>PAGE 4 SUB-TOTAL POINTS AWARDED</p> <p>Primary Survey (Possible 420)</p>				

Casualty A			P O I N T S	N O T D O N E
SECONDARY SURVEY: Actions in this section may be performed by the competitor in the first 3 minutes of the scenario as well as the Primary Survey . After the 3 first minutes, this is the only section that points shall be awarded to. Actions in this section may be done in any order.		A/S		
2.0	HISTORY OF THE CASUALTY:			
2.1	Did the First Aider ask the casualty's name?	S	10	0
2.2	Did the First Aider ask about symptoms? (<i>Pain Left thigh; complains of neck and head pain</i>)	S	10	0
2.3	Did the First Aider ask if casualty has any allergies? (<i>cats & dogs</i>)	S	10	0
2.4	Did First Aider ask casualty if they take any meds? (<i>Benadryl occasionally</i>)	S	10	0
2.5	Did the First Aider ask about Past Medical History? (<i>none</i>)	S	10	0
2.6	Did the First Aider ask if casualty had eaten? (<i>"full meal, 2 hours ago"</i>)	S	10	0
2.7	Did First Aider ask casualty how the incident happened? (<i>"I don't remember"</i>)	S	10	0
CASUALTY'S VITAL SIGNS ASSESSMENT				
2.8	Did First Aider determine Level of Consciousness? (<i>AVPU or GCS – Eyes = 3, Verbal = 4, Motor = 4; total 11/15</i>)	A/S	10	0
2.9	Did First Aider assess Respiration? (<i>correct to 20 regular and shallow.</i>)	A/S	10	0
2.10	Did First Aider assess Pulse? (<i>carotid or radial OK.</i>) (<i>correct to 110 regular and weak.</i>)	A/S	10	0
2.11	Did First Aider determine Blood Pressure? (<i>110/72 mmHg</i>)	A/S	10	0
2.12	Did First Aider assess Skin Condition & Temperature? (<i>correct to pale, cool, and dry</i>)	A/S	10	0
2.13	Did First Aider assess Pupils? (<i>3mm equal and reactive</i>)	A/S	10	0
PAGE 5 SUB-TOTAL POINTS AWARDED				
Secondary Survey (Possible 130)				

Casualty A				
3.0	HEAD TO TOE ASSESSMENT:			
3.1	Check scalp? (<i>clear</i>)	A	10	10
3.2	Check eyes? (<i>pupils equal, 3mm and reacts to light</i>)	A	10	0
3.3	Check nose? (<i>small amount of blood</i>)	A	10	0
3.4	Check mouth? (<i>mouth is clear</i>)	A	10	0
3.5	Check jaw? (<i>no deformity</i>)	A	10	0
3.6	Check ears? (<i>ears clear – no fluid</i>)	A	10	0
3.7	Check neck? (<i>complains of pain</i>)	A	10	0
3.8	Check collarbones? (<i>no deformity</i>)	A	10	0
3.9	Check shoulders? (<i>no deformity</i>)	A	10	0
3.10	Check both arms/hands? (<i>RIGHT wrist deformity</i>)	A	10	0
3.11	Check chest (<i>pain upon palpation left side of chest, bruising</i>)	A	10	0
3.12	Auscultate chest (<i>breath sounds clear bilaterally – apices & bases</i>)	A	10	0
3.13	Check abdomen? (<i>clear</i>)	A	10	0
3.14	Check back? (<i>no deformity</i>)	A	10	0
3.15	Check pelvis? (<i>no injury</i>)	A	10	0
3.16	Check both legs? (<i>Swollen Left thigh with ++ pain</i>)	A	10	0
3.17	Check both ankles and feet? (<i>no deformity</i>)	A	10	0
4.0	TREATMENT:			
	C-Spine Injury			
4.1	Was the patient cautioned, more than once, to remain still?	A	10	0
5.2	Was C-spine maintained throughout (until secured to board?)	A	20	0
4.3	Was the c-collar sized prior to application to patient?	A	10	0
4.4	Was the c-collar applied once the patient was lying supine?	A	10	0
4.5	Was the patient secured to the backboard effectively? (<i>torso, head, and lower body</i>)	A	10	0
	LEFT Femur Fracture			
4.6	Was the injury exposed and inspected?	A/S	10	0
4.7	Was the injury palpated to determine location of injury?	A	10	0
4.8	Was circulation and sensation assessed distally before treatment? (<i>intact</i>)	A	10	0
4.9	Was femoral traction splint applied safely to patient and traction applied just enough to reduce pain?	A	20	0
4.10	Was circulation and sensation assessed distally after treatment? (<i>no change</i>)	A	10	0
	RIGHT Wrist Fracture			
4.11	Was the injury inspected prior to treatment?	A/S	10	0
4.12	Was circulation and sensation assessed distally before treatment? (<i>intact</i>)	A	10	0
4.13	Was the limb immobilized effectively in the position found?	A	10	0
4.14	Was circulation and sensation assessed distally after treatment? (<i>no change</i>)	A	10	0
PAGE 6 SUB-TOTAL POINTS AWARDED				
Secondary Survey / Treatment				
(Possible 330)				

Casualty A		A/S	P O I N T S	N O T D O N E
5.0	SHOCK AND GENERAL			
5.1	Was casualty covered "over" to lessen shock?	A	10	0
5.2	Was casualty reassured?	S	10	0
5.3	Was casualty reassured more than once?	S	10	0
5.4	Did First Aider reassess Level of Consciousness? (AVPU- alert, or GCS – Eyes = 4, Verbal = 4, Motor =6 ; total 14/15)	A/S	10	0
5.5	Did First Aider assess Respiration? (correct to 16 regular and full.)	A/S	10	0
5.6	Did First Aider assess Pulse? (carotid or radial OK.) (correct to 100 regular and strong.)	A	10	0
5.7	Did First Aider determine Blood Pressure? (116/74 mmHg)	A	10	0
5.8	Did First Aider assess Skin Condition & Temperature? (correct to pink, cool, and dry)	A	10	0
5.9	Did First Aider assess Pupils? (3mm equal and reactive)	A	10	0
6.0	PERSONAL PROTECTIVE EQUIPMENT			
6.1	Were gloves worn for the entire scenario? (if ripped/torn, must be replaced for points)	A	20	0
PAGE 7 SUB-TOTAL POINTS AWARDED				
Shock & General				
(Possible 110)				

Casualty A				
7.0	RECORDING			
7.1	Was the incident date and time recorded?	A	5	0
7.2	Was the Casualty's name recorded?	A	5	0
7.3	Was the First Aider's name recorded?	A	5	0
7.4	Was the initial Level of Consciousness recorded?	A	5	0
7.5	Was the initial ABC status recorded?	A	5	0
7.6	Was administration of oxygen recorded?	A	5	0
7.7	Was incident history recorded?	A	5	0
7.8	Was mechanism of injury recorded?	A	5	0
7.9	Was no suspicion of head / spinal injury recorded?	A	5	0
7.10	Was the wrist injury described/recorded?	A	5	0
7.11	Was the leg injury described/recorded?	A	5	0
7.12	Was the blood from nose described/recorded	A	5	0
7.13	Were allergies recorded?	A	5	0
7.14	Were Medications recorded?	A	5	0
7.15	Did the First Aider record when/what the casualty last ate?	A	5	0
7.16	Was the application of c-collar recorded?	A	5	0
7.17	Was the immobilization to backboard recorded?	A	5	0
7.18	Was the assessment of circulation & sensation before and after splinting of wrist injury documented (both for point)?	A	5	0
7.19	Was the assessment of circulation & sensation before and after splinting the femur injury documented(both for point)?	A	5	0
7.20	Was application of the traction splint documented?	A	5	0
7.21	Was the 1 st vital signs Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.22	Was the 1 st vital signs Respiration recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.23	Was the 1 st vital signs Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.24	Was the 1 st vital signs BP recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.25	Was the 1 st vital signs Skin Condition & Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.26	Was the 2 nd vital signs Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.27	Was the 2 nd vital signs Respirations recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.28	Was the 2 nd vital signs Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.29	Was the 2 nd vital signs BP recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
7.30	Was the 2 nd vital signs Skin Condition & Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
PAGE 8 SUB-TOTAL POINTS AWARDED				
Recording		(Possible 150)		

Casualty B

Casualty B (walking around, in disbelief about accident)

- Conscious, breathing, and ambulatory.
- Complaining to pain in the face and left wrist (no obvious injury – from airbag deployment)
- Wandering around car and primary patient.
- Angry that bike rider had hit him (I can't believe this happened! Where are the police? He came out of nowhere?)

PROPS

- 2x dirt bikes.
- 2x motorcycle helmet
- 2x bike jackets or heavy jean jackets.
- 2x backboards and immobilization equipment
- 2x traction splint.
- 1x AMFR response kit in a backpack, complete with:
 - Roll gauze
 - Large pressure dressings
 - Oral glucose^{[SMK3][ML4]}
 - Foil blankets
 - C-collars
 - Sheers
 - Advanced assessment equipment – BP cuffs,
 - Oxygen and delivery devices
 - Suction

JUDGES' PROMPTS

Casualty B – (found wandering around scene between his car that the casualty)

S – face and wrist hurt
 A – sulfa and ASA
 M – none
 P - none
 L- last night

E- was rounding the curve on the dirt road and the next thing I knew I was heading for the tree after seeing something, someone sail over the hood of my car. Once the airbag went off, I got out of the car to see what happened.

	1 st Set	2 nd Set
Respirations	20 shallow, reg	20 shallow, reg
Pulse	110 strong/regular	80 full/regular
Skin	Pink/Warm/Dry	Pink/Warm/Dry
Pupils	3 mm reactive	5 mm reactive
LOC	Conscious	Conscious

Casualty B		A/S	P O I N T S	N O T D O N E
SCENE / PRIMARY SURVEY: This section will not commence until the 10-minute mark of the scenario. Prior to this time, the casualty is a bystander with no injury/illness, and any actions taken by the first aider regarding this casualty are not scored. After the 10-minute mark, there are no time restrictions for completion of this section. Actions in this section may be done in any order.				
8.1	Did First Aiders take charge of the situation?	A/S	20	0
8.2	Did First Aiders I.D. self?	A/S	20	0
8.3	Did First Aiders obtain consent to help?	A/S	20	0
8.4	Were hazards assessed? <i>(motorcycle and car – both engines are off, if asked) POINTS ONLY AWARDED IF ASKED</i>	S	20	0
8.5	Did First Aiders put on protective gloves? <i>(must actually be worn before touching patient to receive marks)</i>	A	20	0
8.6	Did First Aiders determine if there are other casualties? <i>(one other – car driver walking around)</i>	A/S	20	0
8.7	Did First Aiders assess responsiveness? <i>(conscious)</i>	A/S	20	0
8.8	Did First Aiders assess airway? <i>(airway is clear)</i>	A/S	20	0
8.9	Did First Aiders assess breathing? <i>(20 regular and full)</i>	A	20	0
8.10	Did First Aider assess Circulation – Skin condition & temperature? <i>(pink, warm, dry)</i>	A	20	0
8.11	Did First Aider assess Circulation – Carotid or radial pulses? <i>(present & equal)</i>	A	20	0
8.12	Did First Aider perform a rapid body survey? <i>(no injury)</i>	A	20	0
8.13	Did First Aider caution casualty to remain at the scene and either sit or rest if begins to feel unwell?	A/S	20	0
PAGE 10 SUB-TOTAL POINTS AWARDED				
Primary Survey (Possible 260)				

Casualty B			P O I N T S	N O T E
SECONDARY SURVEY: This section will not commence until the 10-minute mark of the scenario. Prior to this time, the casualty is a bystander with no injury/illness, and any actions taken by the first aider regarding this casualty are not scored. After the 10-minute mark, there are no time restrictions for completion of this section. Actions in this section may be done in any order.		A/S		
9.0	HISTORY OF THE CASUALTY			
9.1	Did the First Aider ask the casualty's name?	S	10	0
9.2	Did the First Aider ask about symptoms? (<i>wrist pain, facial discomfort</i>)	S	10	0
9.3	Did the First Aider ask if casualty has any allergies? (<i>sulpha drugs</i>)	S	10	0
9.4	Did First Aider ask casualty about medications? (<i>none</i>)	S	10	0
9.5	Did First Aider ask about Past Medical History? (<i>none</i>)	S	10	0
9.6	Did the First Aider ask if casualty had eaten? (<i>ate 1 hr ago</i>)	S	10	0
9.7	Did First Aider ask casualty about events preceding? (<i>"that guy came out of no where.... Is he going to be ok?... I can't believe this...."</i>)	S	10	0
CASUALTY'S VITAL SIGNS ASSESSMENT				
9.8	Did First Aider determine Level of Consciousness? (<i>Alert</i>)	S	10	0
9.9	Did First Aider determine Level of Awareness? (<i>Oriented x 3</i>)	S	10	0
9.10	Did First Aider assess Respiration? (<i>20 regular and full.</i>)	S	10	0
9.11	Did First Aider assess Pulse? (<i>110 irregular and strong.</i>)	S	10	0
9.12	Did First Aider assess Blood Pressure? (<i>as found</i>)	S	10	0
9.13	Did First Aider assess Skin Condition & Temperature? (<i>pink, warm, and dry</i>)	S	10	0
PAGE 11 SUB-TOTAL POINTS AWARDED				
Secondary Survey (Possible 130)				

Casualty B				
10.0	HEAD TO TOE ASSESSMENT			
10.1	Check head and scalp? <i>(no injuries; casualty complains of facial discomfort related to airbag deployment)</i>	A	10	0
10.2	Check eyes? <i>(pupils per judges notes)</i>	A	10	0
10.3	Check nose? <i>(irritation to face, no injury - no deformity)</i>	A	10	0
10.4	Check mouth? <i>(mouth is clear)</i>	A	10	0
10.5	Check jaw? <i>(no deformity)</i>	A	10	0
10.6	Check ears? <i>(ears clear – no fluid)</i>	A	10	0
10.7	Check neck? <i>(no deformity)</i>	A	10	0
10.8	Check collarbones? <i>(no deformity)</i>	A	10	0
10.9	Check shoulders? <i>(no deformity)</i>	A	10	0
10.10	Check Right arm/hand? <i>(no deformity)</i>	A	10	0
10.11	Check Left arm/hand? <i>(no deformity, but pain in thumb and wrist)</i>	A	10	0
10.12	Check chest ? <i>(no deformity)</i>	A	10	0
10.13	Check abdomen ? <i>(no pain/discomfort)</i>	A	10	0
10.14	Check back ? <i>(no deformity)</i>	A	10	0
10.15	Check pelvis ? <i>(no deformity)</i>	A	10	0
10.16	Check right leg ? <i>(no deformity)</i>	A	10	0
10.17	Check right ankle and foot ? <i>(no deformity)</i>	A	10	0
10.18	Check left leg? <i>(no deformity)</i>	A	10	0
10.19	Check left ankle and foot? <i>(no deformity)</i>	A	10	0
	Treatment of Wrist Injury			
10.20	Was the injured wrist inspected? <i>(no deformity, full ROM)</i>	A	10	0
10.21	Was circulation and sensation assessed below the injury? <i>(no impairment)</i>	A	10	0
10.22	Was an ice pack offered to help with pain?	A	10	0
11.0	SHOCK & GENERAL			
11.1	Was casualty reassured?	S	10	0
11.2	Was casualty reassured more than once?	S	10	0
11.3	Was Level of Consciousness reassessed? <i>(alert)</i>	A/S	10	0
11.4	Was Level of Awareness reassessed? <i>(oriented x 3)</i>	A/S	10	0
11.5	Was casualty's skin condition & temperature reassessed? <i>(warm, pink and dry)</i>	A	10	0
11.6	Was casualty's pulse reassessed? <i>(80 regular and strong.)</i>	A	10	0
11.7	Was casualty's respiration reassessed? <i>(16 regular and full)</i>	A	10	0
11.8	Was casualty's blood pressure reassessed? <i>(as found)</i>	A/S	10	0
11.9	Were gloves worn for the duration of the scenario and were they effective? <i>(Judges Note: torn gloves must be replaced.)</i>	A	10	0
PAGE 12 SUB-TOTAL POINTS AWARDED				
Head to Toe and Shock & General		(Possible 310)		

Casualty B		A/S	P O I N T S	N O T D O N E
12.0	RECORDING			
12.1	Was the date and time recorded?	A	5	0
12.2	Was the Casualty's name recorded?	A	5	0
12.3	Was the First Aider's name recorded?	A	5	0
12.4	Was the initial Level of Consciousness recorded?	A	5	0
12.5	Was the initial ABC assessment recorded?	A	5	0
12.6	Was incident history recorded?	A	5	0
12.7	Were the casualty's symptoms of facial discomfort recorded?	A	5	0
12.8	Was the allergy (sulpha drugs) recorded?	A	5	0
12.9	Were medications recorded? (none)	A	5	0
12.10	Did the First Aider record when/what the casualty last ate?	A	5	0
12.11	Was the left wrist injury recorded (no deformity, full ROM)?	A	5	0
12.12	Was the offer for ice/application of cold recorded?	A	5	0
12.13	Was the 1 st vital signs Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.14	Was the 1 st vital signs Respiration recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.15	Was the 1 st vital signs Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.16	Was the 1 st vital signs Skin Condition & Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.17	Was the 1 st vital signs BP recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.18	Was the 2 nd vital signs Level of Consciousness recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.19	Was the 2 nd vital signs Respiration recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.20	Was the 2 nd vital signs Pulse recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.21	Was the 2 nd vital signs Skin Condition & Temperature recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
12.22	Was the 2 nd vital signs BP recorded with the time taken? <i>(If no time recorded, then no mark.)</i>	A	5	0
PAGE 13 SUB-TOTAL POINTS AWARDED				
Recording		(Possible 110)		