

2011 41st Annual Ontario Open First Aid Competition

Boating Accident - Outdoor - TEAM SCENARIO

Background Scenario

It is a cool, spring day. You are providing medical coverage for a spring fair at a local park on the edge of a large, cottage country lake. As you begin your shift and completing your vehicle check, you notice that it is an overcast day and that there is the low rumble of a high speed boat that fades quickly. An hour or so later, you finish your vehicle check and head out on a reconnaissance to orient yourself to the response area, when you come across a wreck on shore of approximately a 15-minute walk from your established first aid station.

There will be a 2 minute warning to the judges to signify the end of the primary survey.

Background Scenario *(NOT TO BE SHARED WITH COMPETITORS)*

It is a cool spring day and the team has been assigned to a community Spring Fling Fair. On the same day, one of the high speed boats are out preparing for a race.

This scenario is set in a very large regional park on the edge of a lake. There is a regional fair going on for the weekend and the team is providing first response service out of a mobile, first aid post complete with patient packaging equipment and transport capabilities. While completing an orientation to the response area, the team comes across a speed boat that has crashed on the lake and washed up on shore. One patient is visible on the shore approx. 20 feet from the water's edge. A second patient is covered up under boat debris and is not readily visible.

INJURIES

Casualty A (crumpled on the ground half way up the slope with head toward the water)

- Unconscious (responsive to tactile stimulation).
- Casualty is lying semi-prone Head flexed and noisy breathing is present.
- Obvious deformity to both wrists (boat steering wheel still in one hand).
- Facial abrasions on left cheek, forehead, and eye orbit
- Bruising to the left upper quadrant (splenic rupture).
- Signs of hypovolemic compromise.

Casualty B (laying on ground covered by tarp and boat debris – partially exposed)

- Semi-conscious becomes conscious after 3 minutes.
- Under boat debris (part of the hull is covering the patient).
- Lying on side.
- Cyanosis in face and hands mottled
- Large piece of boat debris in abdomen (lateral impalement)
- Covered with large dark tarp with debris and not easily visible from Boater 1

PROPS**Casualty A****As per Sioban****Casualty B**

- As per Sioban
- Medical Alert Bracelet with "Diabetes" listed

General

- 2 life vests
- 2 emersion suits (wish list) or rain suits
- 2 pairs of light work gloves (for both boaters) (like gardening gloves but without the flowers)
- Large piece of wood and fibre glass debris
- Small piece of debris impaled in Boater 2
- 1 steering wheel from boat
- 1 first aid kit
- 1 AED with accessory kit
- 2 long spine board with straps
- 2 set C-collars or 1 selectable size c-collar.
- 2 full oxygen D-tank with regulator and wrench
- 2 adult NRB oxygen mask
- 2 set of oral airways
- 2 Mylar blanket
- 2 BP cuffs
- 2 stethoscope
- 2 manual suction device
- 2 traction splint (Sager or equivalent)
- 2 ice packs
- Total of 6 dark coloured tarps approx 4X8

JUDGES PROMPTS

Please see individual judge's prompts for each casualty before individual marking guide

2011
41st Annual Ontario Open First Aid Competition

***Outdoor Boating Accident* - TEAM SCENARIO**

Team Number _____

Team Member #1 _____

Team Member #2 _____

Judges' Names _____

<u>CASUALTY A</u>		
Page 5 - Primary Survey	(Possible 360) Sub-Total	_____
Page 6, Secondary Survey	(Possible 90) Sub-Total	_____
Page 8, Secondary Survey, Tx	(Possible 540) Sub-Total	_____
Page 9, Shock & General	(Possible 110) Sub-Total	_____
Page 10, Recording	(Possible 155) Sub-Total	_____
Casualty A	(Possible 1255) Total	_____

<u>CASUALTY B</u>		
Page 12 Primary Survey	(Possible 340) Sub-Total	_____
Page 13, Secondary Survey	(Possible 110) Sub-Total	_____
Page 14, Head to Toe & Tx	(Possible 230) Sub-Total	_____
Page 15, Shock & General	(Possible 110) Sub-Total	_____
Page 16, Recording	(Possible 140) Sub-Total	_____
Casualty B	(Possible 930) Total	_____

Total Points Awarded

Casualty A & Casualty B (Possible 2185)

Casualty “A”

Casualty A (crumpled on the ground half way up the slope with head toward the water)

- Unconscious but responds to tactile sensations
- Casualty is lying semi-prone
- Head flexed and noisy breathing is present.
- Obvious deformity to both wrists (boat steering wheel still in one hand).
- Facial abrasions on left cheek, forehead, and eye orbit
- Bruising to the left upper quadrant (splenic rupture).
- Skin pale, cool – shock condition

CASUALTY PROMPTS

Casualty A

- Casualty unresponsive – moans when wrists moved or when left upper abdomen palpated

JUDGES’ PROMPTS

Casualty A – (thrown from boat when it hit shore – neck injury, ruptured spleen, bilat wrist fractures)

S – neck awkwardly angled and flexed, noisy breathing, deformity to both wrists, bruising to the left upper abdominal quadrant

A - no medic alert, unable to acquire

M – none found, unknown

P – unable to identify

L – unknown

E – from bystander: heard and saw high speed boats on the lake this morning.

	1st Set	Post treatment	Further sets
Respirations	12, shallow, irreg	16 full, regular	same
Pulse	116, weak, regular	100 weak/regular	85 strong / regular
Skin	Cool/Wet/Pale	Cool/Wet/Pale	same
Pupils	4 mm sluggish	4 mm reactive	same
LOC	Unconscious	Semi-conscious	same
BP	100/50	104/58	

Casualty A		A/S	P O I N T S	N O T D O N E
SCENE / PRIMARY SURVEY: This section is active for the first 3 minutes of the scenario only. During these first 3 minutes, the competitor may perform the actions that are both listed here and in the Secondary Survey. After the 3 minutes, the competitor is eligible to receive marks only in the Secondary Survey and no marks may be awarded in this Primary Survey. Actions in this section may be done in any order.				
1.1	Did First Aiders take charge of the situation? <i>(team tells casualty not to move?)</i>	A/S	20	0
1.2	Did First Aiders I.D. self?	A/S	20	0
1.3	Did First Aiders obtain consent to help? <i>(casualty is unresponsive – must ask casualty or state implied consent assumed for points)</i>	A/S	20	0
1.4	Were hazards assessed? <i>(water nearby, boat debris)</i>	S	20	0
1.5	Did First Aiders put on protective gloves? <i>(must actually be worn before touching patient to receive marks)</i>	A	20	0
1.6	Did First Aiders determine if there are other casualties? <i>(one other)</i>	S	20	0
1.7	Did First Aiders determine/state the mechanism of injury? <i>(bystander reports boat travelled high rate of speed, left the water and ejected the riders)</i>	A/S	20	0
1.8	Did First Aiders instruct the casualty not to move? (for C-Spine control)	S	20	0
1.9	Did First Aiders assess responsiveness? <i>(unresponsive – moans only if wrists or LUQ of abdomen palpated)</i>	A/S	20	0
1.10	Did First Aiders assess Airway? <i>(casualty has noisy resps)</i>	A/S	20	0
1.11	Did First Aiders assess Breathing? <i>(present – shallow, irregular)</i>	A	20	0
1.12	Did First Aiders administer O ₂ ? <i>(non-rebreather @ 10 – 15 LPM)</i>	A	20	0
1.13	Did First Aider assess Circulation – Skin condition & temperature? <i>(pale, cool, moist)</i>	A	20	0
1.14	Did First Aider assess Circulation – Carotid & radial pulses? <i>(present – radial pulse weak & regular)</i>	A	20	0
1.15	Did First Aiders perform a rapid body survey?	A	20	0
1.16	Did First Aiders note the wrist injuries during rapid body survey?	A	20	0
1.17	Did First Aiders note the left upper quadrant abdominal injury during rapid body survey? <i>(bruising present if visualized; casualty moans if palpated)</i>	A	20	0
1.18	Did First Aiders activate EMS? <i>(the bystander is available)</i>	A/S	20	0
PAGE 5 SUB-TOTAL POINTS AWARDED				
Primary Survey (Possible 360)				

Casualty A			P O I N T S	N O T D O N E
SECONDARY SURVEY: Actions in this section may be performed by the competitor in the first 3 minutes of the scenario as well as the Primary Survey . After the 3 first minutes, this is the only section that points shall be awarded to. Actions in this section may be done in any order.		A/S		
2.0	HISTORY OF THE CASUALTY:			
2.1	Did the First Aider ask if the bystander knows anything about the casualty? (bystander does NOT know the casualty)	S	10	0
2.2	Did the First Aider look for a medical alert device? (<i>none found – therefore, “As Found” or “I don’t know this guy” is the only response provided to questions re: symptoms, allergies, medications, past medical history, and last meal</i>)	A/S	10	0
2.3	Did First Aider ask bystander how the incident happened? (<i>“the boat was going really fast and they looked like the lost control...”</i>)	S	10	0
3.0	CASUALTY’S VITAL SIGNS ASSESSMENT			
3.1	Did First Aider determine Level of Consciousness? (<i>unresponsive</i>)	A/S	10	0
3.2	Did First Aider assess Respiration? (<i>correct to 12 irregular and shallow.</i>)	A	10	0
3.3	Did First Aider assess Pulse? (<i>carotid or radial OK.</i>) (<i>correct to 116 regular and weak.</i>)	A	10	0
3.4	Did First Aider determine Blood Pressure? (<i>100/50 mmHg</i>)	A	10	0
3.5	Did First Aider assess pupils? (<i>4mm, sluggish</i>)	A	10	0
3.6	Did First Aider assess Skin Condition & Temperature? (<i>correct to pale, cool, and moist</i>)	A	10	0
PAGE 6 SUB-TOTAL POINTS AWARDED				
Secondary Survey (Possible 90)				

Casualty A				
4.0	HEAD TO TOE ASSESSMENT:			
4.1	Check scalp? (<i>clear</i>)	A	10	10
4.2	Check face? (<i>facial abrasion to left cheek and forehead</i>)	A	10	0
4.3	Check eyes? (<i>pupils equal, 4mm and sluggish</i>)	A	10	0
4.4	Check nose? (<i>nothing</i>)	A	10	0
4.5	Check mouth? (<i>mouth is clear</i>)	A	10	0
4.6	Check jaw? (<i>no deformity</i>)	A	10	0
4.7	Check ears? (<i>ears clear – no fluid</i>)	A	10	0
4.8	Check neck? (<i>no deformity; finds head in a flexed forward on arrival</i>)	A	10	0
4.9	Check collarbones? (<i>no deformity</i>)	A	10	0
4.10	Check shoulders? (<i>no deformity</i>)	A	10	0
4.11	Check Left wrist/hand? (<i>deformity present; cap refill 3 sec; no motor/sensation response due to LOC</i>)	A	10	0
4.12	Check Right wrist/hand? (<i>deformity present; cap refill 3 sec; no motor/sensation response due to LOC</i>)	A	10	0
4.13	Check chest? (<i>no injury</i>)	A	10	0
4.14	Auscultate chest (<i>breath sounds clear bilaterally – diminished at bases due to shallow resps</i>)	A	10	0
4.15	Check abdomen? (<i>bruising to LUQ abdomen; moans if palpated</i>)	A	10	0
4.16	Check back? (<i>no deformity</i>)	A	10	0
4.17	Check pelvis? (<i>no injury</i>)	A	10	0
4.18	Check both legs? (<i>no injury</i>)	A	10	0
4.19	Check both ankles and feet? (<i>no deformity</i>)	A	10	0
	TREATMENT:			
5.0	Left Wrist Injury			
5.1	Was the injury examined?	A	10	0
5.2	Was distal circulation assessed BEFORE treatment? (<i>cap refill ~ 3 sec</i>)	A	10	0
5.3	Was an attempt to assess motor function made BEFORE treatment? (<i>eg. Casualty instructed to “wiggle fingers”, “make a fist”, or asked to squeeze first aiders fingers – no response</i>)	A	10	0
5.4	Was an attempt to assess sensation made BEFORE treatment? (<i>eg. Casualty asked if they could feel the first aider touching their fingers, etc</i>)	A	10	0
5.5	Was the wrist immobilized appropriately?	A	10	0
5.6	Was distal circulation assessed AFTER treatment? (<i>no change</i>)	A	10	0
6.0	Right Wrist Injury			
6.1	Was the injury examined?	A	10	0
6.2	Was distal circulation assessed BEFORE treatment? (<i>cap refill ~ 3 sec</i>)	A	10	0
6.3	Was an attempt to assess motor function made BEFORE treatment? (<i>eg. Casualty instructed to “wiggle fingers”, “make a fist”, or asked to squeeze first aiders fingers – no response</i>)	A	10	0
6.4	Was an attempt to assess sensation made BEFORE treatment? (<i>eg. Casualty asked if they could feel the first aider touching their fingers, etc</i>)	A	10	0

6.5	Was the wrist immobilized appropriately?	A	10	0
6.6	Was distal circulation assessed AFTER treatment? (no change)	A	10	0
6.7	Was ice applied to one or both wrists?	A	10	0
7.0	Facial Injuries			
7.1	Were the facial injuries assessed? (abrasions to left cheek and forehead)	A/S	10	0
7.2	Was the facial injuries covered with sterile dressing and secured appropriately?	A	10	0
7.3	Spinal Precautions			
	Was appropriate C-Collar applied?	A	50	0
7.4	Was casualty placed on back board effectively?	A	50	0
7.5	Was casualty secured to the back board effectively?	A	50	0
7.6	Was head rolls used?	A	50	0
PAGE 8 SUB-TOTAL POINTS AWARDED				
Secondary Survey / Tx			(Possible 540)	

Casualty A				
8.0	SHOCK, REASSESSMENT, AND GENERAL			
8.1	Was casualty covered "over" to lessen shock?	A	10	0
8.2	Was casualty reassured?	S	10	0
8.3	Was casualty reassured more than once?	S	10	0
8.4	Was Level of Consciousness reassessed? (<i>unresponsive; moans periodically</i>)	A/S	10	0
8.5	Was casualty's respiration reassessed? (<i>16 full and regular</i>)	A	10	0
8.6	Was casualty's pulse reassessed? (<i>100 regular and weak.</i>)	A	10	0
8.7	Was casualty's blood pressure reassessed? (<i>104/58 mmHg</i>)	A	10	0
8.8	Was casualty's pupils reassessed? (<i>4mm bilat, reactive</i>)	A	10	0
8.9	Was casualty's skin condition & temperature reassessed? (<i>pale, cool and moist</i>)	A	10	0
8.10	Did the First Aiders remind casualty not to move (for C-spine management) more than once?	S	10	0
8.11	Were gloves worn for the duration of the scenario and were they effective? (<i>Judges Note: torn gloves must be replaced.</i>)	A	10	0
PAGE 9 SUB-TOTAL POINTS AWARDED				
Shock & General		(Possible 110)		

Casualty A				
9.0	RECORDING			
9.1	Was the incident date and time recorded?	A	5	0
9.2	Was the casualty's name listed as "unknown" or "could not obtain (C.N.O.)"?	A	5	0
9.3	Was the First Aider's name recorded?	A	5	0
9.4	Was the initial Level of Consciousness recorded?	A	5	0
9.5	Was the initial ABC status recorded?	A	5	0
9.6	Was administration of oxygen recorded?	A	5	0
9.7	Was incident history recorded?	A	5	0
9.8	Was mechanism of injury recorded?	A	5	0
9.9	Was suspicion of head / spinal injury recorded?	A	5	0
9.10	Was cautioning the patient to lay still, as part of C-spine management, recorded?	A	5	0
9.11	Was the Right wrist injury described/recorded?	A	5	0
9.12	Was the Left wrist injury described/recorded?	A	5	0
9.13	Was the abdominal injury described/recorded?	A	5	0
9.14	Was the facial abrasions noted?	A	5	0
9.15	Was the Allergies section recorded as "unknown" or "could not obtain"?	A	5	0
9.16	Was the Medications section recorded as "unknown" or "could not obtain"?	A	5	0
9.17	Was treatment of right wrist injury recorded?	A	5	0
9.18	Was treatment of left wrist injury recorded?	A	5	0
9.19	Was treatment of the facial abrasions recorded?	A	5	0
9.20	Was the 1 st vital signs Level of Consciousness recorded? (If no time recorded, then no mark.)	A	5	0
9.21	Was use of C-Collar and back board recorded?	A	5	0
9.22	Was the 1 st vital signs Respiration recorded? (If no time recorded, then no mark.)	A	5	0
9.23	Was the 1 st vital signs Pulse recorded? (If no time recorded, then no mark.)	A	5	0
9.24	Was the 1 st vital signs BP recorded? (If no time recorded, then no mark.)	A	5	0
9.25	Was the 1 st vital signs Skin Condition & Temperature recorded? (If no time recorded, then no mark.)	A	5	0
9.26	Was the 1 st Pupils assessment recorded? (if no time recorded, then no mark)	A	5	0
9.27	Was the 2 nd vital signs Level of Consciousness recorded? (If no time recorded, then no mark.)	A	5	0
9.28	Was the 2 nd vital signs Respirations recorded? (If no time recorded, then no mark.)	A	5	0
9.29	Was the 2 nd vital signs Pulse recorded? (If no time recorded, then no mark.)	A	5	0
9.30	Was the 2 nd vital signs BP recorded? (If no time recorded, then no mark.)	A	5	0
9.31	Was the 2 nd Pupils assessment recorded? (if no time recorded, then no mark)	A	5	0
PAGE 10 SUB-TOTAL POINTS AWARDED				
Recording (Possible 155)				

Casualty “B”

Casualty B (laying on ground covered by tarp and boat debris – partially exposed)

- Semi conscious until the 3 min mark then is conscious.
- Under boat debris (part of the hull is covering the patient).
- Lying on right side.
- Cyanosis in face and hands mottled
- Large piece of boat debris in abdomen (lateral impalement)
- Covered with large tarp and debris and not easily visible from Boater 1

CASUALTY PROMPTS

Casualty B

- Casualty is unresponsive until the 3 min mark.

JUDGES' PROMPTS

Casualty B – (found under boat debris – hypothermic, impaled object, abdo bleed)

S – Unconscious then conscious

A – Medic Alert – diabetic

M – Metformin 500mg twice a day

P - Medic Alert – “Diabetes”

L- Breakfast 4hrs ago

E- from bystander: heard and saw high speed cigar boats on the lake this morning.

	1 st Set	2 nd Set
Respirations	20 shallow, reg	20 shallow, reg
Pulse	110 strong/regular	120 weak/regular
Skin	Pale/Cool/Wet (from water)	Pale/Cool/Wet
Pupils	3 mm reactive	4 mm reactive
LOC	Conscious	Conscious
BP	96/68	84/50

Casualty B		A/S	P O I N T S	N O T D O N E
<p>SCENE / PRIMARY SURVEY: This section will not commence until the 3 minute mark of the scenario. Prior to this time, the casualty is not found. After the 3-minute mark, there are no time restrictions for completion of this section.</p> <p>Actions in this section may be done in any order.</p>				
1.1	Did First Aiders take charge of the situation? <i>(team tells casualty not to move?)</i>	A/S	20	0
1.2	Did First Aiders I.D. self?	A/S	20	0
1.3	Did First Aiders obtain consent to help? <i>(casualty is responsive –</i>	A/S	20	0
1.4	Were hazards assessed? <i>(water nearby, boat debris)</i>	S	20	0
1.5	Did First Aiders put on protective gloves? <i>(must actually be worn before touching patient to receive marks)</i>	A	20	0
1.6	Did First Aiders determine if there are other casualties? <i>(one other)</i>	S	20	0
1.7	Did First Aiders determine/state the mechanism of injury? <i>(bystander reports boat travelled high rate of speed, left the water and ejected the riders)</i>	A/S	20	0
1.8	Did First Aiders instruct the casualty not to move? (for C-Spine control)	S	20	0
1.9	Did First Aiders assess responsiveness? <i>(responsive)</i>	A/S	20	0
1.10	Did First Aiders assess Airway? <i>(clear)</i>	A/S	20	0
1.11	Did First Aiders assess Breathing? <i>(present – shallow, regular)</i>	A	20	0
1.12	Did First Aiders administer O ₂ ? <i>(non-rebreather @ 10 – 15 LPM)</i>	A	20	0
1.13	Did First Aider assess Circulation – Skin condition & temperature? <i>(pale, cool, moist)</i>	A	20	0
1.14	Did First Aider assess Circulation – Carotid & radial pulses? <i>(present – radial pulse weak & regular)</i>	A	20	0
1.15	Did First Aiders perform a rapid body survey?	A	20	0
1.16	Did First Aiders expose the abdominal injury to assess the extent of the bleeding?	A	20	0
1.17	Did First Aiders activate EMS? <i>(the bystander is available)</i>	A/S	20	0
<p>PAGE 12 SUB-TOTAL POINTS AWARDED</p> <p>Primary Survey (Possible 340)</p>				

Casualty B			P O I N T S	N O T D O N E
SECONDARY SURVEY: This section will not commence until the 3-minute mark of the scenario. The casualty is found at the 3 minute mark the first aiders. After the 3-minute mark, there are no time restrictions for completion of this section. Actions in this section may be done in any order.		A/S		
2.0	HISTORY OF THE CASUALTY:			
2.1	Did the First Aider ask if the bystander knows anything about the casualty? (bystander does NOT know the casualty)	S	20	0
2.2	Did the First Aider look for a medical alert device? (<i>bracelet indicates casualty has "Diabetes" – no other info available</i>)	A/S	20	0
2.7	Did First Aider ask bystander how the incident happened? (<i>"the boat was going really fast and they looked like the lost control..."</i>)	S	10	0
3.0	CASUALTY'S VITAL SIGNS ASSESSMENT			
3.1	Did First Aider determine Level of Consciousness? (<i>unresponsive for the first 3 minutes now responsive</i>)	A/S	10	0
3.2	Did First Aider assess Respiration? (<i>correct to 20 regular and shallow.</i>)	A	10	0
3.3	Did First Aider assess Pulse? (<i>carotid or radial OK.</i>) (<i>correct to 110 regular and weak.</i>)	A	10	0
3.4	Did First Aider determine Blood Pressure? (<i>96/48 mmHg</i>)	A	10	0
3.5	Did First Aider assess pupils? (<i>3mm, reactive bilat</i>)	A	10	0
3.6	Did First Aider assess Skin Condition & Temperature? (<i>correct to pale, cool, and moist</i>)	A	10	0
PAGE 13 SUB-TOTAL POINTS AWARDED				
Secondary Survey (Possible 110)				

Casualty B				
4.0	Head to Toe Assessment			
4.1	Check scalp? <i>(clear)</i>	S	10	0
4.2	Check face? <i>(clear)</i>	A	10	0
4.3	Check eyes? <i>(pupils equal, 3mm and reactive)</i>	A	10	0
4.4	Check nose? <i>(nothing)</i>	A	10	0
4.5	Check mouth? <i>(mouth is clear)</i>	A	10	0
4.6	Check jaw? <i>(no deformity)</i>	A	10	0
4.7	Check ears? <i>(ears clear – no fluid)</i>	A	10	0
4.8	Check neck? <i>(no deformity)</i>	A	10	0
4.9	Check collarbones? <i>(no deformity)</i>	A	10	0
4.10	Check shoulders? <i>(no deformity)</i>	A	10	0
4.11	Check both arms? <i>(No injury noted)</i>	A	10	0
4.12	Check both hands? <i>(no injury noted)</i>	A	10	0
4.13	Check chest? <i>(no injury)</i>	A	10	0
4.14	Auscultate chest <i>(breath sounds clear bilaterally)</i>	A	10	0
4.15	Check abdomen? <i>(penetrating object with minor bleeding from around puncture site)</i>	A	10	0
4.16	Check back? <i>(no deformity)</i>	A	10	0
4.17	Check pelvis? <i>(no injury)</i>	A	10	0
4.18	Check both legs? <i>(no injury)</i>	A	10	0
5.0	TREATMENT			
5.1	Was the abdomen exposed and examined?	A	10	0
5.2	Was the object steadied and/or supported?	A	10	0
5.3	Was bleeding controlled using indirect pressure?	A	10	0
5.4	Was the dressing assessed to ensure bleeding controlled? <i>(no further bleeding)</i>	A/S	10	0
5.5	Was the dressing assessed for bleeding more than once?	A/S	10	0
PAGE 14 SUB-TOTAL POINTS AWARDED				
Head to Toe and Treatment		(Possible 230)		

Casualty B				
6.0	SHOCK, REASSESSMENT, AND GENERAL			
6.1	Was casualty covered "over" to lessen shock?	A	10	0
6.2	Was casualty reassured?	S	10	0
6.3	Was casualty reassured more than once?	S	10	0
6.4	Was Level of Consciousness reassessed? (<i>responsive</i>)	A/S	10	0
6.5	Was casualty's respiration reassessed? (<i>20 full and regular</i>)	A	10	0
6.6	Was casualty's pulse reassessed? (<i>120 irregular and weak.</i>)	A	10	0
6.7	Was casualty's blood pressure reassessed? (<i>84/50 mmHg</i>)	A	10	0
6.8	Was casualty's pupils reassessed? (<i>4mm reactive</i>)	A	10	0
6.9	Was casualty's skin condition & temperature reassessed? (<i>pale, cool and moist</i>)	A	10	0
6.10	Did the First Aiders remind casualty not to move (for C-spine management) more than once?	S	10	0
6.11	Were gloves worn for the duration of the scenario and were they effective? (<i>Judges Note: torn gloves must be replaced.</i>)	A	10	0
PAGE 15 SUB-TOTAL POINTS AWARDED				
Shock & General				
(Possible 110)				

Casualty B				
7.0	RECORDING			
7.1	Was the date and time recorded?	A	5	0
7.2	Was the casualty's name recorded?	A	5	0
7.3	Was the First Aider's name recorded?	A	5	0
7.4	Was the initial Level of Consciousness recorded?	A	5	0
7.5	Was the initial ABC status recorded?	A	5	0
7.6	Was administration of oxygen recorded?	A	5	0
7.7	Was incident history recorded?	A	5	0
7.8	Was mechanism of injury recorded?	A	5	0
7.9	Was suspicion of head / spinal injury recorded?	A	5	0
7.10	Was cautioning the patient to lay still, as part of C-spine management, recorded?	A	5	0
7.11	Was the embedded object in the abdomen described?	A	5	0
7.12	Was the minor bleeding at the site recorded?	A	5	0
7.13	Was the Allergies section recorded? NKA	A	5	0
7.14	Was the Medications section recorded? Metformin 500mg BID	A	5	0
7.15	Was the medical history recorded? (<i>diabetes</i>)	A	5	0
7.16	Was the treatment of embedded object in the abdomen recorded?	A	5	0
7.17	Was reassessment of the dressing for further bleeding recorded?	A	5	0
7.18	Was the 1 st vital signs Level of Consciousness recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.19	Was the 1 st vital signs Respiration recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.20	Was the 1 st vital signs Pulse recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.21	Was the 1 st vital signs BP recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.22	Was the 1 st vital signs Skin Condition & Temperature recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.23	Was the 1 st Pupils assessment recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.24	Was the 2 nd vital signs Level of Consciousness recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.25	Was the 2 nd vital signs Respirations recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.26	Was the 2 nd vital signs Pulse recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.27	Was the 2 nd vital signs BP recorded? (<i>If no time recorded, then no mark.</i>)	A	5	0
7.28	Was the 2 nd Pupils assessment recorded? (<i>if no time recorded, then no mark</i>)	A	5	0
PAGE 16 SUB-TOTAL POINTS AWARDED				
Recording (Possible 140)				